



# The simplest INKvestment you'll make!

**DCP-J1200W** 

Exclusively available from









RINT COPY

CAN WIRELESS





## The perfect fit for home office printing

For a print solution that is affordable, has low operating costs and is easy to use, the DCP-J1200W has your bases covered. In addition to its sleek, compact design that can fit into any home or work space, discover the advanced built-in technology and wireless connectivity options. The high-yield ink cartridges supplied in-box provide exceptional value and allow you to print for up a year<sup>8</sup> without needing to replace the ink, so you can focus on what's important.



Brother Mobile Connect



### **Key Features:**

- Up to 1-year of ink in-box8 (BK: Up to 1,500 pages10, C/M/Y: Up to 1,400 pages10)
- Print speeds up to 16ppm
- Up to 150 sheet paper capacity
- Use the Mobile Connect App to manage your printer more effectively and customise its functionality
- · Monitor ink usage with Page Gauge
- Wireless, Wi-Fi Direct<sup>®</sup>, AirPrint<sup>11</sup> and USB connectivity
- Replacement INKvestment inks: LC434 BK (Up to 750 black pages<sup>8</sup>) and LC434 CMY (Up to 750 colour<sup>8</sup> pages)



### Upfront affordability and low operating costs

The DCP-J1200W gives you the best of both worlds – affordability and exceptional value! The high-yield ink cartridges supplied in-box means you don't have to worry about replacing ink cartridges for up to 1 year<sup>8</sup>, delivering uninterrupted printing so you can focus on what's important.



### Simple to use with your smart device

The power of printing is now at your fingertips with Brother's latest app. The Brother Mobile Connect App allows you to manage your printing and scanning more effectively, superseding the need for a touchscreen.



### The perfect fit for home printing

With print speeds up to 16ppm, easy wireless connectivity options and AirPrint<sup>11</sup> compatibility, printing and scanning is convenient and simple - anyone can use it!



### No mess, no fuss INKvestment Technology

Unlike other tank systems, there is no need to stop and re-fill your ink tanks, which can be a fiddly and messy process. Let our INKvestment cartridges do the work for you!



### Print with confidence using the Page Gauge

Keep tabs on your ink usage with the Page Gauge feature on the Brother Mobile Connect App. The app gives you a visual and numeric representation of the ink you're using, so you'll always know when you need to replace your cartridges.



#### Sleek and modern design

The sleek, compact design of the DCP-J1200W means that it can fit easily into any home or workspace - and look good too!



### Brother at your side support

Wherever you are in Australia, Brother offers free product support for the lifetime of your product.



General		Scan	
CPU Speed	576MHz	Scanner Type	CIS (Contact Image Sensor)
Control Panel	LED Buttons	Colour & Mono Scanning	Yes
Memory Capacity	128MB	Scan speed (Mono / Color) *@100dpi	<b>A4:</b> 3.35s/4.38s
Ink Page Gauge	Yes	Optical Resolution	<b>Flatbed:</b> 1200 x 2400dpi
		(horizontal x vertical)	
Paper		Multi-page Scan to Single PDF files	Yes (iPrint&Scan desktop only)
Standard Tray	150 sheets (80gsm)	(Firm / PC)	V. THAIAIN. I.
Output Paper Capacity	50 sheets (80gsm)	Auto Crop (Firm / PC)	Yes (TWAIN only)
Media Sizes / Standard Tray	A4, LTR, EXE, A5, A6, Photo (102 x 152mm/4 x 6"),	Base Colour Removal (Firm / PC)	Yes
	Indexcard (127 x 203mm/5 x 8"), Photo-2L (127 x 178mm/5 x 7"), C5 Envelope,	Document Scanning (Width / Length)	Flatbed: 213.9mm / 295mm
	Com-10, DL Envelope, Monarch	Colour Depth (Input / Output)	Color Depth: 30bit colour processing (input)
Media Types & Weights / Standard Tray	Plain, Inkjet, Glossy (cast/resin), Recycled & 64-220gsm		24 bit colour processing (output) / 256 levels per colou <b>Gray Scale:</b>
Media Sizes / Scanner Glass (width / length)	Up to 215.9/297mm		10bit colour processing (input) 8bit colour processing (output) / 256 levels
Media Sizes / Manual Duplex	PC Print		
·	A4, LTR, EXE, A5 Copy		
	Letter, A4, A5, EXE	Scan Functions	
Media Types & Weights / Manual	Plain & 64-105gsm	Scan to Image	Scan into your preferred image editing software
Duplex		Scan to OCR	Scan documents directly into your word processing application for instant editing
		Scan to Email Client	Scan and share documents
Print			via e-mail
Print Speed <sup>1</sup>	16.0ppm mono / 9.0ppm colour	Scan to File	Scan to a file on your computer
First Print Out Time <sup>2</sup>	6.5 sec mono / 10 sec colour		
Resolution (horizontal x vertical)	Up to 1200 x 6000dpi Windows® only	Scan Drivers	
F1-4'	(Mac: Up to 1200 x 3600dpi)	Windows®	TWAIN & WIA, Windows®, Windows® 10,
Emulation	GDI		Windows® 8, Windows® 11
Quiet Mode	Yes	Macintosh	macOS 10.8.x or greater
Print Function			
	Dadwa un to 0, 4, 0 or 16, 44 pages into irret and 44	Connectivity	LUI 0 LUI 0 0 0
N-up Printing <sup>7</sup>	Reduce up to 2, 4, 9 or 16 A4 pages into just one A4 page	USB Interface	Hi-Speed USB 2.0
Poster Printing <sup>7</sup>	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25	Wireless Network	IEEE 802.11b/g/n (infrastructure)
· ·	A4 pages	Wireless Direct	IEEE 802.11g/n (wireless direct)
Watermark Printing	Watermark your documents with predefined text or with	Brother Mobile Connect	Print, scan, copy preview, machine settings
	your own user-defined messages	AirPrint	Yes
ID Printing <sup>7</sup>	Add identification to your printed documents (date & time, short custom message or PC username)	Mopria	Yes
Manual O Cided (Dunlay) Drint?		Brother Print Service Plugin	Yes
ivianuai 2-Sided (Duplex) Print	Manual 2-sided printing (recommended for media not		
Manual 2-Sided (Duplex) Print <sup>7</sup>	supported by automatic 2-sided print)		
-	1 0 1	Naturalik <sup>9</sup> Securit	
Booklet Printing <sup>7</sup>	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual	Network & Security	
Booklet Printing <sup>7</sup>	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print	Network & Security Wireless Network	SSID (32 chr), WEP 64/128bit, WPA-PSK (TKIP/AES), WPA2-PSK TKIP/AES), SSL / TLS (IPPS, HTTPS)
Booklet Printing <sup>7</sup>	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily		WPA-PSK (TKIP/AES),
Booklet Printing <sup>7</sup>	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily	Wireless Network  IP Filter	WPA-PSK (TKIP/AES), WPA2-PSK TKIP/AES), SSL / TLS (IPPS, HTTPS)
Booklet Printing <sup>7</sup> Print Profiles <sup>7</sup>	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily	Wireless Network	WPA-PSK (TKIP/AES), WPA2-PSK TKIP/AES), SSL / TLS (IPPS, HTTPS) IPv4 ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS
Booklet Printing <sup>7</sup> Print Profiles <sup>7</sup> Copy	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily recall them	Wireless Network  IP Filter	WPA-PSK (TKIP/AES), WPA2-PSK TKIP/AES), SSL / TLS (IPPS, HTTPS) IPv4 ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS LLMNR responder, LPR/LPD, Custom Raw Port/
Booklet Printing <sup>7</sup> Print Profiles <sup>7</sup> Copy  Copy Speed <sup>6</sup>	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily recall them	Wireless Network  IP Filter	WPA-PSK (TKIP/AES), WPA2-PSK TKIP/AES), SSL / TLS (IPPS, HTTPS) IPv4 ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS LLMNR responder, LPR/LPD, Custom Raw Port/
Booklet Printing <sup>7</sup> Print Profiles <sup>7</sup> Copy  Copy Speed <sup>6</sup> First Copy Out Time <sup>2</sup> Mono Resolution	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily recall them	Wireless Network  IP Filter	WPA-PSK (TKIP/AES), WPA2-PSK TKIP/AES), SSL / TLS (IPPS, HTTPS) IPv4  ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/N/2c, TFTP server, ICMP, Web Services (Print / Scan), SNTP Client, HTTP Server NDP, RA, mDNS,LLMNR Responder, DNS Resolver, LPR/LP,Custom Raw Port/ Port9100, IPP, SNMPv1/ v2c, TFTP server, Web Services (Print / Scan), SNTP
Booklet Printing <sup>7</sup> Print Profiles <sup>7</sup> Copy  Copy Speed <sup>6</sup> First Copy Out Time <sup>2</sup> Mono Resolution (horizontal x vertical)  Colour Resolution	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily recall them  8ipm mono / 3ipm colour  11.5 sec mono / 27 sec colour  Print: Max. 1200 x 1800dpi Scan: Max. 1200 x 1200dpi  Print: Max. 1200 x 1800dpi  Print: Max. 1200 x 1800dpi	Wireless Network  IP Filter  Protocols (IPv4)	WPA-PSK (TKIP/AES), WPA2-PSK TKIP/AES), SSL / TLS (IPPS, HTTPS) IPv4  ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print / Scan), SNTP Client, HTTP Server NDP, RA, mDNS,LLMNR Responder, DNS Resolver, LPR/LP,Custom Raw Port/ Port9100, IPP, SNMPv1/
Booklet Printing <sup>7</sup> Print Profiles <sup>7</sup> Copy  Copy Speed <sup>6</sup> First Copy Out Time <sup>2</sup> Mono Resolution (horizontal x vertical)  Colour Resolution	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily recall them  8ipm mono / 3ipm colour  11.5 sec mono / 27 sec colour  Print: Max. 1200 x 1800dpi  Scan: Max. 1200 x 1200dpi	Wireless Network  IP Filter  Protocols (IPv4)	WPA-PSK (TKIP/AES), WPA2-PSK TKIP/AES), SSL / TLS (IPPS, HTTPS) IPv4  ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv11/v2c, TFTP server, ICMP, Web Services (Print / Scan), SNTP Client, HTTP Server  NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LP, Custom Raw Port/ Port9100, IPP, SNMPv1/ v2c, TFTP server, Web Services (Print / Scan), SNTP
Booklet Printing <sup>7</sup> Print Profiles <sup>7</sup> Copy  Copy Speed <sup>6</sup> First Copy Out Time <sup>2</sup> Mono Resolution (horizontal x vertical)  Colour Resolution (horizontal x vertical)	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily recall them  8ipm mono / 3ipm colour  11.5 sec mono / 27 sec colour  Print: Max. 1200 x 1800dpi Scan: Max. 1200 x 1200dpi  Print: Max. 1200 x 1800dpi  Print: Max. 1200 x 1800dpi	Wireless Network  IP Filter Protocols (IPv4)  Protocols (IPv6)	WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), SSL / TLS (IPPS, HTTPS) IPv4  ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDN: LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print / Scan), SNTP Client, HTTP Server NDP, RA, mDNS,LLMNR Responder, DNS Resolver, LPR/LP,Custom Raw Port/ Port9100, IPP, SNMPv1/ v2c, TFTP server, Web Services (Print / Scan), SNTP Client, ICMPv6, HTTP Server BRAdmin Windows Only (by download) Yes
Copy  Copy Copy Speed <sup>6</sup> First Copy Out Time <sup>2</sup> Mono Resolution (horizontal x vertical) Colour Resolution (horizontal x vertical) Remote Copy	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily recall them  8ipm mono / 3ipm colour  11.5 sec mono / 27 sec colour  Print: Max. 1200 x 1800dpi  Scan: Max. 1200 x 1800dpi  Scan: Max. 1200 x 1800dpi  Scan: Max. 1200 x 600dpi  Scan: Max. 1200 x 600dpi	Wireless Network  IP Filter Protocols (IPv4)  Protocols (IPv6)	WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), SSL / TLS (IPPS, HTTPS) IPv4  ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS: LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print / Scan), SNTP Client, HTTP Server NDP, RA, mDNS,LLMNR Responder, DNS Resolver, LPR/LP,Custom Raw Port/ Port9100, IPP, SNMPv1/ v2c, TFTP server, Web Services (Print / Scan), SNTP Client, ICMPv6, HTTP Server  BRAdmin Windows Only (by download)
Booklet Printing <sup>7</sup> Print Profiles <sup>7</sup> Copy  Copy Speed <sup>6</sup> First Copy Out Time <sup>2</sup> Mono Resolution (horizontal x vertical)  Colour Resolution (horizontal x vertical)  Remote Copy  Reduction/Enlargement (%)	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily recall them  8ipm mono / 3ipm colour  11.5 sec mono / 27 sec colour  Print: Max. 1200 x 1800dpi Scan: Max. 1200 x 1200dpi Print: Max. 1200 x 1800dpi Scan: Max. 1200 x 600dpi Yes	Wireless Network  IP Filter Protocols (IPv4)  Protocols (IPv6)	WPA-PSK (TKIP/AES), WPA2-PSK TKIP/AES), SSL / TLS (IPPS, HTTPS)  IPv4  ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print / Scan), SNTP Client, HTTP Server  NDP, RA, mDNS,LLMNR Responder, DNS Resolver, LPR/LP,Custom Raw Port/ Port9100, IPP, SNMPv1/ v2c, TFTP server, Web Services (Print / Scan), SNTP Client, ICMPv6, HTTP Server  BRAdmin Windows Only (by download)  Yes  Recommend Browser: Internet Explorer 11/Edge (for Windows), Safari 10/11 (for Mac), Chrome (for Android), Chrome/Safari (for iOS)
Booklet Printing <sup>7</sup> Print Profiles <sup>7</sup> Copy  Copy Speed <sup>6</sup> First Copy Out Time <sup>2</sup> Mono Resolution (horizontal x vertical)  Colour Resolution (horizontal x vertical)  Remote Copy  Reduction/Enlargement (%)  N in 1  Poster	supported by automatic 2-sided print)  Print documents in A5 booklet format using manual 2-sided print  Store your favourite driver settings as profiles to easily recall them  8ipm mono / 3ipm colour  11.5 sec mono / 27 sec colour  Print: Max. 1200 x 1800dpi Scan: Max. 1200 x 1200dpi Print: Max. 1200 x 1800dpi Scan: Max. 1200 x 600dpi Yes 25 - 400 in 1% increments (Remote Copy)	Wireless Network  IP Filter Protocols (IPv4)  Protocols (IPv6)	WPA-PSK (TKIP/AES), WPA2-PSK TKIP/AES), SSL / TLS (IPPS, HTTPS) IPv4  ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print / Scan), SNTP Client, HTTP Server NDP, RA, mDNS,LLMNR Responder, DNS Resolver, LPR/LP,Custom Raw Port/ Port9100, IPP, SNMPv1/ v2c, TFTP server, Web Services (Print / Scan), SNTP Client, ICMPv6, HTTP Server  BRAdmin Windows Only (by download) Yes Recommend Browser: Internet Explorer 11/Edge (for Windows), Safari 10/11 (for Mac),



<b>Duty Cycle</b>		Environment
Recommended monthly volume <sup>9</sup>	50 - 1,000 pages	Power Consumption
Maximum Monthly Volume <sup>9</sup>	Up to 2,500 pages	
		Sound Pressure Le
Dimensions		Sound Pressure Le
Carton Dimension	W 506 x D 219 x H 469mm	
Carton Weight	8.6kgs	Sound Power Leve
Machine Dimensions	W 435 x D 359 x H 161mm	
Machine Weight	6.5kgs	Supplies and
		In-Box Pages <sup>5, 10</sup>
		Standard-yield Car

Networked Standby: Approx. 1.1W ion

Copying Mode: Approx. 13W Ready Mode: Approx. 2.5W Sleep Mode: Approx. 0.8W Off: Approx 0.2W

56dB (A) (Approx.) evel (Operating)

\*Noise depends on printing

conditions.

el (Printing) 6.71B (A)

#### **Accessories**

BK: 1500, C: 1400, M: 1400, Y: 1400

artridges⁵ LC434 BK - 750 pages LC434 CMY - 750 pages

- Based on ISO/IEC 24734
- Based ISO/IEC 17629
- 3. Windows & Mac Only
- 4.
- Windows Only Based on ISO/IEC 24711 5.
- Based on ISO/IEC 24735
- Optional download
- Based on average print volumes of approximately 100 pages per month at 60% black / 40% colour pages in accordance with ISO-IEC 24711 using 4 cartridges provided in-box. For more page yield information, see http://www.brother.com/pageyield
- Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements
- The first time you install a set of ink cartridges the machine will use an amount of ink to fill the delivery tubes for high quality printouts. This process will only happen once. The amount of ink remaining  $^{8}$  will be a minimum of 720 pages BK and 480 pages C/M/Y
- Requires connection to a network











#### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

