



Compact Colour LED 3-in-1 Printer

Compact Design, Expertly Engineered

DCP-L3520CDW



PRINT



SCAN



COPY



5GHz
WIRELESS

Exclusively available from

officeworks

www.brother.com.au

Compact Colour LED 3-in-One Printer

Combining outstanding performance with fast print speeds, minimal maintenance, and long-lasting supplies.

The compact, whisper-quiet DCP-L3520CDW has been expertly engineered to feature the latest industry-standard security. Be confident that this colour LED will meet the needs of your home or small office with ease.

DCP-L3520CDW




Key features:

- Print speeds of up to 18 pages per minute⁹
- Large paper capacity of 250 sheets⁶
- Automatic 2-sided (duplex) printing
- 2.4GHz/5GHz Wi-Fi and USB 2.0 connectivity
- Print or scan directly from desktop or mobile app
- 512MB internal memory
- Up to 1,000 black and 1,000 colour pages in-box toners¹¹
- High-yield replacement toners available, up to 3,000 black and 2,300 colour pages¹¹



Compact and expertly engineered

Designed by experts, our most compact colour multi-function printer delivers high-quality outputs every time, allowing you to make the most of your home and small office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access, this device has been developed to meet the needs of your home and small office.



Quiet without compromise

With its streamlined design, the MFC-L3755CDW is engineered to print quietly while delivering speeds up to 25% faster than the previous generation, so you can print continuously and without distraction.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to protect your data. The MFC-L3755CDW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Designed to go the distance

Built to perform for longer, the MFC-L3755CDW has been designed with you in mind. Made from robust and hard-wearing materials and supported by outstanding service as standard, Brother's award-winning reliability allows you to deliver uncompromised performance at all times.



Brother at your side support

Wherever you are in Australia, Brother offers [free product support](#) for the lifetime of your product.

| General | |
|---|--|
| Engine | Colour LED |
| Carton Contents | Printer, Quick Setup Guide, Power Cord, CMYK Toner (TN258C/TN258M/TN258Y/TN258BK) Up to 1,000 pages ¹¹ |
| Display | |
| LCD Display | 20 characters x 2 lines |
| Printer | |
| Standard Memory | 512MB |
| Print Speed ⁹ | Up to 18 ppm Mono / Up to 18 ppm Colour |
| 2 Sided Print Speed ⁹ | Up to 77ipm or 3/3ppm (Mono/Colour, based on ISO/IEC 24734) |
| 2 Sided Print | Yes (Automatic) |
| Emulation | PCL6, BR-Script3 |
| Printer Resolution | 600 x 600 dpi, 2400 dpi (2400 x 600) quality |
| First Print Out Time ¹⁰ | Less than 15 secs Mono/Colour (From Ready mode and standard tray) Less than 32 secs Mono/Colour (From Sleep mode and standard tray) |
| Resident Barcodes | Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1 Databar, MSI |
| Resident Fonts | PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts |
| Quiet Mode | A mode to reduce the printing noise by reducing the print speed |
| Recommended Monthly Print Volume ⁸ | 300 to 3,000 pages |
| Paper Handling ⁶ | |
| Standard Paper Capacity | Up to 250 Sheets |
| Envelopes Input | Up to 1 envelope (Manual Feed Slot only) output via rear |
| Output Paper Capacity | Up to 150 Sheets Face Down (80gsm) |
| 1 sheet face-up (straight paper path) | Up to 250 sheets face down (80gsm) 1 sheet face-up (straight paper path) |
| Media Weights Paper Tray | 60 - 163 gsm |
| Media Weights Manual Feed Slot | 60 - 163 gsm |
| Media Weights Duplex | 60 - 105 gsm |
| Media Size Paper Tray | A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5 (JIS), B5 (ISO), B6 (JIS), A4 Short (270mm), Folio, 16K (195x270mm) |
| Media Size Manual Feed Slot | Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch |
| Media Size Duplex | A4 |
| Media Size Scanner Glass | Up to A4/LTR |
| Media Types Paper Tray | Plain Paper, Thin Paper, Thick Paper, Recycled Paper |
| Media Types Manual Feed Slot | Plain Paper, Thin Paper, Thick Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick, Glossy Paper |
| Media Types Duplex | Plain Paper, Thin Paper, Recycled Paper |

| Digital Copier | |
|---|--|
| Copier Speed ⁹ | Up to 18 cpm Mono Up to 18 cpm Colour |
| First Copy Out Time | Less than 17/17 secs (Mono/Colour) from Ready mode Less than 32/32 secs (Mono/Colour) from Sleep mode |
| 2-Sided (duplex) Copy | Simplex Scan to Duplex Print |
| Copier Resolution | 600 x 600 dpi |
| Reduction-Enlargement Ratio | 25 - 400 percent in 1 percent increments |
| Copier N-in-1 | 2 in 1 & 4 in 1 (A4/LTR Mono/Colour) |
| Copier Multi Sort | Makes copies of each page and sorts |
| Copier Multi Stack | Up to 999 copies |
| Digital Scanner | |
| Scanner Colour/Mono | Colour |
| Scanner Colour Depth | 48 bit input / 24 bit output colour |
| Scanning Technology | CIS |
| Scanner Speed ¹² | Simplex: Max 1.84/2.39 Sec - 27/21 ipm In accordance with ISO/IEC17991 (Mono/Colour @200dpi A4) |
| Scanner Resolution (Optical) | Flatbed: Up to 1200 x 1200 dpi |
| Scanner Resolution (Interpolated) | Up to 19,200 x 19,200 dpi |
| Scanning Area | Flatbed: 210(W) x 291(L)mm |
| Scanner Grey Scale | 256 levels |
| Scan to Email Client | Yes |
| Scan to OCR | Yes |
| Scan to Image | Yes |
| Scan to File | Yes |
| Scan to FTP | FTP |
| Scan to Sharepoint | On premise Server Via PaperPort |
| Scan to Network Folder ⁵ | Scan documents to a nominated folder on your network without using a PC (Windows Folder Only) |
| Network Scan | Pull scan from Windows/Mac workstation |
| Scanner OS Compatibility ³ | Windows: Windows 11, Windows 10 (32&64bit) Mac: macOS 11-14 ³ Linux: SANE |
| Twain Compliant | Windows: TWAIN Windows 11 or WIA for Windows10 Linux: SANE |
| Software | |
| N-up Printing ⁵ | Windows/Mac |
| Poster Printing ⁴ | Windows only |
| Header and Footer Printing ⁴ | Windows only |
| Watermark Printing ⁴ | Windows only |
| Booklet Printing ⁴ | Windows only |
| Mass Deployment Tool ¹ | Windows only |
| Driver Deployment Wizard ¹ | Windows only |
| Printer OS Compatibility ³ | Windows 11, Windows 10 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012 R2 (64-bit), Windows Server 2012 (64-bit) macOS 11 - 14 ³ Linux RPM, DEB |
| iPrint&Scan ¹ | Print JPG & PDF files, web pages and text from the clipboard directly from or scan directly to a smart phone |
| Connectivity | |
| Interface | Hi-Speed USB 2.0 and IEEE 802.11 b/g/n Wireless |
| USB Interface | Hi-Speed USB 2.0 |
| Wireless Interface | 2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n |
| Wi-Fi Direct | Print wirelessly without having to go through a wireless access point or router |

| Networking | |
|---|---|
| Wireless Mode | 2.4Ghz: IEEE 802.11/b/g/n (Infrastructure Mode mode), 5Ghz: IEEE 802.11/a/n (Infrastructure Mode mode) |
| Wireless Setup Support Utility | Wi-Fi Protected Setup (WPS) |
| Network Protocols IPV4 | ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTIP Client, Syslog |
| Network Protocols IPV6 | NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTIP Client, Web Services (Print/Scan), Syslog |
| Email Alerts | E-mail Notification and E-mail Reports |
| Network Management Utilities | |
| Network Management | Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup Mac: Web Base Management Linux: Web Base Management |
| Web Based Management | Web based print management software embedded onto the device |
| BRAdmin Professional ¹ | For LAN / WAN management using Windows® PC |
| Security | |
| Wireless Security | eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec |
| Wireless Security Protocols | WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports WPA2-PSK (AES) only |
| IPv4-Filter | Restrict which network users can or cannot access the device over the network (IPv4 only) |
| Secure Print ⁵ | Use Secure Print to ensure that confidential or sensitive documents do not print until you enter a password on the machine's control panel (Windows/Mac) |
| Secure Function Lock | (Version.3.0) Up to 100 registered users |
| Mobile/Web Printing | |
| Mobile Connect ¹ | Use Brother Mobile Connect to print, scan, and copy, as well as manage your machine and customize its features (iOS & Android) |
| AirPrint | Print most common file types from any Apple AirPrint enabled application |
| Mopria ¹ | Print most common file types from Mopria™ supported Android devices |
| Google ChromeOS | Print, Scan |
| Android Print Service Plugin ¹ | Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a network |

| Options | |
|------------------------------------|--|
| Optional Warranty ¹⁴ | 1 or 2 or 3 Years On-Site |
| Consumables | |
| Consumables ¹¹ | Belt Unit: Up to 60,000 pages (3-page per job) (BU229CL) Waste Toner Box: Up to 50,000 pages (WT229CL) Drum Unit: Up to 20,000 pages (1-page per job) (DR258CL) |
| Inbox Consumables ¹¹ | CMYK Toner Standard Yield (TN258C/TN258M/TN258Y/TN258BK) Up to 1,000 pages |
| Standard Yield Toner ¹¹ | CMYK Toner Standard Yield (TN258C/TN258M/TN258Y/TN258BK) Up to 1,000 pages* |
| High Yield Toner ¹¹ | Black Toner High Yield (TN258XLBK) Up to 3,000 pages Colour Toner High Yield (TN258XLC/TN258XLM/TN258XLY) Up to 2,300 pages |
| Weights & Measurements | |
| Size | 410(W) x 444(D) x 355(H)mm |
| Weight | 14.5 Kg without consumables 18.6 Kg with consumables |
| Environment | |
| Power Consumption | Peak: Average 960W, Ready: Average 70W, Sleep: 10W, Deep Sleep: 0.7W, Power Off: 0.04W |
| Sleep Mode | 0-50 min |
| Toner Save | This reduces the toner usage and helps to reduce the total cost of printer ownership |
| Power Save | This enables the printer to consume less energy when not in use |
| Others | |
| Noise Level | Sound Pressure Level: (Printing) Less than 46 dBA, (Ready) InAudible Sound Power Level: (Printing) Less than 6.21 B(A), (Ready) InAudible |
| TEC Value | 0.29 kWh/Week |

- Download from Brother Solutions Centre
- Apply to activate
- Via Airprint or iPrint&Scan
- Windows only
- Windows/Mac
- Capacity calculated with 80g/m² paper
- The recommended monthly print volume is to achieve the best possible performance and printer life
- Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
- FPOt (First Print Out Time) based on ISO/IEC 17629
- Approx. declared yield value in accordance with ISO/IEC 19798
- Scan speeds based on ISO/IEC 17991
- Purchase optional onsite warranty required

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.
www.brotherearth.com

