

**INKvestment
Business**



**2 YEAR
WARRANTY#**

**2 YEARS
OF INK*
in-box**



The powerhouse technology INKvestment your business needs

Professional A3 INKvestment Inkjet Multi-Function

MFC-J5855DW XL



PRINT



COPY



SCAN



FAX



WIRELESS

Exclusively available from
Harvey Norman

DOMAYNE

JOYCE MAYNE
WHERE THE SMART MONEY SHOPS

Ideal choice for business

The Brother MFC-J5855DW XL is a state-of-the-art Inkjet Multi-Function that's made for business. Featuring INKvestment Tank technology with 2 years' of ink included in the box* and 2 years' warranty#. Along with the fastest in class first page out time of 4.4 secs¹⁰, print speeds of up to 30 ppm and network connectivity supporting 5GHz wireless LAN, it provides a fast, smooth and consistent user experience while delivering professional quality colour documents. Designed for modern hybrid workplaces, with scan features including A4 scan to email⁸, cloud storage⁸ and Optical Character Recognition (OCR). Providing versatile paper handling from A5 through to A3, the MFC-J5855DW XL is the powerhouse technology INKvestment your business needs.

MFC-J5855DW XL



Key features:

Brother Mobile Connect



- Up to 30 ppm print speed⁹
- Up to 4.4 secs First Page Out Time (FPOT)¹⁰
- Automatic 2-sided (duplex) A4 print
- A3 print, A4 scan, copy and fax
- 1 x 250 paper tray up to A3
- 100 sheet multi-purpose tray up to A3²
- 50 sheet A4 Automatic Document Feeder (ADF)²
- 8.8cm colour touchscreen
- Wired and wireless connectivity
- Super high-yield replacement INKvestment Tank cartridges - up to 6,000 pages black and up to 5,000 pages colour¹



Exceptional value

Experience professional prints and exceptional value with up to 6,000 pages in black and up to 5,000 pages¹ in colour provided in-box – that's 2 YEARS* worth of ink!



INKvestment Tank System

Brother re-engineered its ink cartridges to hold more ink with an internal ink storage tank delivering more pages of uninterrupted printing with premium pigment-based inks



Made for business

Introducing new 'MaxiDrive' Inkjet technology that provides a premium long-life print head, the fastest in class first page out time of 4.4 secs¹⁰ and print speeds of up to 30 ppm.



Large replacement ink tanks

Help extend the savings with super high-yield replacement INKvestment Tank cartridges providing up to 6,000 pages black and up to 5,000 pages colour



Print with confidence

Help take the guesswork out of when to replace ink with Page Gauge technology - see the amount of ink you've used and the amount of ink you have remaining



Designed for mobile

Experience the user-friendly Brother Mobile Connect app, designed to connect to your Brother device to print, scan and manage documents on your smartphone



One-touch cloud connect

Print-from and scan-to popular cloud apps⁸ directly including Dropbox, Google Drive™, OneDrive and more. Save time by creating custom shortcuts on the 8.8cm LCD touchscreen for your most used features



Simple to connect your way

Versatile connectivity options with dual band (2.4GHz/5GHz) Wireless Network support, Ethernet, Wi-Fi Direct or USB



Brother at your side support

Free Australian-based support for the lifetime of your Brother device

| General | |
|---------------------------------|--|
| Technology | Inkjet |
| Memory | 256MB |
| LCD/Type & Size | 8.8cm Colour Touchscreen LCD |
| Local Interface | Hi-Speed USB 2.0 |
| Wired Network | 10Base-T/100Base-TX Ethernet |
| Wireless Network | Dual Band 2.4Ghz and 5Ghz |
| USB Host | Print from and scan to a USB stick |
| Wi-Fi Direct | Yes |
| Printer | |
| Print Speed (A4) ⁹ | 1-sided: 30 ppm Mono and Colour 2-sided (duplex): 21 ppm Mono and Colour |
| Print (A3) | Yes |
| Print Speed FPOT ¹⁰ | 4.6 seconds Colour, 4.4 seconds Mono |
| Quiet Mode | Mode to reduce printing noise |
| Resolution | Up to 1200 x 4800 dpi (Horizontal and Vertical) |
| Print Languages | GDI |
| Printer Functions | |
| N-up Printing ³ | Reduce up to 2, 4, 9 or 16 pages into just one |
| Poster Printing | Enlarge a single page into a poster using 4 or 9 pages |
| Watermark Printing ⁴ | Watermark your documents with predefined text or with your own user-defined messages |
| ID Printing ⁴ | Add identification to your printed documents (date and time, short custom message or PC username) |
| Booklet Printing ⁴ | Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print |
| Print Profiles ³ | Store your favourite driver settings as profiles to easily recall them |
| Printer Driver | |
| Windows [®] | Windows [®] 11, Windows [®] 10 (32 and 64 bit editions), Windows [®] 8 (32 and 64 bit editions), Windows [®] 7 (32 and 64 bit editions), Windows [®] Server 2019, 2016, 2012, 2012R2 and 2008R2, Windows [®] Server 2008 (32 and 64 bit editions) |
| Mac OS | 10.14.6 / 10.15 / 11 / 12 |
| Linux | CUPS, LPD/LPRng (i686 and x86_64) |
| ChromeOS | Supports native ChromeOS printing |
| Paper Handling | |
| Paper Input ² | Standard Tray - 250 sheets Multi Purpose Tray - 100 sheets Auto Document Feeder (ADF) - 50 Sheets |
| Paper Output ² | 100 Sheets A4 |
| Envelope Printing | Up to 10 envelopes (upper or MP tray only) |
| Media Sizes | Standard Tray - Standard Tray Landscape: A4, LTR, EXE Upper Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L (89x127mm/3.5x5inch), Photo-2L (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal, Long paper (max length:1200mm) Scanner Glass - Up to 216mm (W) / 297mm (L) |
| Media Type and Weights | Standard Tray - Plain, Inkjet, Glossy, Recycled 64-220gsm Multi Purpose Tray - Plain, Inkjet, Glossy, Recycled 64-220gsm (260gsm with Brother BP71 glossy paper only) ADF - Plain and Recycled paper 64-120gsm Auto 2-Sided (duplex) Print - Plain, Recycled 64-120gsm |

| Mobile and Web Connectivity | |
|---|--|
| Brother Mobile Connect ⁵ (Android) | Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device |
| Brother Mobile Connect ⁵ (iPad / iPhone) | Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone |
| Apple AirPrint | Print from and scan to most common file types from any AirPrint enabled application |
| Brother Print Service Plugin ⁵ | Print from an Android devices without a dedicated App |
| Mopria™ ⁵ | Print most common file types from Mopria™ supported Android devices |
| Brother Apps ⁸ | Print from Creative Center, Scan to Mobile, Scan to Searchable PDF, Enlarge Text Copy, Fax Forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel, Scan to Word, Easy Scan to E-mail |
| Web Connect ⁸ | Print from and scan to without using a PC on Box, Dropbox, Evernote, OneDrive, Google Drive™, OneNote |
| Copy | |
| Copy Speed ¹¹ | Mono: 25 ipm Colour: 16 ipm |
| Copy Speed FCOT ¹¹ | Mono: 6 seconds Colour: 5 seconds |
| Resolution | Print: up to 1200x4800 dpi Scan: up to 600x600 dpi (horizontal x vertical) Colour |
| Copier Multi-Stack/Sort | Makes up to 999 copies of each page / Stacks or Sorts |
| Enlargement/Reduction Ratio | Reduce or Increase document sizes from 25% to 400% in 1% increments |
| N in 1 Copying | Allows the user to compress 2 or 4 pages on to a single A4 sheet |
| 2 in 1 ID Copying | Allows the user to copy both sides of an ID card to a single A4 sheet |
| Grey Scale | 256 shades of grey (8 bit for each colour) |
| Receipt Copying | Produces clearer copies of receipts |
| Enlarge Text Copy ⁸ | Makes reading copied documents easier if the size of the text on the original document is small |
| Auto Deskew | ADF: Yes FB: Yes |
| Fit to Page | Yes |
| Scanner | |
| Colour and Mono Scanning | Yes |
| Scan Speed (A4) ¹² | 25ipm Mono and Colour |
| Scan Resolution from ADF | 600x600dpi (mono) / 300x600dpi (colour) |
| Scanner Resolution (Optical) | From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colour) |
| Interpolated Scan Resolution | Up to 19200 x 19200dpi |
| Colour Depth | 48 bit colour Processing (Input) 24 bit colour Processing (Output) |
| Grey Scale | 16 bit colour Processing (Input) 8 bit colour Processing (Output) |
| Scanner Functions | |
| Scan to/E-mail Server | Scan and share documents via e-mail server |
| Scan to OCR | Scan documents directly into your word processing application for instant editing |
| Scan to Image | Scan into your preferred image editing software |
| Scan to File | Scan to a file on your computer |
| Scan to Network | Scan documents to a nominated folder on your network without using a Windows PC |
| Scan to SFTP | Scan documents directly to a FTP server |
| Scan Profile ³ | Create up to 25 preset network profiles for an easy way to store multiple scan settings |
| Scan To Microsoft Office | Scan to Word (.docx), PowerPoint (.pptx), Excel (.xlsx) for Microsoft Office |
| Scan to SharePoint ⁴ | Scan documents directly into SharePoint |
| Scan to Media | USB memory drive |
| Scan to Searchable PDF ⁷ | Scan documents to searchablePDF files |
| Auto Deskew ³ | Yes |
| Base Colour Removal ³ | Yes |

| | |
|---|---|
| Scanner Drivers | |
| Scanner Compatibility | Windows 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit) macOS 10.14.6 - 10.15, macOS 11-12 Linux Sane |
| Fax | |
| FAX colour Type | Mono/colour |
| Fax Modem | 33,600 (Super G3) |
| PC-Fax Send ^{3&5} and Receive ^{4&8} | Send and Receive faxes directly from your PC |
| Memory Transmission | Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG) |
| Out of Paper Reception | Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG) |
| Error Correction Mode (ECM) | Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work) |
| Auto Reduction | When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet |
| Broadcasting | Send the same fax message up to 250 locations |
| Grey Scale | 256 shades (8 bit) of grey are available for faxing |
| Fleet Management | |
| Unattended Installer ⁴ | Ability to centrally deploy and customise our drivers and software |
| MSI Installer ⁴ | Modular installers that can be distributed through On-premise Active Directory ⁶ |
| BRAdmin ^{4&5} | LAN/WAN management software |
| Embedded Web Server | Web based print management software embedded onto the device |
| Driver Deployment Wizard ^{4&5} | Easily create print drivers for hassle free deployment over your network |
| Software | |
| Brother iPrint&Scan Desktop ^{3&5} | Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC |
| Security and Network | |
| Wired Network | 10Base-T/100Base-TX |
| Wired Network Security | APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec |
| Wireless Network | 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) |
| Wireless Network Security | WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec |
| Wi-Fi Direct™ | Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported) |
| Wireless Setup Support | Wi-Fi Protected Setup (WPS) |
| Wireless Applications | Vertical Pairing |
| IPv4 | ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTIP Client, LDAP, HTTP Server |
| IPv6 | NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTIP Client, LDAP, ICMPv6, HTTP Server |
| IP Filter | Restrict which network users can or cannot access the device over the network (IPv4 only) |
| E-mail Notifications | Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing |
| E-mail Reports | Receive usage reports on a regular basis via e-mail |
| Secure Function Lock 3.0 | Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users |

| | |
|---|---|
| Supplies | |
| Inbox (pages) ¹³ | BK: 6000, C: 5000, M: 5000, Y: 5000 |
| Standard-Yield Cartridges (pages) | LC-436BK: 3000, LC-436C: 1500, LC-436M: 1500, LC-436Y: 1500 |
| High-Yield Cartridges (pages) | LC-436XLBK: 6000, LC-436XLC: 5000, LC-436XLM: 5000, LC-436XLY: 5000 |
| Dimensions and Weight | |
| Product Dimensions (without carton) | 545 W x 436 D x 309mm H - 17.5kg |
| Recommended Monthly Print Volume | |
| Recommended Monthly Print Volume ⁶ | 250 to 3,500 pages |
| Environment | |
| Power Source | AC 220-240V 50/60Hz |
| Power Consumption | Copying: Approx. 36w, Ready: Approx. 5.5W, Sleep: Approx. 0.9w, Power Off: Approx 0.04W |
| Sound Pressure Level (Operating) | 5.1.5dB(A) (Approx.) |
| Ink Save Mode | This reduces the ink usage and helps to reduce the total cost of printer ownership |

- 1 Approx. declared yield value in accordance with ISO/IEC 24711
- 2 Capacity calculated with 80gsm paper
- 3 Windows and macOS only
- 4 Windows only
- 5 Optional download
- 6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products
- 7 Requires Brother Software
- 8 Must be web connected
- 9 Print Speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
- 10 FPOT (First Print Out Time) based on ISO/IEC 17629 from ready mode
- 11 Copy Speeds ESAT based on ISO/IEC 24735
- 12 Scan Speeds based on ISO/IEC 17991
- 13 The first time you install a set of ink cartridges the machine will use an amount of ink to fill the delivery tubes for high quality printouts. This process will only happen once. The amount of ink remaining will be approx. 89% of 6,000 pages LC436XLBK and approx. 80% of 5,000 pages LC436XL C/M/Y

* Based on average monthly print volumes of approximately 300 pages at 60% black pages / 40% colour pages in accordance with ISO/IEC 24711 using 4 cartridges provided in-box. For more page-yield information, see www.brother.com/pageyield
For warranty terms, please visit: www.brother.com.au/en/contents/standardwarrantyterms



Working with you for a better environment
At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.
www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.