



Wired and Wireless Network Document Scanner

ADS-2800W



SCAN



WIRELESS

brother.com.au

ADS-2800W

Featuring rapid 2-sided (duplex) colour scans, high-speed wired and wireless connectivity, and an intuitive 9.3cm colour LCD touchscreen, Brother's ADS-2800W is the scanner your team has been waiting for.



Key Features:



Up to 40ppm 2-sided (duplex) scanning in colour and monochrome



Network and wireless connectivity



9.3cm colour touchscreen



High speed USB 2.0 interface



50-sheet Automatic Document Feeder (ADF)




Powerful software suite included

Packed with features

Professional bundled software

The Brother ADS-2800W desktop document scanner is simple to set up, robust for continued office use and reliable for uninterrupted professional scanning of vital documents.

Offering true network capability, business critical information can be sent directly to a desired network folder location, improving workflow efficiency and increasing productivity. The ADS-2800W also supports programmable scan destinations from the 9.3cm colour touchscreen, for instant, one touch scanning.



Secure Function Lock (SFL) allows user restrictions to be put in place for function management and improved security.



Efficiently process a wide range of mixed document materials, paper weights, colours, sizes and also plastic cards.



The scan to USB host feature allows the connection of an external storage flash drive up to 64 GB so users can instantly make their scanned documents portable.

Multifeed Detection uses sound waves to identify potential misfeeds. The paper pathway is automatically suspended and the user alerted if an irregular signal is detected, reducing the risk of damaged documents and lost data. The Advanced Reverse Roller system manages incoming bulk paper jobs so only one sheet is processed at a time, for outstanding reliability when scanning a variety of document types and weights.

- Incorporating Gigabit Wired network, Hi-Speed USB 2.0 and wireless connectivity options.
- The ADS-2800W supports TWAIN and ISIS drivers for software integration and image processing.



Technical Specifications for the ADS-2800W

General

| | |
|---------------|------------------------------|
| Image Sensor | Dual CIS |
| Control Panel | 9.3cm LCD Colour Touchscreen |

Paper Handling

| | |
|---------------------------------------|---|
| ADF Capacity ⁶ | 50-sheet |
| Minimum Document Size | 51 x 51mm, Maximum ⁷ Document Size - 215.9 x 355.6mm |
| Maximum Long Paper Scan Document Size | 5,000mm |
| Maximum Daily Duty Cycle ² | Up to 3,000 sheets |
| Paper Weights[1] (Thickness) | 27 - 413 gsm |
| Plastic Card Weights (Thickness) | Embossed up to 1.4mm |

Scan

| | |
|-----------------------------|---|
| Scan Speed (A4) Colour/Mono | Up to 40 ppm (80 ipm) |
| Resolution | Up to 600 x 600 dpi (from ADF) Up to 1200 x 1200 dpi (interpolated) |
| Functions | Email, Image, OCR, PC, SharePoint®, WS Scan, USB Host, email server, apps, cloud, Network, FTP/SFTP |
| Profile setting | Including file types PDF (single, split page, archive, searchable, secure, signed), JPEG, TIFF (single, split page), XPS Scan Profile[10], e-mail server, scan to web[8], Apps (scan to Microsoft Office, easy scan to e-mail, outline and scan, 48 configurable shortcuts) |

Other Features⁴

| | |
|---------|---|
| Include | Auto Scan Size, Auto Deskew, Skip Blank Page, Auto Colour Detection, Auto Image Rotation, Background Processing, Binarization, Blurred Character Correction, Boldface Formatting, Colour Dropout, Colour tone adjustment, Edge Fill, Edge Emphasis, Margin Setting, Noise Reduction, Multifeed Detection, Punch Hole Removal, Quiet Mode, Carrier Sheet Mode, One Sheet Scan, Plastic Card Mode, Remove Ruled Lines, Detect End of Page, Brother Solutions Interface (BSI), Secure Function Lock(ver 3.0), Active Directory Authentication, Setting Lock, WPS, LDAP |
|---------|---|

Connectivity

| | |
|-------------------------|--|
| Local Interface | USB 2.0 and USB Host |
| Wired Network Interface | 10BASE-T/100BASE-TX/1000Base-T (Gigabit). Wireless Network Interface - IEEE 802.11g (Wi-Fi Direct) |
| Mobile ³ | iPrint&Scan app, Brother Scan Viewer for iOS/ OS X, Image Viewer for Android |

Drivers & Software

| | |
|-------------------------------|---|
| Drivers ⁵ | TWAIN 2.2, WIA, ISIS, SANE, ICA |
| Software for Windows® | Brother Control Center 4, Nuance® Paperport 14SE, ABBYY® FineReader Sprint v.12, ABBYY PDF Transformer+, Remote Set-up, BRAdmin Professional ⁸ |
| Software for Mac ³ | Brother Control Center 2, ABBYY® FineReader Sprint v12, Remote Set-up |

Weight & Dimensions

| | |
|------------|-----------------------------------|
| Dimensions | 306mm (W) x 258mm (D) x 205mm (H) |
| Weight | 4.5kg |

¹ For best performance it is recommended to use a carrier sheet for the following weights: 27-39 gsm

² Maximum number of scanned pages per day can be used to compare designed durability between like Brother products. For maximum scanner life, it is best to choose a scanner with a duty cycle that far exceeds your scan requirements

³ Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

⁴ All available with supplied software

⁵ Some options may require additional download or subscription

⁶ Capacity varies dependent on paper weight.

⁷ Document sizes larger than A4, but not exceeding A3, can be scanned (single-side) using carrier sheet

⁸ Must be web connected


⁹ Windows® only

¹⁰ Windows® & Mac® only



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.



All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.