





Compact Monochrome Laser Printer

HL-L2460DW





Compact Monochrome Laser Printer

Work smarter with an expertly designed machine, built for effortless efficiency. Keep your home or small office moving with long-lasting supplies with up to 5,000-page¹¹ replacement toners and fast print speeds of up to 34ppm⁹. Offering the latest industry-standard security, this compact device is easy to set up and connect. Experience flawless results reliably, every day.

HL-L2460DW



Key features:

- Fast print speeds of up to 34 pages per minute⁹
- Paper capacity up to 250 sheets and manual feed slot⁶
- Automatic 2-sided (duplex) printing
- 100Mbps Ethernet, 2.4/5GHz Wi-Fi, Wi-Fi Direct and USB connectivity
- Print directly from desktop or mobile app⁷
- 128MB internal memory
- Up to 1,200 pages in-box toners¹¹
- Super high-yield replacement toners available, up to 5,000 pages¹¹



Work Smarter

Expertly designed to increase efficiency with fast print speeds of up to 34ppm⁹ that help you work smarter. The 2-sided (duplex) print feature will save you time, enabling you to get on with other tasks.



Print Longer

The HL-L2460DW keeps your printing costs down using a separate drum and toner unit, and the 1,200-page¹¹ in-box toner supports your print volume needs. Toners are easy to change with a super high-yield replacement toner available to print up to 5,000 pages¹¹, reducing your frequency to replace.



Effortless

Make your day easier and your printing tasks a breeze, with simple set up using the Brother Mobile Connect app, enabling you to print documents from your mobile device⁷. Make the most of fast ethernet, 2.4/5GHz Wi-Fi or USB connection and an easy to navigate LCD display.



Secure by Design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The HL-L2460DW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Compact and Expertly Engineered

Designed by experts, our most compact monochrome printer delivers high-quality outputs in a small footprint, allowing you to make the most of your home or small office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access, this device has been developed to meet the needs of a busy home or small office.



Brother's at your side Support

Wherever you are, Brother offers free product support for the lifetime of your product.

General		Android Print Service Plugin ¹	Yes
Engine	Mono Laser	Android Print Service Plugin	Yes
CPU Speed	600MHz		
Standard Memory	128MB	Mopria ¹	Yes
Display	IZONID	Google ChromeOS	Yes
LED Display	N/A	Web Connect ¹	Scan To/Download and Print from: Google Drive, Evernote, DropBox, Box, OneDrive, OneNote, SharePoir
LCD Display	6.8cm Colour LCD (Touchscreen)		Online
LOD Display	0.0011 Odiour LOD (Touchscreen)	Software	
Printer		Printer OS Compatibility ³	Windows 11, Windows 10 (32864bit), Windows Server 2022, Windows Server 2019, Windows Server 2016,
Print Speed ⁹	Up to 34ppm		Windows Server 2012/R2 (64bit) macOS 11-13
2 Sided Print	Yes (Automatic)		Linux Cups, LPD/LPR
2 Sided Print Speed ⁹	Up to 16 sides per minute / 8 sheets per minute	Software Available	Windows: Scansoft Paperport 14SE and OCR,
Printer Resolution	1200 x 1200dpi		iPrint&Scan, BRAdmin Light, BRAdmin Professional, Driver Deployment Wizard
First Print Out Time ¹⁰	Less than 8.5 secs from Ready mode, Less than 17.5		Mac: iPrint&Scan
Warm Up Time	secs from Sleep mode Less than 9 secs from Sleep mode	Printer Driver Functions	Windows/Mac: N in 1, Auto Duplex, Header-Footer, Watermark
	Less than 20 secs from Power ON		Windows Only: Poster, Booklet, Archive
Emulation	PCL6	Manual Duplex	Yes
Resident Fonts	PCL:73 scalable fonts, 12 bitmap fonts, 16 bar codes	Watermark Printing	Windows only
Resident Font PCL	73 scalable fonts, 12 bitmap fonts, 16 bar codes	Archive Printing	Windows only
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post	Header and Footer Printing	Windows only
	Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E,	N-up Printing	Windows/Mac
	Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93,	Poster Printing	Windows only
	GS1Databar, MSI	Driver Deployment Wizard	Windows only
Quiet Mode ⁴	Yes	Weight & Measurements	
Connectivity		Size	356(W) x 360(D) x 183(H)mm
Interface	Hi-Speed USB 2.0, 10/100Base-TX Ethernet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n	Weight	6 Kg without consumables 7.1 Kg with consumables
	Wireless, Wi-Fi Direct	Size With Carton	438(W) x 283(D) x 519(H)mm
USB Interface	Hi-Speed USB 2.0	Weight With Carton	9 Kg with consumables
Wired Interface	10Base-T/100Base-TX Ethernet	Paper Handling	
Wireless Interface	2.4GHz IEEE 802.11b/g/n Wireless 5GHz IEEE 802.11a/n Wireless	Standard Paper Capacity ⁶	Up to 250 sheets
		Manual Feed Slot	1 sheet
Wireless Mode			
Wireless Mode	2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE 802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct)		
Wireless Setup Support Utility	802.11a/n (Mi-Fi Direct) Wi-Fi Protected Setup (WPS)	Envelopes Input Output Paper Capacity	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm)
Wireless Setup Support Utility Wi-Fi Direct	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/	Envelopes Input	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS)
Wireless Mode Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/	Envelopes Input Output Paper Capacity	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path)
Wireless Setup Support Utility Wi-Fi Direct	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/	Envelopes Input Output Paper Capacity Media Size Paper Tray	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS), A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L),
Wireless Setup Support Utility Wi-Fi Direct	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print)	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env.
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print)	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Types Duplex Media Weights Paper Tray	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print)	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper 60 - 163gsm 60 - 230 gsm
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security Wireless Security Protocols	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPP/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES)	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights Duplex	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) Wi-Fi Direct supports WPA2-PSK (AES) only. Wi-Fi Certification Mark License (WPA/WPA2/WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS)	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights Duplex Consumables	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS), A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper 60 - 163gsm 60 - 230 gsm 60 - 105 gsm
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security Wireless Security Protocols	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) Wi-Fi Direct supports WPA2-PSK (AES) only. Wi-Fi Certification Mark License (WPAWPA2/WPA3	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights Duplex	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS), A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper 60 - 163gsm 60 - 230 gsm 60 - 105 gsm
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security Wireless Security Protocols Wireless Certification	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) Wi-Fi Direct supports WPA2-PSK (AES) only. Wi-Fi Certification Mark License (WPA/WPA2/WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct Yes	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights Duplex Consumables	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS), A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper 60 - 163gsm 60 - 230 gsm 60 - 105 gsm Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security Wireless Security Protocols Wireless Certification IPv4-Filter	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) Wi-Fi Direct supports WPA2-PSK (AES) only. WI-Fi Certification Mark License (WPA/WPA2/WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct Yes Windows: BRAdmin Light, Web Base Management, BRAdmin Professional	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights Duplex Consumables	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS), A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper 60 - 163gsm 60 - 230 gsm 60 - 105 gsm Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages Super High Yield Toner Cartridge (TN2530XXL) Up to 5,000 A4 pages
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security Wireless Security Protocols Wireless Certification IPv4-Filter Network Management Utility	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) Wi-Fi Direct supports WPA2-PSK (AES) only. Wi-Fi Certification Mark License (WPA/WPA2/WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct Yes Windows: BRAdmin Light, Web Base Management,	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights Duplex Consumables	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper 60 - 163gsm 60 - 230 gsm 60 - 105 gsm Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages Drum (DR2530) Up to 15,000 A4 pages (1 page / job) Inbox Toner Cartridge Up to 1,200 pages
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security Wireless Security Protocols Wireless Certification IPv4-Filter Network Management Utili Network Management	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) Wi-Fi Direct supports WPA2-PSK (AES) only. Wi-Fi Certification Mark License (WPA-WPA2-WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct Yes Windows: BRAdmin Light, Web Base Management, BRAdmin Professional Mac: Web Base Management	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights Duplex Consumables Consumables	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper 60 - 163gsm 60 - 230 gsm 60 - 105 gsm Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages Super High Yield Toner Cartridge (TN2530XXL) Up to 5,000 A4 pages Drum (DR2530) Up to 15,000 A4 pages (1 page / job) Inbox Toner Cartridge Up to 1,200 pages Drum (DR2530) Up to 15,000 pages (1 page / job)
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security Wireless Security Protocols Wireless Certification IPv4-Filter Network Management Utili Network Management Web Based Management	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) Wi-Fi Direct supports WPA2-PSK (AES) only. Wi-Fi Certification Mark License (WPAWPA2/WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct Yes Windows: BRAdmin Light, Web Base Management, BRAdmin Professional Mac: Web Base Management Linux: Web Base Management	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights Duplex Consumables Consumables	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper 60 - 163gsm 60 - 230 gsm 60 - 105 gsm Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages Drum (DR2530) Up to 15,000 A4 pages (1 page / job) Inbox Toner Cartridge Up to 1,200 pages
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security Wireless Security Protocols Wireless Certification IPv4-Filter Network Management Utili Network Management BRAdmin Professional¹ Email Alerts	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) Wi-Fi Direct supports WPA2-PSK (AES) only. Wi-Fi Certification Mark License (WPAWPA2WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct Yes Windows: BRAdmin Light, Web Base Management, BRAdmin Professional Mac: Web Base Management Linux: Web Base Management Yes	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights Duplex Consumables Consumables	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper 60 - 163gsm 60 - 230 gsm 60 - 105 gsm Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages Super High Yield Toner Cartridge (TN2530XXL) Up to 5,000 A4 pages Drum (DR2530) Up to 15,000 A4 pages (1 page / job) Inbox Toner Cartridge Up to 1,200 pages Drum (DR2530) Up to 15,000 pages (1 page / job) Standard Yield Toner Cartridge (TN2530) Up to 1,200
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security Wireless Security Protocols Wireless Certification IPv4-Filter Network Management Utili Network Management Web Based Management BRAdmin Professional ¹	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) Wi-Fi Direct supports WPA2-PSK (AES) only. Wi-Fi Certification Mark License (WPA/WPA2/WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct Yes Windows: BRAdmin Light, Web Base Management, BRAdmin Professional Mac: Web Base Management Linux: Web Base Management Yes Windows only E-mail Notification and Reports	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights Duplex Consumables Consumables Inbox Consumables Standard Yield Toner	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS), A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper 60 - 163gsm 60 - 230 gsm 60 - 105 gsm Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages Drum (DR2530) Up to 15,000 A4 pages (1 page / job) Inbox Toner Cartridge Up to 1,200 pages Drum (DR2530) Up to 15,000 pages (1 page / job) Standard Yield Toner Cartridge (TN2530XL) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4
Wireless Setup Support Utility Wi-Fi Direct Network Protocols IPV4 Network Protocols IPV6 Security Wireless Security Protocols Wireless Certification IPv4-Filter Network Management Web Based Management BRAdmin Professional¹ Email Alerts Mobile/Web Printing	802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) Wi-Fi Protected Setup (WPS) Yes ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/ v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) Wi-Fi Direct supports WPA2-PSK (AES) only. Wi-Fi Certification Mark License (WPAWPA2/WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct Yes Windows: BRAdmin Light, Web Base Management, BRAdmin Professional Mac: Web Base Management Linux: Web Base Management Yes Windows only	Envelopes Input Output Paper Capacity Media Size Paper Tray Media Size Manual Feed Slot Media Size Duplex Media Types Paper Tray Media Types Manual Feed Slot Media Types Duplex Media Weights Paper Tray Media Weights Manual Feed Slot Media Weights Duplex Consumables Consumables Standard Yield Toner High Yield Toner	1 envelope (Single Feed Slot only) output via rear Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS) A6, Executive, A4 Short, 16K(195x270mm) 76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch A4 Plain Paper, Thin Paper, Recycled Paper, Thick Paper Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env. Thick Plain Paper, Thin Paper, Recycled Paper 60 - 163gsm 60 - 230 gsm 60 - 105 gsm Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages Drum (DR2530) Up to 15,000 A4 pages (1 page / job) Inbox Toner Cartridge Up to 1,200 pages Drum (DR2530) Up to 15,000 pages (1 page / job) Standard Yield Toner Cartridge (TN2530XL) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 1,200 A4 pages

Other Environment Sleep Mode Yes (0-50 min) Recommended Monthly Print 250 to 2,500 pages Volume⁸ **Power Consumption** Peak: Average 920W, Ready: Average 43W, Sleep: 3.8W, Deep Sleep: 0.5W Warranty 1 Year Return To Base Printer, Quick Setup Guide, Inbox Toner Cartridge 1,200 **TEC Value** Carton Contents pages¹¹, Drum (DR2530) @ 15,000 pages, AC Power Sound Pressure Level: (Printing) Less than 49 dBA, Noise Level Cord (Standby) Less than 30 dBA Sound Power Level: (Printing) Less than 6.65 B, (Standby) Inaudible Temperature Operating: 10 - 32°C / Storage: 0 - 40°C Humidity Operating: 20 - 80% (without condensation) Storage: 35 - 85% (without condensation) Toner Save Power Save Yes

Disclaimers:

- 1 Download from Brother Solutions Centre
- 3 Via Airprint or iPrint&Scan
- 4 Windows only
- 6 Capacity calculated with 80g/m² paper
- 7 Must be connected to the internet
- 8 The recommended monthly print volume is to achieve the best possible performance and printer life
- 9 Print speeds based on ISO/IEC 24734 (http://www.brother.com/rd/printspeed)
- 10 FPOT (First Print Out Time) based on ISO/IEC 17629
- 11 Approx. declared yield value in accordance with ISO/IEC 19752

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.














Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.







youtube.com/user/

