



Compact Monochrome Laser 3-in-One

HL-L2480DW

www.brother.com.au



PRINT



COPY

SCAN WIRELESS

Exclusively available from



Compact Monochrome Laser 3-in-One

Work smarter with an expertly designed machine, built for effortless efficiency. Keep your home or small office moving with long-lasting supplies with up to 3,000-page¹¹ replacement toners and fast print speeds of up to 34ppm⁹. Offering the latest industry-standard security, this compact device this compact device features a 6.8cm touchscreen display. Experience flawless results reliably, every day.

HL-L2480DW



Key features:

- Fast print speeds of up to 34 pages per minute⁹
- Paper capacity up to 250 sheets and manual feed slot⁶
- Automatic 2-sided (duplex) printing
- Easy to use 6.8cm colour touchscreen display
- 100Mbps Ethernet, 2.4/5GHz Wi-Fi and USB connectivity
- Print directly from desktop or mobile app⁷
- 256MB internal memory
- Up to 700 pages in-box toners¹¹
- High-yield replacement toners available, up to 3,000 pages¹¹



Work Smarter

Expertly designed to increase efficiency with fast print speeds of up to 34ppm⁹ that help you work smarter. The 2-sided (duplex) print feature will save you time, enabling you to get on with other tasks.

ſ		
I		
I	6	
J	J	

Effortless

Make your day easier and your printing tasks a breeze, with simple set up using the Brother Mobile Connect app, enabling you to print documents from your mobile device⁷. Make the most of fast ethernet, 2.4/5GHz Wi-Fi or USB connection and an easy to navigate 6.8cm touchscreen.



Compact and Expertly Engineered

Designed by experts, our most compact monochrome printer delivers high-quality outputs in a small footprint, allowing you to make the most of your home or small office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access, this device has been developed to meet the needs of a busy home or small office.



Print Longer

The HL-L2480DW keeps your printing costs down using a separate drum and toner unit, and the 700-page¹¹ in-box toner supports your print volume needs. Toners are easy to change with a high-yield replacement toner available to print up to 3,000 pages⁹, reducing your frequency to replace.



Secure by Design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The HL-L2480DW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Brother at your side support

Wherever you are in Australia, Brother offers free product support for the lifetime of your product.

General Engine	Mono Laser	Network Mana
CPU Speed	600MHz	Network Mana
Standard Memory	256MB	Web Based M
Display		BRAdmin Prot
LED Display	N/A	Email Alerts
LCD Display	6.8cm Colour LCD (Touchscreen)	
Printer		Mobile / W
Print Speed ⁹	Up to 34ppm	iPrintScan ¹
2 Sided Print	Yes (Automatic)	Mobile Conne
2 Sided Print Speed ⁹	Up to 16 sides per minute / 8 sheets per minute	Android Print
Printer Resolution	1200 x 1200dpi	AirPrint
First Print Out Time ¹⁰	Less than 8.5 secs from Ready mode, Less than 17.5	Mopria ¹
	secs from Sleep mode	Google Chror
Warm Up Time	Less than 9 secs from Sleep mode Less than 20 secs from Power ON	Web Connect
Emulation	PCL6, BR-Script3, PDF Version 1.7	
Resident Fonts	PCL:73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts	Software Printer OS Co
Resident Font BR-Script 3	66 scalable fonts	
Resident Font PCL	73 scalable fonts, 12 bitmap fonts, 16 bar codes	
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, CSDPtethory MCI	Scanner OS (
Quiet Mode ⁴	GS1Databar, MSI Yes	Software Avai
Digital Scanner		
Scanner Type	Flatbed Digital	Printer Driver
Scanning Technology	CIS	
Scanner Colour/Mono	Colour	Manual Duple
Scanner Resolution (Optical)	From Glass: Up to 1200 x 1200 dpi	Watermark P
Scanner Speed ¹²	Flatbed: 2.39/7.2 secs @300dpi (Mono/Colour) In accordance with ISO/IEC17991 (A4)	Archive Printi
Scan to Keys	Scan To: Email Client/ OCR/ Image/ File/ FTP/	Header and F
	SharePoint	N-up Printing
Connectivity		Poster Printin
Interface	Hi-Speed USB 2.0, 10/100Base-TX Ethernet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n	Driver Deploy
	Wireless, Wi-Fi Direct	Weight &
USB Interface	Hi-Speed USB 2.0	Size
Wired Interface	10Base-T/100Base-TX Ethernet	Weight
Wireless Interface	2.4GHz IEEE 802.11b/g/n Wireless 5GHz IEEE 802.11a/n Wireless	Size With Car
Wireless Mode	2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE 802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct)	Weight With
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)	Paper Ha
Wi-Fi Direct	Yes	Standard Pap
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/	Manual Feed
	NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/	Envelopes In
	Port9100, SMTP Client, IPP/IPPS, FTP Client and Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP	Output Paper
	client and server, ICMP, Web Services (Print/Scan), SNTP Client	Media Size P
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS,	Media Size M
	SMTP Client, FTP Client and Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, Web Services (Print/Scan), SNTP Client	Media Size D
Security		Media Types
Wireless Security Protocols	SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES)	Media Types
	W/LEI Diversit successite W/DAO DOI/ (AEO) serie	
	Wi-Fi Direct supports WPA2-PSK (AES) only.	Media Types
Wireless Certification	Wi-Fi Certification Mark License (WPA/WPA2/WPA3	
Wireless Certification		Media Types Media Weight Media Weight

Network Management Utilities

Network Management Utiliti	es
Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional Mac: Web Base Management Linux: Web Base Management
Web Based Management	Yes
BRAdmin Professional ¹	Windows only
Email Alerts	E-mail Notification and Reports
Mobile / Web Printing ⁷	
iPrintScan1	Windows/Mac
Mobile Connect ¹	IOS/Android
Android Print Service Plugin ¹	Yes
AirPrint	Yes
Mopria ¹	Yes
Google ChromeOS	Yes
Web Connect ¹	Scan To/Download and Print from: Google Drive, Evernote, DropBox, Box, OneDrive, OneNote, SharePoint Online
Software	
Printer OS Compatibility ³	Windows 11, Windows 10 (32864bit), Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012/R2 (64bit) macOS 11-13 Linux Cups, LPD/LPR
Scanner OS Compatibility ³	Windows 11, Windows 10 (32&64bit) macOS 11-13 Linux Sane
Software Available	Windows: Scansoft Paperport 14SE and OCR, iPrint&Scan, BRAdmin Light, BRAdmin Professional, Driver Deployment Wizard Mac: iPrint&Scan
Printer Driver Functions	Windows/Mac: N in 1, Auto Duplex, Header-Footer, Watermark Windows Only: Poster, Booklet, Archive
Manual Duplex	Yes
Watermark Printing	Windows only
0	*
Archive Printing	Windows only
Header and Footer Printing	Windows only
N-up Printing	Windows/Mac
Poster Printing	Windows only
Driver Deployment Wizard	Windows only
Weight & Measurements	
Size	410(W) x 399(D) x 272(H)mm
Weight	9 Kg without consumables 10.1 Kg with consumables
Size With Carton	580(W) x 517(D) x 434(H)mm
Weight With Carton	13.8 Kg with consumables
Paper Handling	
Standard Paper Capacity ⁶	Up to 250 sheets
Manual Feed Slot	1 sheet
Envelopes Input	1 envelope (Single Feed Slot only) output via rear
Output Paper Capacity	Up to 120 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path)
Media Size Paper Tray	A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS), A6, Executive, A4 Short, 16K(195x270mm)
Media Size Manual Feed Slot	76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope: COM-10, DL, C5, Monarch
Media Size Duplex	A4
Media Types Paper Tray	Plain Paper, Thin Paper, Recycled Paper, Thick Paper
Media Types Manual Feed Slot	Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Env. Thin, Env.Thick
Media Types Duplex	Plain Paper, Thin Paper, Recycled Paper
Media Weights Paper Tray	60 - 163gsm
Media Weights Manual Feed Slot	60 - 230 gsm
Media Weights Duplex	60 - 105 gsm

Consumables ¹¹	
Consumables	Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages Drum (DR2530) Up to 15,000 A4 pages (1 page / job)
Inbox Consumables	Inbox Toner Cartridge Up to 700 pages Drum (DR2530) Up to 15,000 pages (1 page / job)
Standard Yield Toner	Standard Yield Toner Cartridge (TN2530) Up to 1,200 A4 pages
High Yield Toner	High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages
Environment	
Sleep Mode	Yes (0-50 min)
Power Consumption	Peak: Average 920W, Ready: Average 43W, Sleep: 4.1W, Deep Sleep: 0.7W
TEC Value	0.39 kwh/week
Noise Level	Sound Pressure Level: (Printing) Less than 48 dBA, (Standby) Less than 30 dBA Sound Power Level: (Printing) Less than 6.63 B, (Standby) Inaudible
Temperature	Operating: 10 - 32°C / Storage: 0 - 40°C
Humidity	Operating: 20 - 80% (without condensation) Storage: 35 - 85% (without condensation)
Toner Save	Yes
Power Save	Yes
Others	
Recommended Monthly Print Volume ⁸	250 to 2,500 pages
Warranty	1 Year Return To Base

Volume ⁸	
Warranty	1 Year Return To Base
Carton Contents	Printer, Quick Setup Guide, Inbox Toner Cartridge 700 pages ¹¹ , Drum (DR2530) @ 15,000 pages, AC Power Cord

- Disclaimers:
- 1 Download from Brother Solutions Centre
- 3 Via Airprint or iPrint&Scan
- 4 Windows only
- 6 Capacity calculated with 80g/m² paper
- 7 Must be connected to the internet
- 8 The recommended monthly print volume is to achieve the best possible performance and printer life
- 9 Print speeds based on ISO/IEC 24734 (http://www.brother.com/rd/printspeed)
- 10 FPOT (First Print Out Time) based on ISO/IEC 17629
- 11 Approx. declared yield value in accordance with ISO/IEC 19752 12 Scan speeds based on ISO/IEC 17991









Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where Brother sustainable development can be achieved. We call this approach Brother Earth. www.brotherearth.com



youtube.com/user/ BrotherAU/videos

in



