



HL-L6200DW





MonochromeLaser Printer

Built for small workgroups this robust machine meets the needs of your business - combining excellent paper handling options, super fast print speeds and the new optional super high yield toner cartridges significantly reduces your print spend, making this machine the ideal print partner for your office.

HL-L6200DW



Key Features:

- Super-fast print speeds of up to 46 ppm
- Combined paper input of 570 sheets
- Automatic 2-sided (duplex) printing
- High-yield replacement cartridges Optional high yield 12,000¹ page toner cartridges
- 16 characters x 1 line LCD display
- High speed wired (10Base-T/100 Base-TX/1000Base-T) and wireless (IEEE 802.11b/g/n) network interfaces
- Wi-Fi Direct™



Increase Productivity Levels

- Significantly increase your workgroup productivity thanks to super-fast print speeds
 of up to 46 ppm
- Maximise performance with high speed wired (10Base-T/100Base-TX/1000Base-T) and wireless (IEEE 802.11b/g/n) network interfaces
- Easy to use 16 characters x 1 line LCD display allows users to complete tasks with no hassle

Complete Piece of Mind - Reliability

- New technology gives complete reliability enabling you to print up to 5,000 pages per month
- Outstanding paper handling options with a standard paper input capacity of 570 expandable to 1,610 and a standard 150 sheet output tray

Low Running Costs

- Designed for high volume print environments the HL-L6200DW includes a 3,000¹ page yield toner cartridge and can take an optional 8,000¹ page or 12,000¹ page toner cartridge to lower your running costs even further
- We've not just equipped these printers with features designed to turn heads. We've
 also made sure their total cost of ownership gives them an even bigger advantage
 over the competition

Meeting Your IT Challenges

 Modern businesses demand the highest levels of security. With Secure Function Lock 3.0 and Internet Protocol Security (IPsec). Plus, the range features Print Archive, Secure Reset and Certificate Management.

General		Network & Security	
Technology	Electrophotographic Laser Printer	Wired Network	Built in Ethernet 10Base-T/100Base-TX /1000Base-T
Laser Classification	Class 1 Laser Product (IEC60825-1:2007)	Wireless Network	IEEE 802.11b/g/n (Infrastructure Mode /
Processor	Cortex-A9 800MHz		Adhoc Mode)
Automatic 2-Sided Printing	Print on to both sides of the paper	Network Protocols	TCP/IP (IPv4 and IPv6)
Print Speed Standard (A4) Print Speed 2-Sided (A4)	Up to 46 ppm (pages per minute) Up to 24 sides per minute	IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS
	(12 sheets per minute)		Resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS,
Resolution	Up to 1,200 x 1,200 dpi		FTP Server, TELNET Server, HTTP/HTTPS
Quiet Mode	A mode to reduce the printing noise by reducing the print speed to 25 ppm		server, TFTP client and server, SMTP Client, SNMPv1/v2c/ v3, ICMP, Web Services (Print), CIFS client, SNTP client
Memory	256MB	IPv6 (Off by Default)	NDP, RA, DNS resolver, mDNS, LLMNR
Local Interface	Hi-speed USB 2.0		responder, LPR/LPD, Custom Raw Port/ Port9100, IPP/IPPS, FTP Server, TELNET
Wired Network Interface	10Base-T/100Base-TX/1000Base-T		Server, HTTP/HTTPS server, TFTP client and
Wireless Network Interface	IEEE 802.11b/g/n		server, SMTP Client, SNMPv1/v2c, ICMPv6, Web Services (Print), CIFS Client, SNTP
Control Panel	16 characters x 1 line LCD display		Client
FPOT (First Print Out Time)	Less than 8.5 seconds from ready mode	Wired Network Security	SMTP-AUTH, SSL/TLS (IPPS, HTTPS,
Warm Up Time	Less than 1 second from sleep mode		SMTP), SNMP v3, Kerberos, IPsec, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS,
Print Languages	PCL6, BR-Script3 (PostScript®3™ Language Emulation), IBM Proprinter XL, Epson		EAP-TTLS)
	FX-850, PDF version1.7, XPS version 1.0	Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES),
Embedded Fonts (PCL)	66 scalable fonts, 12 bitmap fonts, 13 barcodes		WPA2-PSK (AES), SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP), SNMP v3, Kerberos, IPsec, 802.1x (LEAP, EAP-FAST, PEAP,
Embedded Fonts (Postscript)	66 scalable fonts		EAP-TLS, EAP-TTLS)
Embedded Barcodes (PCL)	Code39, Interleaved 2 of 5, FIM (US-Post- Net), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN	Wi-Fi Direct™	Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)
	(UPC-E), Code128 (set A, set B, set C),	Wireless Setup Support	Wi-Fi Protected Setup (WPS)
	EAN128 (set A, set B, set C)	Wireless Applications	Vertical Pairing
		Print Log To Network⁴	Records printing activities from each
Printer Functions N-up Printing ³	Reduce up to 2, 4, 9, 16 or 25 A4 pages into		individual user, including network username, name of document printed and number of pages, to a file on a network
	just one A4 page (Mac, up to 2, 4, 6, 9, or 16)	E-mail Notifications	Automatically have the device send e-mail alerts when it requires attention, such as
Poster Printing ⁴	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages	E-mail Reports	when the toner is low or needs replacing Receive usage reports on a regular basis via
Watermark Printing ⁴	Watermark your documents with predefined text or with your own user-defined messages		e-mail
ID Printing⁴	Add identification to your printed documents (date & time, short custom message or	IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
	PC username)	Secure Function Lock 3.0	Restrict printing activity to individual or
Manual 2-Sided Print⁴	Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)		groups of users over a network. Can be used with PC User Login Name for up to 200 users
Booklet Printing⁴	Print documents in A5 booklet format using automatic or manual 2-sided print	Setting Lock	Secures access to the devices control panel by locking it
Skip Blank Page⁴	Ignores any blank pages in your documents by not printing them	Secure Print ³	Protect print jobs with a 4 digit release code required at the device in order for them to be printed
Print Profiles ³	Store your favourite driver settings as profiles to easily recall them		
Print Text In Black ⁴	Converts all colour text in your documents to solid black when printed	Fleet Management Tools	
		Unattended Installer ⁴	Ability to centrally deploy and customise our drivers and software
Print Archive⁴	An electronic carbon copy feature that saves an electronic copy of all printed documents as a PDF file	MSI Installer ⁴	Modular installers that can be distributed through Active Directory®
Carbon Copy⁴	Prints additional copies of the same document to paper taken from additional	Embedded Web Server	Web based print management software embedded onto the device
	paper trays	BRAdmin Professional 44&5	LAN/WAN management software
		- · - · · · · · · · · · · · · · · · · ·	

Driver Deployment Wizard⁴

Easily create print drivers for hassle free deployment over your network

¹ Approx declared yield value in accordance with ISO/IEC19752.
2 Calculated with 80g/m² paper.
3 Windows® & Mac® only.
4 Windows® only.
5 Optional free download from the Brother Solutions Centre http://support.brother.com

⁵ Optional free download from the blother Solutions Centre Intp.//supported data.com

6 Must be web connected.

7 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

8 It is recommended to use the straight paper output path and the quiet mode feature with paper weights over 105g/m².

Printer Driver		
Windows®	Windows® 11 Windows® 10 (32 & 64 bit editions) Windows® 8 (32 & 64 bit editions) Windows® 7 (32 & 64 bit editions) Windows Vista® (32 & 64 bit editions) Windows® XP Professional (32 & 64 bit editions) Windows® XP Home Windows® Server 2012, 2012R2 & 2008R2 Windows® Server 2008 (32 & 64 bit editions) Windows® Server 2008 (32 & 64 bit editions) Windows® Server 2003 (32 & 64 bit editions)	
Macintosh ⁵	OS X 10.8.5, 10.9.x, 10.10.x, 10.11.x	
Linux ⁵	CUPS, LPD/LPRng (x86/x64 environment)	
PostScript Universal Printer Driver	Driver for Windows® that enables you to print to any network or locally-connected Brother laser printer that supports PostScript	
PCL Driver	Universal PCL5e generic driver	
Standard Paper Handling		
Paper Input ²	Lower Tray – 520 sheets Multi Purpose Tray – 50 sheets	
Paper Output ²	Face Down - 150 sheets Face Up (Straight Paper Path) - 1 sheet	
Optional Paper Handling		
Paper Input ²	250 sheet tray (LT-5500) - Maximum of 3 520 sheet tray (LT-6500) - Maximum of 2	
Media Specification		
Media Types & Weights ^a	Standard & Optional Trays - plain, recycled, coloured and letterhead paper (between 60 - 120g/m²) Multi Purpose Tray - plain, recycled, bond, coloured and letterhead paper (between 60 - 200g/m²) 2-sided Print - plain, recycled, coloured and letterhead paper (between 60 - 105g/m²)	
Envelope & Label Printing	Yes, from the Multi Purpose Tray: support for 10 envelopes up to 10mm total thickness	
Media Sizes	Standard Tray - A4, Letter, A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal Optional Trays - A4, Letter, A5, Executive, Legal, Folio, Mexico Legal, India Legal Multi Purpose Tray - Width: 76.2mm to 215.9mm x Length: 127mm to 355.6mm 2-sided Print - A4	
Supplies & Accessories		
Inbox Toner	3,000 pages ¹	
Standard Yield Toner	3,000 pages¹ (TN-3420)	
High Yield Toner	8,000 pages ¹ (TN-3440)	
Super High Yield Toner	12,000 pages ¹ (TN-3470)	
Drum (DR-3425)	50,000 pages at 3 pages per job 30,000 pages at 1 page per job	
Lower Tray (LT-5500)	250 sheet optional paper input tray	
Lower Tray (LT-6500)	520 sheet optional paper input tray	
Carton Contents	Toner cartridge, drum, power supply cord, driver software for Windows®, Quick Set-Up Guide (PC interface cable NOT included)	
The freezeways of replacement of	encumables will vary depending on the	

The frequency of replacement consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media.

Paper Input / Output Sensors		
Input	Onscreen & optional email alerts notifying you when any of the optional paper input trays are nearly empty or empty	
Mobile/Web Based Printing		
Brother iPrint&Scan (Android)	Print and check the machine status from an Android device	
Brother iPrint&Scan (iPad / iPhone / iPod)	Print and check the machine status from an iPad / iPhone / iPod Touch	
Brother iPrint&Scan (Windows® Phone)	Print directly from a smart phone running the Windows® Phone Operating System	
Brother Print&Scan (Windows® 8 & RT)	Print directly from a Windows® 8 or Windows RT Tablet	
AirPrint	Print most common file types from any AirPrint enabled application	
Mopria	Print most common file types from Mopria supported Android devices	
Android Print Service Plugin	Print from Android devices without a dedicated App	
Environment		
Power Consumption	Printing - 740W (390W in quiet mode), Ready - 32W, Sleep - 6.5W, Deep sleep - 1.2W, Off - 0.04W	
Sound Pressure Level	Printing - 54dbA, Quiet mode printing - 50dbA, Ready - Up to 35dbA	
Sound Power Level	Printing - 6.84BA, Quiet mode printing - 6.47BA, Ready - Up to 4.8 BA	
Power Saving	This enables the printer to consume less energy when not in use	
Toner Saving	This reduces the toner usage and helps to reduce the total cost of printer ownership	
Dimensions & Weights		
With Carton (WxDxH)	485 x 450 x 409mm 14.6 Kg	
Without Carton (WxDxH)	373 x 388 x 287mm 11.1 Kg	
Duty Cycles		
Recommended Monthly	Up to 5,000 pages monthly print volume	







Up to 100,000 pages monthly print volume





- 1 Approx declared yield value in accordance with ISO/IEC19752. 2 Calculated with 80g/m² paper. 3 Windows® & Mac® only.


- 4 Windows® only.
- 5 Optional free download from the Brother Solutions Centre http://support.brother.com 6 Must be web connected.
- 7 Maximum number of printed pages per month can be used to compare designed durability between like Brother products. For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.
- 8 It is recommended to use the straight paper output path and the quiet mode feature with paper weights over 105g/m².



Maximum Monthly7

Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.



All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.