



Brother Commercial Series






UP TO 100 PAGES PER MINUTE



88% LESS CO2**











40%
FASTER
THAN OUR
CLOSEST COMPETITOR*



Printing at speeds never thought possible

Revolutionary technology makes the new Brother HL-S7000DN print at speeds of up to 100 pages per minute. This makes it 40% quicker than its closest competitor*. Not only that, it **uses less than 60% of the energy** required for a comparable laser printer.

We've engineered a machine that is both powerful and **gentle on the environment**. The low carbon footprint is thanks to a combination of low power consumption and high-speed printing. In fact, the HL-S7000DN emits up to 88% less CO² than competitors**.

High-capacity ink cartridges are capable of printing up to 30,000 pages to significantly lower operating costs and provide **bigger savings for your business**. Cartridges can be changed in seconds to save on downtime too.

The HL-S7000DN copes easily with high-volume printing for **reliability you can count on**. New inkjet technology creates premium quality, laser-like prints every time utilising a new print head and pre-coat primer. Each character is printed with pinpoint accuracy and high definition detail using ISO certified ink for **quality you can see**.

The option of adding up to three extra lower trays and a 500-sheet stacker means the HL-S7000DN can handle high-volume printing and grow with the demands of your business.


For more information, call 1300 885 989 and speak with a Brother Commercial specialist today.

^{*}Based on competitors in Australian Market, January 2013.

^{**}As of January 2013, based on research conducted by Brother International (Aust) Pty Ltd

OPTIONS AND SUPPLIES









Replacement Ink Cartridge (HC-05BK) Approx. 30,000 pages

Optional Lower Tray (LT-7100) Up to 500 sheets (maximum of three)

Output Stacker (MX-7100) Up to 500 sheets (maximum of one)

Stabiliser Unit (SB-7100) Recommended when two or more optional lower trays are installed for increased stability

SPECIFICATIONS

GENERAL

Print Technology Minimum Droplet Size Standard Print Speed 2-Sided Print Speed ocal Interface arm Ùp Time rint Languages

Vired Network Interface Vireless Network Interface lemory rint Job Storage POT (First Print Out Time) Mobile Printing

Embedded Fonts Embedded Barcodes PAPER HANDLING Paper Input*

Paper Output* (*Calculated with 80g/m² paper)

Media Types & Weights

Media Sizes (Standard Printing) Media Sizes (2-Sided Printing)

5pl 800MHz

Up to 100ppm (pages per minute) Up to 50ipm (images per minute)

Up to 600 x 600dpi Hi-Speed USB 2.0 10Base-T / 100Base-TX / 1000Base-T

IEEE 802.11b/g/n

2GB of storage for secure print jobs or frequently printed files

Less than 8.5 seconds (from ready mode)

Less than 5 seconds (from sleep mode)
PCL6, BR-Script3 (PostScript®3™ Language Emulation), XPS

(PCL) 66 scalable fonts, 12 bitmap fonts (PCL) 13 barcodes

(PS) 68 scalable fonts

Brother iPrint&Scan app for Android™, Apple, Windows® Mobile Phone 7 5 Line x 16 character backlit LCD

500 sheet standard paper tray 100 sheet multi-purpose tray

500 sheet optional paper tray (maximum of 3)

500 sheets face down

100 sheets face-up (straight paper path)

500 sheet optional paper stacker (maximum of 1)

MEDIA SPECIFICATIONS

Standard / Optional Paper Trays - Plain & recycled paper (60 - 105g/m2 Stationard / Optional Paper Hays - Pian is recycled paper (60 - 103g/m2) Multi-Purpose Tray - 14n, recycled & bond paper (60 - 163g/m2) Standard Paper Tray - 44, letter, B5 (/JIS), A5, A5(long edge), executive, legal & folio Optional Paper Trays - 44, letter, B5 (/JIS), A5, executive, legal & folio Multi-Purpose Tray - Width: 76.2 to 216mm, Length: 127 to 355.6mm A4 letter legal & folio

SUPPORTED OPERATING SYSTEMS

Windows[®]

Windows 8[®] (32 & 64 bit)². Windows 7[®] (32 & 64 bit). Windows Vista® (32 & 64 bit), Windows® XP Professional (32 & 64 bit) Windows® XP Home Edition, Windows® Server 2008R2, Windows® Server 2008 (32 & 64 bit), Windows® Server 2003 (32 & 64 bit)

Mac OS X 10.5.8, 10.6.x, 10.7.x, 10.8.x or greater Macintosh CUPS, LPD/LPRng (x86/x64 environment) Linux

PRINTER FUNCTIONS

Secure Function Lock 2.0 Secure Print (Windows® & Mac)

Setting Lock Printer Driver Functions

Restrict printing activity to individual or groups of users over a network Protect print jobs with a 4 digit PIN that has to be entered at the control panel of the printer before printing

Restrict access to the control panel by securing it with a PIN Windows®: Poster Printing, ID Printing, Watermark Printing, Booklet Printing, Macro Printing, Print Profiles

SOLUTIONS

BSI (Brother Solutions Interface)

PaperCut (optional purchase)

USB Host

NETWORK Network Protocols Wired Network Security

Enterprise Wired Network Security Print Log To Networ

Email Notifications

Email Reports Wireless Network Security

Enterorise Wireless Network Securit Driver Deployment Wizard BRAdmin Professional 3²

Allows the use of 3rd party solutions & apps, such as PaperCut, to increase security & productivity

Increase security, efficiency & control costs using the pull printing & enhanced management capabilities of this BSI solution Connect a card reader for integration with PaperCut & BSI

TCP/IP (IPv4 & IPv6)

APOP, POP before SMTP, SMTP-AUTH, SSL/TLS

(IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPSec Records printing activities from each individual user, including network username, name of document printed & number of pages, to a file on a network Automatically have the device send an email to a nominated email address when it requires attention

Receive usage reports on a regular basis via email

Restrict network users who can or cannot access the device over the network WEP 64/128 bit, WPATM-PSK (TKIP/AES), WPA2TM-PSK (AES), APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS), EAP-TTLS), Kerberos, IPSec Easily create print drivers for deployment over your network (Windows® only) LAN/WAN management software (Windows® only)

WEIGHTS & DIMENSIONS

With Carton Without Carton arton Contents 642(w) x 665(d) x 729(h) mm - 52kg 478(w) x 472(d) x 484(h) mm - 46kg

Ink cartridge (Approx. 10,000¹ pages), power supply cord, driver CD for Windows® & Mac, quick set-up guide, user's guide

ENVIRONMENT

Power Consumption

TFC Value Sound Pressure Sound Power Energy Star Ink Save Mode

130W active, 30W ready, 0.9W deep sleep (3W when wireless is enabled), 0.5W power down 1.5kWh / Week

64dBA active, 40dBA ready 7.43BA active, 5.16BA ready Reduces ink usage

CONSUMABLES

High Yield Cartridge

Approx 30,0001 pages ink cartidge (HC-05BK)

DUTY CYCLE

Recommended Monthly

5.000 - 20.000 pages

¹Estimated cartridge yield is declared in accordance with ISO/IEC 24711 test in continuous printing methodology, using monochrome test page defined in ISO/IEC 19752 Optional free download from the Brother Solutions Centre http://solutions.brother.com



Tel: 1300 885 989

E-mail: corporatesales@brother.com.au

Website: brother.com.au

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective compar