

INKvestment
Small Office

1 YEAR
OF INK¹
in-box

2 YEAR
WARRANTY



All-in-One INKvestment Small Office Printer

MFC-J4355DW



PRINT



COPY



SCAN



FAX



WIRELESS

Exclusively available from

officeworks

High speed, high quality, high-yield

Built for speed, quality and high-value, the MFC-J4355DW offers automatic 2-sided (duplex) printing, vibrant output, and mobile connectivity. With up to a year of ink included¹ and super high-yield cartridges available, it's ideal for hybrid work environments needing a reliable, full-featured solution without breaking the bank.

MFC-J4355DW



Key features:

- Comes with up to a year of ink In-box¹ (Up to 1,900 black / 1,950 colour pages⁴)
- Print up to 20 pages per minute²
- Automatic 2-sided (duplex) printing
- Dual band Wi-Fi and USB connectivity
- Print directly from or scan to PC and mobile app
- 150-sheet paper input, and a manual feed slot
- Standard replacement inks (up to 1,000 black / 900 colour pages⁴), high-yield replacement (up to 2,500 black pages⁴ / 1,500 colour pages⁴), super-high-yield replacement (up to 5,000 black / 2,500 colour pages⁴)
- 2 year return-to-base warranty



INKvestment

The MFC-J4355DW comes with up to a year worth of ink in the box¹. The super-high-yield replacement cartridges available provides you with competitive cost per page and deliver up to 5,000 black and 2,500 colour pages⁴. Fewer cartridge replacements means fewer supply runs - that's more peace of mind and money in your pocket.



Simple to use and connect

Set up your device with ease and stay connected through the Brother Mobile Connect app. Whether you're printing from your smartphone in the lounge or scanning to your tablet in the study, you're in full control. Check ink levels, access your scan history and personalise your favourite features. With flexible connectivity options including dual band Wi-Fi or USB, it's designed to fit effortlessly into your workflow.



Premium print quality

High-quality supplies are essential for achieving outstanding print results. The premium pigment inks for this printer are formulated to produce vibrant colours and sharp text. Whether you're printing images, presentations, or documents, they enhance overall print quality.



Compact

Designed to keep your space yours, the MFC-J4355DW fits on a bookshelf, sideboard, or study nook. It's low-profile and clutter-free, blending into the background until you need it.



Efficient

Save time with print speeds of up to 20 pages per minute² and a blazing fast first page out time from 5.9 seconds³. Simplify your day with clutter free paper management. The easily accessible 150 sheet paper tray and manual feed slot allow you to use a wide range of paper types.



EPS-free packaging

Our award-winning moulded pulp packaging replaces Expanded Polystyrene (EPS), offering durable, flexible protection for safe product delivery. By utilising fewer resources, it's more sustainable and easier to recycle.



Brother at your side

Wherever you are in Australia, Brother offers free Customer Care support for the lifetime of your product.

General	
Engine	Colour Inkjet
Warranty	2 Years Return To Base
Carton Contents	Printer, Quick Setup Guide, User's Guide, Power Cord, Telephone Line Cord and Adaptor, LC536BK up to187% / 1000 pages, LC536 C/M/Y up to 216% / 900 pages each. Based @ ISO 24711 pattern/normal
Display	
LCD Display	4.5cm Colour LCD
Printer	
Standard Memory	256 MB
Print Speed	20/19 ppm (Mono/Colour: based on ISO/IEC 24734)
2-sided print	Yes (Automatic)
2-sided print speed	11/10 ppm (Mono/Colour: based on ISO/IEC 24734)
Emulation	GDI
Printer Resolution	1200 x 4800 dpi
Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016 macOS 12-15 ⁷ Linux rpm, deb
First-out print time	5.8/5.9 (Colour/Mono) (based on ISO/IEC 17629)
Quiet Mode	Yes
Recommended Monthly Print Volume	200 to 2,000 pages
Paper Handling	
Standard Paper Capacity	Up to 150 Sheets
Manual Feed Slot	1 Sheet from the rear
Output Paper Capacity	Up to 100 sheets
Media Weights Paper Tray	64 - 220 gsm
Media Weights Manual Feed Slot	64 - 300 gsm
Media Weights ADF	64 - 90 gsm
Media Weights Duplex	64 - 105 gsm
Media Size Paper Tray	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6inch), Indexcard(127x203mm/5x8inch), Photo-2L(127x178mm/5x7inch), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm/3.5x5inch), Mexico Legal, India Legal
Media Size Manual Feed Slot	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm/4x6inch), Indexcard(127x203mm/5x8inch), Photo-2L(127x178mm/5x7inch), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm/3.5x5inch), Mexico Legal, India Legal
Media Size ADF	Width 140 to 216 mm, Length 148 to 355 mm (simplex)
Media Size Duplex	<PCPrint>A4/LTR/EXE/A5 <Copy>A4/LTR/A5
Media Size Scanner Glass	Up to 216(W)/297(L)mm
Media Types Paper Tray	Plain, Inkjet, Glossy(cast/resin), Recycled
Media Types Manual Feed Slot	Plain, Inkjet, Glossy(cast/resin), Recycled
Media Types ADF	Plain, Recycled
Media Types Duplex	Plain, Recycled
Digital Copier	
Copier Speed	13/10.5 ppm (Mono/Colour: based on ISO/IEC 29183)
First Copy Out Time	13/10.5 secs (Colour/Mono) (based on ISO/IEC 24735 Annex D)
2 Sided Copy	Simplex Scan to Duplex Print
Copier Resolution	Mono: (Print) Max. 1200x2400 dpi, (Scan) Max. 1200x1200 dpi Colour: (Print) Max. 1200x2400 dpi, (Scan) Max. 1200x600 dpi
Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments
Copier N-in-1	2 in 1, 2 in 1(ID) & 4 in 1
Copier Poster	Yes (3x3, 2x2, 2x1)
Copier Multi Sort	Yes
Copier Multi Stack	Yes

Fax	
Modem Speed	14,400bps (Fax)
Colour Faxing	Document Send/Receive: Yes/Yes Memory Send/Receive: No/Yes
ITU-T Group compatibility	G3
Telstra Duet Compatible	Yes
Speed Dials	40 locations
ECM	Yes
Out of Paper Reception	Up to 170 pages (ITU-T Test Chart)
Broadcasting	Up to 40 + 50 locations
Automatic Reduction	Yes
Fax Features	
PC Fax	Send/Receive from Windows Send only from MAC / Linux (Network / USB)
Digital Scanner	
Scanner Colour/Mono	Colour
Scanner Colour Depth	30 bit input / 24 bit output colour
Scanning Technology	CIS
Scanner Speed	Simplex ADF: 17/7 ipm Flatbed: 3.35/4.38sec, ADF: 3.35/4.38sec @300dpi (Mono/Colour) In accordance with ISO/IEC17991 (A4)
Scanner Resolution (Optical)	From Glass: Up to 1200 x 2400 dpi From ADF: Up to 1200 x 600 dpi
Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi (Windows Only)
Scanning Area	ADF: 214(W) x 353(L)mm Flatbed: 214(W) x 295(L)mm
Scanner Grey Scale	256 levels
Scan to Email Client	Yes
Scan to OCR	Yes
Scan to Image	Yes
Scan to File	Yes
Scan to Sharepoint	On premise Server Via PaperPort, Office 365 via Web Connect
Scan to Cloud	Yes - See Web Connect
Network Scan	Windows/Mac
Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit) macOS 12-15 ⁷ Linux rpm, deb
Twain Compliant	Windows 11, Windows 10 (32&64bit)
Software	
iPrintScan Desktop	Windows/Mac
N-up Printing	Windows/Mac
Poster Printing	Windows only
Header and Footer Printing	Windows only
Watermark Printing	Windows/Mac
Booklet Printing	Windows/Mac
Archive Printing	Windows only
Connectivity	
Interface	Hi-Speed USB 2.0, 10/100Base-TX Ethernet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct
USB Interface	Hi-Speed USB 2.0
Wireless Interface	2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct IEEE 802.11g/n
Wi-Fi Direct	Yes - Up to 4 connections
Networking	
Wireless Mode	2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE 802.11g/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct)
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LL/MNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print/Scan), SMTP Client, HTTP Server

Network Protocols IPV6	NDP, RA, mDNS, LLNMR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, SNMPv1/v2c, TFTP server, Web Services (Print/Scan), SNMP Client, ICMPv6, HTTP Server
Network Management Utilities	
Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional Mac: Web Base Management Linux: Web Base Management
Web Based Management	Yes
BRAdmin Professional	Windows only
Security	
Wireless Security	SSL/TLS (IPPS, HTTPS), 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS)
Wireless Security Protocols	SSID (32 chr), WEP 64/128bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only
IPv4-Filter	Yes
Mobile/Web Printing	
Mobile Connect	iOS/Android
Airprint	Yes
Mopria	Yes
IPP Everywhere	Yes
Google ChromeOS	Print, Scan
Android Print Service Plugin	Yes
Mobile Applications	Print Service Plugin, Mobile Connect
Web Connect	Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote Scan To: Evernote Print from: Creative Centre
Brother Apps	Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile
Options	
Optional Paper	BP-71GA4 - 20 Sheets (260gsm) Glossy Paper (A4), BP-71GP20 - 20 Sheets (260gsm) Glossy Paper 6in x 4in, BP-60MA - 25 Sheets (145gsm) Matte Paper (A4), BP-60PA - 250 Sheets (72.5gsm) Plain Paper (A4)
Consumables	
Inbox Consumables	Approx. 187% / 1000 pages of LC536BK (1,872 pages) Approx. 216% / 900 pages of LC536 C/M/Y (1,944 pages)
Standard Yield Ink	LC536BK up to 1000 pages, C/M/Y up to 900 pages each Based @ ISO 24711 pattern/normal
High Yield Ink	LC536XLBK up to 2500 pages each, LC536XL C/M/Y up to 1500 pages each Based @ ISO 24711 pattern/normal
Super High Yield Ink	LC536XXLBK up to 5000 pages each, LC536XXL C/M/Y up to 2500 pages each Based @ ISO 24711 pattern/normal
Weights & Measures	
Size	435(W) x 343(D) x 180(H)mm
Weight	8.9 kg
Size with Carton	507(W) x 252(D) x 464(H)mm
Weight with Carton	10.9 kg
Environment	
Power Consumption	Copying Mode: Approx. 21W, Ready Mode: Approx. 3.5W Sleep Mode: Approx. 0.8W, Off: Approx. 0.10W
Sleep Mode	Yes
Power Save	Yes
Others	
Noise Level	Sound Pressure Level: (Printing) Less than 54 dBA

Disclaimers:

1. Based on average monthly print volumes of approximately 150 pages at 60% black pages / 40% colour pages in accordance with ISO/IEC 24711 using 4 cartridges provided in-box. For additional page yield information, visit go.brother/pageyield
2. Print Speeds based on ISO/IEC 24734
3. FPOT (First Print Out Time) based on ISO/IEC 17629
4. Page yield is calculated in accordance with ISO/IEC 24711
5. Download from Brother Solutions Centre
6. Apply for Firmware from Brother
7. Via Airprint or iPrint&Scan

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.
www.brotherearth.com

INKvestment
Small Office

youtube.com/user/BrotherAU/videos

linkedin.com/company/brother-international-australia/

brother
at your side