





Work smarter and faster

Professional A3 Inkjet Multi Function

MFC-J5340DW











Exclusively available from



Ideal choice for business

Work smarter and faster with the Brother MFC-J5340DW - the Multi-Function Inkiet that's made for business. By combining the fastest in class first page out time of 4.4 secs¹⁰, print speeds of up to 28 ppm and network connectivity supporting 5GHz wireless LAN, it delivers a fast, smooth, consistent user experience and provides professional quality colour documents. Designed for modern hybrid workplaces, with scan features including A4 scan to email8, cloud storage8 and Optical Character Recognition (OCR), it also provides versatile print handling from A5 through to A3. The MFC-J5340DW is perfect for the digitisation and printing needs of every business.

MFC-J5340DW



Key features:

Brother Mobile Connect







- Up to 28 ppm print speed⁹
- Automatic 2-sided (duplex) A4 print
- A4 scan, copy and fax
- 6.8cm colour touchscreen
- Wired and wireless connectivity
- 1 x 250 paper tray up to A3²
- 1 sheet manual feed slot up to A32
- 50 sheet A4 Automatic Document Feeder (ADF)²
- High-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour¹



Made for business

Introducing new 'MaxiDrive' Inkjet technology that provides a premium long-life print head, the fastest in class first page out time of 4.4 secs¹⁰ and print speeds of up to 28 ppm. Combined with versatile paper handling up to A3, it provides a fast, smooth and consistent user experience that every business needs



Large page yields and low-cost printing

When it's time to replace your ink supply, keep running costs low with high-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour¹



Print with confidence

Help take the guesswork out of when to replace ink with Page Gauge technology - a visual, numerical way to know the amount of ink you've used and the amount of ink you have remaining



Brother at your side support

Free Australian-based support for the lifetime of your Brother device



Designed for mobile

Experience the user-friendly Brother Mobile Connect app, designed to connect to your Brother device so printing, scanning and managing documents on your smartphone is at your fingertips



Intuitive one-touch cloud connect

Print-from and scan-to popular cloud apps⁸ directly including Dropbox, Google Drive™, OneDrive and more. Help save time by creating custom shortcuts directly on the 6.8cm LCD touchscreen for your most used features



Simple to connect your way

Versatile connectivity options tailored to your home or small office with dual band (2.4Ghz/5Ghz) Wireless Network support, Ethernet, WiFi Direct or connect locally to a single computer via USB interface



| General | Inkiet | Mobile and Web Connectivity | |
|--------------------------------|---|-------------------------------------|---|
| Technology | Inkjet | Brother Mobile Connect ⁵ | Print from, scan to, send faxes, preview received |
| Memory | 256MB | (Android) | faxes, preview copies and check the machine status |
| LCD/Type & Size | 6.8cm Colour Touchscreen LCD | (| from an Android device |
| Local Interface | Hi-Speed USB 2.0 | Brother Mobile Connect ⁵ | Print from, scan to, send faxes, preview received |
| Wired Network | 10Base-T/100Base-TX Ethernet | (iPad / iPhone) | faxes, preview copies and check the machine status |
| Wireless Network | Dual Band 2.4Ghz and 5Ghz | | from an iPad / iPhone |
| USB Host | Print from and scan to a USB stick | Apple AirPrint | Print from and scan to most common file types from |
| Wi-Fi Direct | Yes | | any AirPrint enabled application |
| WI-FI DIrect | res | Brother Print Service | Print from an Android devices without a dedicated |
| | | Plugin ⁵ | Арр |
| Printer | | Mopria ^{™ 5} | Print most common file types from Mopria™ |
| Print Speed (A4)9 | 1-sided: 28 ppm Mono and Colour | Durath an Arma 8 | supported Android devices |
| , | 2-sided (duplex): 22 ppm Mono and Colour | Brother Apps ⁸ | Print from Creative Center, Scan to Mobile, Scan to Searchable PDF, Enlarge Text Copy, Fax Forward to |
| Print (A3) | Yes | | Cloud/E-mail, Scan to PowerPoint, Scan to Excel, |
| Print Speed FPOT ¹⁰ | 4.6 seconds Colour 4.4 seconds Mono | | Scan to Word, Easy Scan to E-mail |
| Quiet Mode | Mode to reduce printing noise | Web Connect ⁸ | Print from and scan to without using a PC on Box, |
| Resolution | Up to 1200 x 4800 dpi (Horizontal and Vertical) | | Dropbox, Evernote, OneDrive, Google Drive™ |
| | | | OneNote |
| Print Languages | GDI | Conv | |
| D. Carlana E. Carlana | | Сору | 0; 1 05/40; |
| Printer Functions | | Copy Speed ¹¹ | Simplex: 25/16 ipm (Mono/Colour: based on ISO/IEC 24735) |
| N-up Printing ³ | Reduce up to 2, 4, 9 or 16 pages into just one | | |
| Poster Printing | Enlarge a single page into a poster using 4 or 9 | Copy Speed FCOT ¹¹ | Mono: 9.5 seconds Colour: 10.0 seconds |
| | pages | | Mono: (Print) Max. 1200x4800 dpi, (Scan) Max. |
| Watermark Printing⁴ | Watermark your documents with predefined text or | | 600x600 dpi |
| | with your own user-defined messages | Resolution | Colour: (Print) Max. 1200x4800 dpi, (Scan) Max. |
| ID Printing ⁴ | Add identification to your printed documents (date | | 600x600 dpi (FB/ADF) |
| D 11 1 D 1 11 1 | and time, short custom message or PC username) | Remote Copy Multi-Copying / | Makes up to 999 copies of each page / Stacks or |
| Booklet Printing ⁴ | Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print | Stack / Sorty | Sorts |
| Print Profiles ³ | | Enlargement / Reduction | Reduce or Increase document sizes from 25% to |
| Print Profiles | Store your favourite driver settings as profiles to easily recall them | Ratio | 400% in 1% increments |
| | Toodii thom | N in 1 Copying | Allows the user to compress 2 or 4 pages on to a |
| Printer Driver | | | single A4 sheet |
| Windows® | Windows® 11, Windows® 10 (32 and 64 bit editions), | 2 in 1 ID Copying | Allows the user to copy both sides of an ID card to |
| WIIIGOWS | Windows® 8 (32 and 64 bit editions), Windows® 7 (32 | | single A4 sheet |
| | and 64 bit editions), Windows® Server 2019, 2016, | Grey Scale | 256 shades of grey (8 bit for each colour) |
| | 2012, 2012R2 and 2008R2, Windows® Server 2008 | Receipt Copying | Produces clearer copies of receipts |
| | (32 and 64 bit editions) | Enlarge Text Copy ⁸ | Makes reading copied documents easier if the size of |
| Mac OS | macOS 10.14.6 - 10.15, macOS 11-12 ³ | Emarge Text Copy | the text on the original document is small |
| Linux | CUPS, LPD/LPRng (i686 and x86_64) | Auto Deskew | ADF: Yes |
| | | | FB: Yes |
| Paper Handling | | Fit to Page | Yes |
| Paper Input ² | Standard Tray - 250 sheets | | |
| | Manual Feed Slot - 1 Sheet | Scanner | |
| | Auto Document Feeder (ADF) - 50 Sheets | Colour and Mono Scanning | Yes |
| Paper Output ² | 100 Sheets A4 | Scan Speed (A4) ¹² | Simplex: A4 portrait: 25ipm/25ipm |
| Envelope Printing | Yes from manual feed slot and standard tray | | |
| Media Sizes | Standard Tray Landscape: A4, LTR, EXE | Scan Resolution | From Glass: 1200x2400dpi(mono) / 1200x1200dp (colour) |
| | Standard Tray Portrait: A3, LGR, LGL, | | From ADF: 600x600dpi (mono) / 300x600dpi (colo |
| | Folio, A5, A6, Photo (102x152mm/4x6inch), | Colour and Mono Scanning | Yes |
| | Indexcard (127x203mm/5x8inch), Photo-L | | |
| | (89x127mm/3.5x5inch), Photo-2L | Interpolated Scan Resolution | up to 19200 x 19200dpi |
| | (127x178mm/5x7inch), Com-10, DL Envelope, Monarch, Mexico Legal, India Legal | Colour Depth | 48 bit colour Processing (Input) |
| | Manual Feed Slot - Landscape: A4, LTR, EXE | | 24 bit colour Processing (Output) |
| | Portrait: A3, LGR, LGL, Folio, A5, A6, | Grey Scale | 16 bit colour Processing (Input) |
| | Photo (102x152mm/4x6inch), Indexcard | | 8 bit colour Processing (Output) |
| | (127x203mm/5x8inch), Photo-L | | |
| | (89x127mm/3.5x5inch), Photo-2L | Scanner Functions | |
| | (127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal | Scan to/E-mail Server | Scan and share documents via e-mail server* |
| | ADF - Width: 105mm to 215.9mm | Scall to/L-mail Server | (Contact Brother to Install) |
| | Length: 148mm to 355.6mm | Scan to OCR | Scan documents directly into your word processing |
| | Scanner Glass - Width: up to 215.9 | 334110 3311 | application for instant editing |
| | Length: up to 297mm | Scan to Image | Scan into your preferred image editing software |
| | Auto 2-Sided (duplex) Print - A4, LTR, EXE, A5 | Scan to File | Scan to a file on your computer |
| Media Type and Weights | Standard Tray - Plain, Inkjet, Glossy, Recycled | | |
| | 64-220gsm Manual Feed Slot - Plain, Inkjet, Glossy, Recycled | Scan to Network | Scan documents to a nominated folder on your network without using a Windows PC |
| | 64-220gsm (260gsm with Brother BP71 glossy paper | Coop Drofil-3 | |
| | only) | Scan Profile ³ | Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings |
| | ADF - Plain and Recycled paper 64-120gsm | Scan To Microsoft Office | |
| | Auto 2-Sided (duplex) Print - Plain, Recycled | Scall to wilclosoft Office | Scan to Word (.docx), PowerPoint (.pptx), Excel (.xls for Microsoft Office |
| | 64-120gsm | Scan to SharePoint ⁴ | Scan documents directly into SharePoint |
| | | Sour to original office | (On-premise) |
| | | Scan to Searchable PDF ⁷ | Scan documents to searchable PDF files |
| | | | |
| | | Auto Deskew³ | Yes |
| | | | |

Base Colour Removal³ Yes

| Fax FAX colour Type Fax Modem PC-Fax Send ³⁸⁸ and Receive ⁴⁸⁸ Memory Transmission Out of Paper Reception Error Correction Mode (ECM) Faror Correction Mode (ECM) Auto Reduction Auto Reduction Auto Resolution, JBIG) Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machine will automatically reduce the message to fit onto a single Ad sheet Broadcasting Send the same fax message up to 250 locations Cele Management Auto Reduction Auto Reduction Auto Resolution, JBIG) Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machine will automatically reduce the message to fit onto a sing | Scanner Drivers | |
|--|---|--|
| Fax Fax Modem Fax Modem Fax Modem Fax Modem Fax Modem Memory Transmission Out of Paper Reception Error Correction Mode (ECM) Duto 150 pages (ITU-T Test Chart, Standard Resolution, JBIG) Error Correction Mode (ECM) Detect line errors during fax transmission and resend the page(s) of the document that had an error (receipent machines must share this feature for it to work) Auto Reduction Automatically reduce the reducing Automatical and manual methods supported. Web Services Republications IPv4 IPv6 IPv6 IPv6 IPv6 IPv6 IPv6 IPv6 IPv7 IPv6 IPv7 IPv6 IPv6 IPv7 IPv6 IPv6 Automatically New | | Windows 11 Windows 10 (32&64bit) Windows 8/8 1 |
| Fax FAX colour Type Fax Modem PC-Fax Send™ and Receive™ Send and Receive™ Send and Receive faxes directly from your PC Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG) Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG) Dut of Paper Reception Detect line error during fax transmission and resend the page (g) of the document that had an error (recipient machines must share this feature for it to work) Auto Reduction Auto Reduction When receiving a single page document longer than Az (257mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet Broadcasting Grey Scale Fleet Management Unattended Installer⁴ Unattended Installer⁴ MSI Installer⁴ Ability to centrally deploy and customise our drivers and software Web based print management software Unattended Web Server Unatt | - Same Company | (32&64bit), Windows 7 (32&64bit) |
| Fax Modem PC-Fax Send™s and Receive™s Memory Transmission Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG) Out of Paper Reception Error Correction Mode (ECM) Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work) Auto Reduction Auto Reduction When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet Send the same fax message up to 250 locations Grey Scale Fleet Management Unattended Installer¹ Ability to centrally deploy and customise our drivers and software MSI Installer⁴ MSI Installer⁴ Ability to centrally deploy and customise our drivers and software Modular installers that can be distributed through On-premise Active Directory® LaNVWAN management software embedded onto the device Driver Deployment Wizard™s Embedded Web Server Web based print management software embedded onto the device Driver Network Wired Network Wired Network Wired Network Wired Network Security Wireless Network Security Flexible Security Secu | | |
| FAX colour Type Fax Modem PC-Fax Send*** and Receive*** Memory Transmission Up to 150 pages (ITU-T Test Chart, Standard Pesolution, JBIG) Out of Paper Reception Up to 150 pages (ITU-T Test Chart, Standard Pesolution, JBIG) Detect line errors during fax transmission and resend the pages[gi of the document that had an error (recipient machines must share this feature for it to work) Auto Reduction Auto Reduction When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit or to a single A4 sheet by making a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit or tot a single A4 sheet by making the same fax message up to 250 locations Grey Scale Fleet Management Unattended Installer* Ability to centrally deploy and customise our drivers and software Modular installers that can be distributed through On-premise Active Directory? BRAdmin** Embedded Web Server Driver Deployment Wizard** Embedded Web Server Driver Deployment Wizard** Wired Network Wired Network Wired Network Wired Network Security Wireless Network Unather Security Wireless Network Wireless Network Wireless Network Security Wireless Network Wireless Network Security Wireless Network Security Wireless Network Security Wireless Network Security Wireless Return Se | | Lii iux Sai ie |
| Fax Modem PC-Fax Send*** and Receive*** Memory Transmission Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG) Out of Paper Reception Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG) Detect line error during fax transmission and resend the page of of the document that had an error (recipient machines must share this feature for it to work) Auto Reduction Auto Reduction When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit or to a single A4 sheet by making the same fax message up to 250 locations Grey Scale Fleet Management Unattended Installer* Ability to centrally deploy and customise our drivers and software Modular installers that can be distributed through On-premise Active Directory* LaNWAM managements software embedded onto the device Driver Deployment Wizard** BRAdmin** Embedded Web Server Driver Deployment Wizard** Wired Network Wired Network Security Wireless Network Vireless Network Wireless Network Wireless Network Wireless Network Security Wireless Network Security Wireless Network Security Wireless Poper (Wi-Pi Direct) Wireless Setup Support Wireless Setup Support Wireless Applications IPv4 IPv6 IIpv6 IIpv7 IIpv7 IIpv7 IIpv7 IIpv | Fax | |
| Fax Modem PC-Fax Send*** and Receive*** Memory Transmission Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG) Out of Paper Reception Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG) Error Correction Mode (ECM) Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work) Auto Reduction Auto Reduction Auto Reduction When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet Send the same fax message up to 250 locations Grey Scale Fleet Management Unattended Installer¹ Ability to centrally deploy and customise our drivers and software Modular installers that can be distributed through On-premise Active Directory* LaNVWAN management software web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Wired Network Wired Network Wired Network 10Base-T/100Base-TX APOP, SMTP-AUTH, SSU/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SMMP v3, 802.1 x (EAP-MD5, EAP-FAST, PEAP-TLS, FAP-TTLS), Kerberros, Ipsec Wireless Network 24 (AFP), SMP, PAST, PAP, EAP-TLS, EAP-TTLS, Kerberros, Ipsec Wireless Network Security Wireless Paper, EAP-TLS, EAP-TLS, EAP-TTLS, Kerberros, Ipsec Wireless Network Security Wireless Paper, PAP, PAP, PAP, PAP, PAP, PAP, PAP, PA | 1 0071 | Mono/colour |
| PC-Fax Send™ and Receive Memory Transmission Memory Transmission Out of Paper Reception Error Correction Mode (ECM) Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work) Auto Reduction Auto Reduction When receiving a single page document longer than Ad (297mm) the fax machine will automatically reduce the message to fit onto a single Ad sheet Send the same fax message up to 250 locations Sed the same fax message up to 250 locations Sed shades (8 bit) of grey are available for faxing Fleet Management Unattended Installer¹ Unattended Installer¹ MSI Installer¹ MSI Installer¹ Modular installers that can be distributed through On-premise Active Directory* LANWAN management software Embedded Web Server Driver Deployment Wizard™s Embedded Web Server Driver Deployment Wizard™s Security and Network Wired Network 10Base-T/100Base-TX APOP SMTP-AUTH, SSU/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SMMP v3 802.1x (EAP-MD5, EAP-FAST, FEAP, EAP-TLS, EAP-TTLS), Kerberos, Ippec 2.4GHz: IEEE 802.11 a/m (Infrastructure Mode) IEEE 802.11 a/m (In | ** | |
| Memory Transmission | | |
| Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIC) Error Correction Mode (ECM) Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work) Auto Reduction Auto Reduction When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet Send the same fax message up to 250 locations Grey Scale Send the same fax message up to 250 locations Endet Management Unattended Installer* Ability to centrally deploy and customise our drivers and software Modular installers that can be distributed through On-premise Active Directory® BRAdmin** Embedded Web Server Modular installers that can be distributed through On-premise Active Directory® LanvWaN management software embedded onto the device Driver Deployment Wizard** Wired Network Wired Network Wired Network 10Base-T/100Base-TX APOP, SMITP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMITP, POP3, IMAP4, SMINP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS), Kerberos, Ipsec Wireless Network Security Wirele | | |
| Resolution, JBICs | , | Resolution, JBIG) |
| the page(s) of the document that had an error (recipient machines must share this feature for it to work) Auto Reduction When receiving a single page document longer than Ad (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet Broadcasting Send the same fax message up to 250 locations 256 shades (8 bit) of grey are available for faxing Fleet Management Unattended Installer* Ability to centrally deploy and customise our drivers and software MSI Installer* MSI Installer* Modular installers that can be distributed through On-premise Active Directory* BRAdmin ⁴⁴⁵ Embedded Web Server Driver Deployment Wizard ⁴⁴⁵ Embedded Web Server Driver Deployment Wizard ⁴⁴⁵ Security and Network Wired Network Wired Network Wired Network Wired Network Security Wired Network Security Wireless Network 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 b/g/n (Infrastructure | Out of Paper Reception | |
| Ad (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet Send the same fax message up to 250 locations 256 shades (8 bit) of grey are available for faxing Fleet Management Unattended Installer4 Ability to centrally deploy and customise our drivers and software MSI Installer4 Modular installers that can be distributed through On-premise Active Directory5 BRAdmins5 Embedded Web Server MSI Deployment Wizard445 Embedded Web Server Driver Deployment Wizard445 Briver Deployment Wizard445 Security and Network Wired Network Wired Network Wired Network Security APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Wireless Network Security Wireless Network Se | Error Correction Mode (ECM) | the page(s) of the document that had an error (recipient machines must share this feature for it to |
| Fleet Management Unattended Installer¹ Ability to centrally deploy and customise our drivers and software MSI Installer¹ Modular installers that can be distributed through On-premise Active Directory* LAN/WAN management software Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Security and Network Wired Network Security Wired Network Security Wireless Network Wireless Network Wireless Network Security Wi | Auto Reduction | A4 (297mm) the fax machine will automatically reduce |
| Heet Management Unattended Installer⁴ Ability to centrally deploy and customise our drivers and software MSI Installer⁴ Modular installers that can be distributed through On-premise Active Directory® LAN/WAN management software Embedded Web Server Driver Deployment Wizard⁴ Embedded Web Server Driver Deployment Wizard⁴ Easily create print drivers for hassle free deployment over your network Wired Network Wired Network Ungase-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Wireless Network Uireless Network Security Wireless Network Security | Broadcasting | |
| MSI Installer¹ MSI Installer¹ MSI Installer¹ MSI Installer¹ MSI Installer¹ Modular installers that can be distributed through On-premise Active Directory® LaNWAN management software Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Wired Network Wired Network Security Mireless Network Wireless Network Wireless Network Wireless Network Wireless Network Wireless Network Mireless Network Mireles | Grey Scale | 256 shades (8 bit) of grey are available for faxing |
| MSI Installer¹ MSI Installer¹ MSI Installer¹ MSI Installer¹ MSI Installer¹ Modular installers that can be distributed through On-premise Active Directory® LaNWAN management software Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Wired Network Wired Network Security Mireless Network Wireless Network Wireless Network Wireless Network Wireless Network Wireless Network Mireless Network Mireles | | |
| mSI Installer¹ Modular installers that can be distributed through On-premise Active Directory® LANVMAN management software Web based print management software embedded onto the device Easily create print drivers for hassle free deployment over your network Wired Network Wired Network Wired Network Security Mireless Network Wireless Network Wireless Network Security Wireless Network Secu | | |
| MSI Installer¹ Modular installers that can be distributed through On-premise Active Directory® LANWAN management software Web based print management software embedded onto the device Driver Deployment Wizard⁴⁴⁵ Easily create print drivers for hassle free deployment over your network Wired Network Wired Network 10Base-T/100Base-TX Wired Network 2POP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Wireless Network 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 a/n (Infrastructure Mode) I | Unattended Installer ⁴ | |
| Embedded Web Server Driver Deployment Wizard ⁴⁴⁵ Embedded Web Server Driver Deployment Wizard ⁴⁴⁵ Security and Network Wired Network Wired Network Security Wireless Network Wireless Network Security | MSI Installer ⁴ | Modular installers that can be distributed through |
| ## Web based print management software embedded onto the device ## Based print management software embedded onto the device ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network ## Based print drivers for hassle free deployment over your network (IPA and your print over your network (IPA and your print) ## Based print drivers for hassle free deployment over the network (IPA and your print) ## Based print drivers ## Based print d | BRAdmin ⁴⁸⁵ | |
| Onto the device Easily create print drivers for hassle free deployment over your network Security and Network Wired Network Wired Network Security 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TLS), Kerberos, Ipsec Wireless Network 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) SGHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) SGHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) SGHz: IEEE 802.11 a/n (Wi-Fi Direct) WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA2-PSK (RES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Wi-Fi Direct™ Wireless Setup Support Wi-Fi Direct without having to go through a wireless access point (both automatic and manual methods supported) Wi-Fi Protected Setup (WPS) Vertical Pairing ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBiOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, IFTP Server, SNMP-V1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server IPP Elter IP Filter Restrict which network users can or cannot access the device over the network (IPv4 only) Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing | Embedded Web Server | |
| Wired Network Wired Network Security 10Base-T/100Base-TX APOP, SMTP-ADTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TLS), Kerberos, Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 a/n (Infrastructure Mode) IEEE 802. | | |
| Wired Network Wired Network Security 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS), Kerberos, Ipsec Wireless Network 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) Wireless Network Security Wireless | Driver Deployment Wizard ⁴⁸⁵ | |
| Wired Network Wired Network Security 10Base-T/100Base-TX APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS), Kerberos, Ipsec Wireless Network 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) Wireless Network Security Wireless | | |
| Wireless Network APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS), Kerberos, Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) Wireless Network Security WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA2-PSK (AES) ¬Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Wi-Fi Direct™ Wireless Setup Support Wi-Fi Direct vireless y without having to go through a wireless access point (both automatic and manual methods supported) Wireless Applications IPv4 ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/√ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server Web Services (Print/Scan), POP3/IMAP4, SMTP Client, FTP Server, SNMPv1/v2c/√3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMP/6, HTTP Server Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMP/6, HTTP Server Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMP/6, HTTP Server Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMP/6, HTTP Server Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMP/6, HTTP Server Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMP/6, HTTP Server Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMP/6, HTTP Server Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMP/6, HTTP Server | | 100 00000 |
| SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) Wireless Network Security WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) "Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Wi-Fi Direct™ Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported) Wireless Applications IPv4 ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPRI/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server IPv6 IPv6 NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPRI/LPD, Custom Raw Port/Port9100, IPP, FTP Client, CIFP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server IPv6 IP Filter Restrict which network users can or cannot access the device over the network (IPv4 only) Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing | | |
| Wireless Network 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct) Wireless Network Security WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) "Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Wi-Fi Direct™ Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported) Wi-Fi Protected Setup (WPS) Wireless Applications IPv4 ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPP/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server IPV6 IPV6 IPV6 IP Filter Restrict which network users can or cannot access the device over the network (IPv4 only) Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing | Wired Network Security | SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TLS), Kerberos, |
| Wireless Network Security WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) "Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec Wi-Fi Direct™ Wireless Setup Support Wireless Applications IPv4 ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server IPv6 IPv6 NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, LDAP, HTTP Server IPv6 IPv6 Restrict which network users can or cannot access the device over the network (IPv4 only) Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing | Wireless Network | 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n |
| wireless access point (both automatic and manual methods supported) Wireless Applications IPv4 ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server IPv6 NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, FTP Server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server IP Filter Restrict which network users can or cannot access the device over the network (IPv4 only) Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing | Wireless Network Security | (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TLS), |
| Wireless Setup Support Wireless Applications Vertical Pairing ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, IOMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server IPv6 NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server IP Filter Restrict which network users can or cannot access the device over the network (IPv4 only) Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing | Wi-Fi Direct™ | |
| Wireless Applications Vertical Pairing ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server IPv6 NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server IP Filter Restrict which network users can or cannot access the device over the network (IPv4 only) Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing | | |
| ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server IPv6 NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server IP Filter Restrict which network users can or cannot access the device over the network (IPv4 only) Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing | | |
| NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server IPv6 NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server IP Filter Restrict which network users can or cannot access the device over the network (IPv4 only) Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing | | ŭ |
| LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server IP Filter Restrict which network users can or cannot access the device over the network (IPv4 only) E-mail Notifications Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing | IPv4 | NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client ,FTP Server, SNMPv1/v2c/v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, |
| the device over the network (IPv4 only) E-mail Notifications Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing | IPv6 | LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, |
| when it requires attention, such as when the ink is low or needs replacing | IP Filter | |
| E-mail Reports Receive usage reports on a regular basis via e-mail | E-mail Notifications | when it requires attention, such as when the ink is |
| | E-mail Reports | Receive usage reports on a regular basis via e-mail |
| Secure Function Lock 3.0 Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users | Secure Function Lock 3.0 | - Company of the Comp |

| Software | |
|--|---|
| Brother iPrint&Scan Desktop 385 | Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC |
| Supplies | |
| Inbox (pages) | BK: 550, C: 550, M: 550, Y: 550 |
| Standard-Yield Cartridges (pages) | LC-432BK: 550, LC-432C: 550, LC-432M: 550, LC-432Y: 550 |
| High-Yield Cartridges (pages) | LC-432XLBK: 3000, LC-432XLC: 1500, LC-432XLM: 1500, LC-432XLY: 1500 |
| Dimensions and Weight | |
| Product Dimensions (without carton) | 530 W x 398 D x 304mm H - 16.9kg |
| Recommended Monthly Print Volume | |
| Recommended Monthly Print Volume ⁶ | 250 to 2,500 pages |
| Environment | |
| Power Source | AC 220-240V 50/60Hz |
| Power Consumption | Copying: 36W, Ready: 5.5W, Sleep: 0.9W, Off: 0.03W |
| Sound Pressure Level (Operating) | 50dB(A) (Approx.) |
| Ink Save Mode | This reduces the ink usage and helps to reduce the total cost of printer ownership |


- Approx. declared yield value in accordance with ISO/IEC 24711
- Capacity calculated with 80gsm paper Windows and macOS only
- 2 3 4 5
- Windows only Optional download
- Optional download
 Maximum number of printed pages per month can be used to compare designed
 durability between like Brother products
 Requires Brother Software
 Must be web connected 6

- Must be web connected
 Print Speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
 FPOT (First Print Out Time) based on ISO/IEC 17629
 Copy Speeds ESAT based on ISO/IEC 24735
 Scan Speeds based on ISO/IEC 17991 9 10

- # For warranty terms, please visit: www.brother.com.au/en/contents/standardwarrantyterms









Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com



All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

