

INKvestment  
TANK



Exclusively available from selected  
Brother Authorised Partners



# INKvestment Multi-Function Inkjet Printer

MFC-J6945DW



PRINT



COPY



SCAN



FAX



WIRELESS

# Perfect for home offices and small businesses

Brother's MFC-J6945DW INKvestment Tank all-in-one inkjet printer prints, copies, scans and faxes up to A3.



## Key Features:

- 22/20 ppm (Mono/Colour)
- Wireless & Wi-Fi direct
- Ethernet
- Built-in NFC reader
- Automatic 2-sided (duplex) print & scan
- Replaceable super high-yield inks available



### Exceptional savings

- Experience super convenient, truly uninterrupted printing and exceptional savings with up to 3,000 pages<sup>1</sup> in black and up to 1,500 pages<sup>1</sup> in colour provided in-box



### Most economical printer in its class

- Brother's INKvestment Tank re-engineered inks and an internal ink storage tank help deliver more printed pages
- Simple, clean, high volume and low cost replaceable INKvestment Tanks will save you money



### Made for business

- With fast printing up to 22 ppm<sup>2</sup>, duplex printing and scanning up to A3 and versatile paper handling with A3/A4 printing, the MFC-J6945DW has the productivity features and cost saving benefits that every business needs
- Print wirelessly from your desktop, laptop, smartphone and tablet or use the time-saving NFC "one touch to connect" feature for mobile device printing and scanning - no network setup required!



### Designed to go the distance

- Built to perform for longer, the MFC-J6945DW has been designed with you in mind. Made from robust and hard wearing materials and supported by outstanding service as standard, Brother's award winning<sup>3</sup> reliability allows you to deliver uncompromised performance at all times

| General                                 |  |
|---|--|
| Technology                              | Inkjet   |
| Memory                                  | 512MB  |
| LCD/Type & Size                         | 9.3cm Colour Touchscreen LCD   |
| Local Interface                         | Hi-Speed USB 2.0   |
| Wired Network                           | Ethernet 10Base-T/100Base-TX   |
| Wireless Network                        | 802.11b/g/n (Infrastructure Mode)  |
| Near Field Communication (NFC)          | Supports both NFC cards and Android NFC devices for mobile print and scan  |
| Ink Gauge Indication                    | Ink levels are displayed on the LCD screen   |
| Colour Printer                          |  |
| Speed                                   | 22 ppm <sup>2</sup> monochrome & 20 ppm <sup>2</sup> colour based on ISO/IEC 24734   |
| Speed (Fast Mode)                       | Up to 35 PPM <sup>2</sup> monochrome & up to 27 ppm colour   |
| Warm-up Time                            | 0 seconds  |
| Resolution                              | Up to 1200 x 4800 dpi (Horizontal and Vertical)  |
| 2-sided (duplex) Print                  | Yes  |
| Droplet Size                            | 4pl for Black, 1.5pl for C, M, Y (Colours)   |
| Colour Enhancement                      | Brother Image Enhancement allows the user to customise colour output   |
| FPOT (First Print Out Time)             | 6 seconds  |
| Print Languages                         | PCL6, BR-Script3 (PostScript(R) <sup>3</sup> ™ Language Emulation), PDF 1.7, XPS 1.0   |
| Embedded Fonts (PCL)                    | 66 scalable fonts, 12 bitmap fonts   |
| Embedded Fonts (PostScript)             | 66 scalable fonts  |
| Embedded Barcodes (PCL)                 | 16 barcodes, Code39, Interleaved 2 of 5, FIM (US-PostNet, Post Net (US-PostNet), EAN 8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN, ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1 Databar, MSI  |
| Printer Functions                       |  |
| N-up Printing <sup>4</sup>              | Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)   |
| Poster Printing <sup>5</sup>            | Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages  |
| Watermark Printing <sup>5</sup>         | Watermark your documents with predefined text or with your own user-defined messages   |
| Booklet Printing <sup>5</sup>           | Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print  |
| Print Profiles <sup>4</sup>             | Store your favourite driver settings as profiles to easily recall them (great for saving time and for less technically adept users)  |
| Print Archive <sup>5</sup>              | An electronic carbon copy feature that saves an electronic copy of all printed documents as a PDF file   |
| Black and White Only Mode <sup>10</sup> | If a colour ink runs out, continue your print job in Mono Mode.  |
| Printer Driver                          |  |
| Windows <sup>9</sup>                    | Windows <sup>9</sup> 11, Windows <sup>9</sup> 10 (32 and 64 bit editions), Windows <sup>9</sup> 8 (32 and 64 bit editions), Windows <sup>9</sup> 7 (32 and 64 bit editions), Windows Vista <sup>9</sup> (32 & 64 bit editions) Windows <sup>9</sup> Server 2019, 2016, 2012, 2012R2 and 2008R2, Windows <sup>9</sup> Server 2008 (32 and 64 bit editions)  |
| Mac OS <sup>6</sup>                     | Mac OS X 10.9.5 - 10.15, macOS 11 <sup>12</sup>  |
| Linux <sup>6</sup>                      | CUPS, LPD/LPRng (32 & 64 bit editions)   |
| Paper Handling                          |  |
| Paper Input <sup>8</sup>                | Standard Tray - 250 sheets, Lower Tray - 250 sheets<br>Multi Purpose Tray - 100 sheets, Auto Document Feeder (ADF) - 50 Sheets   |
| Paper Output <sup>8</sup>               | Face up - 100 sheets   |
| Auto Paper Low Detection                | Standard and Lower Tray  |
| Envelope Printing                       | Yes : Accuracy & reliability will depend on the quality & type of envelopes or labels used   |
| Media Sizes                             | <b>Standard Tray</b> - A3, LGR, LGL, A4, LTR, EXE, Folio, A5, A6, Photo(10x15cm), Indexcard(13x20cm), Photo-L(9x13cm), Photo-2L(13x18cm), Com-10, DL Envelope, Monarch, C5, Mexico Legal, India<br><b>Lower Tray</b> - A4, LTR, A3, LGR, LGL, Folio, Mexico Legal, India Legal<br><b>Multi Purpose Tray</b> -A3, LGR, LGL, A4, LTR, EXE,Folio, A5, A6, Photo(10x15cm), Indexcard(13x20cm), Photo-L(9x13cm), Photo 2L(13x18cm), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal<br><b>2-sided (duplex) Print</b> - PC Print: A4, LTR, EXE, A5 Copy: A4, LTR, A5<br><b>Automatic Document Feeder (ADF)</b> - Width: 105mm to 297mm x Length: 148mm to 431.8mm<br><b>Scanner Glass</b> - Up to Width: 297mm x Length: 431.8mm |
| Media Type and Weights                  | <b>Standard Tray</b> - Plain, Inkjet, Glossy <sup>7</sup> , Recycled 64-220g/m <sup>2</sup><br><b>Lower Trays</b> - Plain, Recycled 64-120g/m <sup>2</sup><br><b>Multi Purpose Tray</b> - Plain, Inkjet, Glossy <sup>7</sup> , Recycled 64-220g/m <sup>2</sup> (260g/m <sup>2</sup> with Brother BP71 glossy paper only)<br><b>Automatic Document Feeder ADF</b> - Plain and Recycled paper 64-120g/m <sup>2</sup><br><b>2-Sided (duplex) Print</b> - Plain, Recycled 64-120g/m <sup>2</sup>   |

| Mobile / Web Based Printing & Scanning             |   |
|--|---|
| Brother iPrint&Scan (Android)                      | Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device   |
| Brother iPrint&Scan (iPad / iPhone / iPod)         | Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone / iPod Touch   |
| Brother iPrint&Scan (Windows <sup>9</sup> Phone)   | Print from and scan to a smart phone running the Windows <sup>9</sup> Phone Operating System  |
| Brother Print&Scan (Windows <sup>9</sup> 8 & RT)   | Print from and scan to a Windows <sup>9</sup> 8 or Windows RT Tablet  |
| AirPrint   | Print most common file types from any AirPrint enabled application  |
| Mopria   | Print most common file types from Mopria™ supported Android devices   |
| Brother Print Service Plugin                       | Print directly from Apps on Android 5.0 or later  |
| Evernote™™   | Print from & scan to Evernote™ without using a PC   |
| Box <sup>7</sup>                                   | Print from & scan to Box without using a PC   |
| Dropbox <sup>7</sup>                               | Print from & scan to Dropbox without using a PC   |
| Google Drive™™                                     | Print from & scan to Google Drive™ without using a PC   |
| OneDrive <sup>7</sup>                              | Print from & scan to Microsoft <sup>9</sup> OneDrive without a PC   |
| OneNote <sup>7</sup>                               | Scan to Microsoft <sup>9</sup> OneNote without using a PC   |
| Open Interface                                     |   |
| Brother Solutions Interface (BSI)                  | Allows the use of 3rd party solutions & apps to increase security & productivity  |
| USB Host   |   |
| Direct Print                                       | Windows <sup>9</sup> 11, Windows <sup>9</sup> 10 (32 and 64 bit editions), Windows <sup>9</sup> 8 (32 and 64 bit editions), Windows <sup>9</sup> 7 (32 and 64 bit editions), Windows Vista <sup>9</sup> (32 & 64 bit editions) Windows <sup>9</sup> Server 2019, 2016, 2012, 2012R2 and 2008R2, Windows <sup>9</sup> Server 2008 (32 and 64 bit editions) |
| Direct Scan  | Scan directly to a USB flash memory drive. The supported file formats include: PDF, PDF/A, Secure PDF, Signed PDF, JPEG, XPS, TIFF  |
| External IC Card Reader                            | Yes (BSI, Shortcut and Secure Function Lock)  |
| Copy   |   |
| Speed - (A4) Monochrome/Colour                     | Up to 15/11 ipm   |
| Auto 2-Sided (duplex) Copying                      | Yes   |
| FCOT (First Copy Out Time)                         | Less than 6 seconds from ready mode   |
| Resolution   | Up to 600 x 600 dpi   |
| Multi-Copying / Stack / Sort                       | Makes up to 999 copies of each page / Stacks or Sorts   |
| Enlargement / Reduction Ratio                      | Reduce or Increase document sizes from 25% to 400% in 1% increments   |
| N in 1 Copying                                     | Allows the user to compress 2 or 4 pages on to a single A4 sheet  |
| 2in1 ID Copying                                    | Allows the user to copy both sides of an ID card to a single A4 sheet   |
| Grey Scale   | 256 shades of grey (8 bit)  |
| Enlarge Text Copy <sup>7</sup>                     | Makes reading copied documents easier if the size of the text on the original document is small   |
| Scan   |   |
| Scanner Type                                       | Dual CIS (Contact Image Sensor)   |
| Colour & Monochrome Scanning                       | Yes   |
| Scan Speed Monochrome                              | A4 Portrait: 18 ipm, A4 Landscape: 11 ipm, A3: 8 ipm  |
| Single Pass 2-sided (duplex) Scan Speed Monochrome | A4 portrait: 36 ipm, A4 landscape: 22 ipm, A3: 16 ipm   |
| Scan Speed Colour                                  | A4 Portrait 18 ipm, A4 Landscape: 11ipm, A3 8 ipm   |
| Single Pass 2-sided (duplex) Scan Speed Colour     | A4 portrait: 36ipm, A4 landscape: 22ipm, A3: 16 ipm   |
| Scan Resolution from ADF                           | 600x600dpi (monochrome) 300x600dpi (colour)   |
| Scan Resolution from Scanner Glass                 | 1200x2400dpi (monochrome) /1200x1200dpi (colour)  |
| Interpolated Scan Resolution                       | Up to 19,200 x 19,200dpi  |
| Colour Depth                                       | 16, 777, 216 colour variations (24 bit)   |
| Grey Scale   | 256 shades of grey (8 bit)  |
| Standard Functions <sup>9</sup>                    | Scan to USB, E-mail, OCR, Image & File  |
| Network Scanning                                   | Scan to network folder (Windows <sup>9</sup> only), FTP, SFTP FTP over SSL, Email Server <sup>5</sup> , SharePoint (Local infrastructure only) & Easy Scan to Email <sup>5</sup> , Scan to mobile   |
| Cloud Scanning <sup>7</sup>                        | Scan direct to Evernote™, Box, Dropbox, GoogleDrive™, OneDrive, OneNote   |
| Scan Features <sup>9</sup>                         | Remove Background, Skip Blank Page, ID Scan, 1 to 2 Scan, Auto Deskew from ADF, Split PDF   |
| Scan to Microsoft Office <sup>7</sup>              | Scan to Microsoft <sup>9</sup> Word, Microsoft <sup>9</sup> Excel & Microsoft <sup>9</sup> PowerPoint   |
| Scan to Searchable PDF                             | Scan documents to searchable PDF files  |
| Scan to Sharepoint (Local infrastructure only)     | Scan documents directly into Sharepoint (Local Infrastructure Only) from Brother Control Centre 4 program   |
| Windows <sup>9</sup> Web Services Scanning         | Scan direct into Windows <sup>9</sup> (from Windows <sup>9</sup> 7 & onwards) without needing to install a scanner driver   |



| Scanner Driver            |   |
|---------------------------|---|
| Windows <sup>9</sup>      | TWAIN, WIA, Windows <sup>®</sup> 11, Windows <sup>®</sup> 10 (32 & 64 bit editions), Windows <sup>®</sup> 8 (32 & 64 bit editions), Windows <sup>®</sup> 7 (32 & 64 bit editions), Windows Vista <sup>®</sup> (32 & 64 bit editions), |
| Macintosh <sup>6</sup>    | TWAIN & ICA v10.9.5/10.10.x/10.11.x   |
| Linux <sup>6</sup>        | SANE(32 & 64 bit editions)  |
| Address Book <sup>6</sup> |   |
| Speed Dials               | 100 x2 locations for E-mail addresses   |
| Group Dial                | A combination of up to 6 groups can be stored for broadcasting  |
| LDAP                      | The ability to connect to an external LDAP enabled address book, like Microsoft <sup>®</sup> Exchange   |

Address books are only accessible as part of the scan to email server function, available as an optional free download from the Brother Solutions Centre <http://solutions.brother.com>

| Fax                               |  |
|-----------------------------------|--|
| Fax Modem                         | 33,600bps (Super G3)   |
| Automatic 2-Sided (duplex) Faxing | Yes  |
| Internet Fax (iFax) <sup>6</sup>  | Fax documents anywhere in the world over the Internet without the use of a telephone line  |
| PC Fax Send <sup>6&amp;4</sup>    | Send faxes directly from your PC   |
| PC Fax Receive <sup>6&amp;5</sup> | Receive faxes directly to your PC  |
| Automatic Redial                  | Automatic redialling if the recipient fax is busy  |
| Telephone Index                   | An electronic, alphabetical listing of stored speed dials and group numbers  |
| Distinctive Ring Detection        | An external service that allows two or more telephone numbers shared on a single fixed line and use different ring tones   |
| Speaker / Ring volume             | 3 levels and off   |
| Fax / Tel Switch                  | Automatic recognition of fax and telephone reception   |
| Super Fine                        | Enables quality transmission of very small print and line drawings   |
| Contrast                          | Auto / light / dark  |
| Enhanced Remote Activate          | Transfer a fax call, answered on an extension phone, to the fax machine  |
| Delayed Timer                     | Up to 50   |
| Quick-Scan                        | Reduce scanning times by scanning a fax into memory before sending. Approximately 2.5 seconds per page A4 standard resolution  |
| Memory Transmission               | Up to 180 pages (ITU-T Test Chart, Standard Resolution, J/B/G)   |
| Out of Paper Reception            | Up to 180 pages (ITU-T Test Chart, Standard Resolution, J/B/G)   |
| Dual Access                       | Allows the operator to perform 2 different tasks on the machine at the same time   |
| Broadcasting                      | Send the same fax message to up to 50 separate locations   |
| Batch Transmission                | Stores documents for the same location in the machines memory for transmission in a single call  |
| Auto Reduction                    | When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet                             |
| ECM (Error Correction Mode)       | The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work) |
| Fax Forwarding                    | Sends a fax received in memory to another pre-programmed fax number  |
| Remote Access                     | Allows users to remotely access their machine  |
| Fax Retrieval                     | Allows remote access to faxes stored in the machine  |
| Remote Set-up <sup>4</sup>        | Allows users to set-up the MFC from their PC   |
| Grey Scale                        | 256 shades (8 bit) of grey are available for faxing  |
| Fax Preview                       | Preview received faxes on the screen   |
| Fax stamp                         | Add the date and time to all received faxes  |

| Fleet Management Tools                    |  |
|---|--|
| Unattended Installer <sup>6</sup>         | Ability to centrally deploy and customise our drivers and software               |
| MSI Installer <sup>6</sup>                | Modular installers that can be distributed through Active Directory <sup>®</sup> |
| Embedded Web Server                       | Web based print management software embedded onto the device                     |
| BRAdmin Professional 4 <sup>5&amp;6</sup> | LAN/WAN management software  |
| Driver Deployment Wizard <sup>5</sup>     | Easily create print drivers for hassle free deployment over your network         |

| Network and Security   |   |
|------------------------|---|
| Wired Network          | Built in Ethernet 10Base-T/100Base-TX   |
| Wireless Network       | IEEE 802.11b/g/n (Infrastructure Mode)  |
| Wi-Fi Direct™          | Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported) |
| Wireless Setup Support | Wi-Fi Protected Setup (WPS)   |

| Network Protocols                 | TCP/IP (IPv4 and IPv6)  |
|-----------------------------------|---|
| IPv4                              | ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP/FTPs Client FTP Server, SNMPv1/v2c/v3, TFTP server, SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNMP Client, POP3, LDAP, IMAP4, HTTP Server *POP3 & IMAP4 active only when Scan to Email Server is downloaded |
| IPv6 (off by default)             | NDP, RA, mDNS, LLNMR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP/FTPs Client FTP, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), SMTP Client, POP3*, CIFS Client, SNMP Client, LDAP, IMAP4*, ICMPv6, HTTP Server *POP3 & IMAP4 active only when Scan to Email Server is downloaded   |
| Wired Network Security            | APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS,FTPS, SMTP, POP3*, IMAP4*), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos *When Internet FAX is downloaded   |
| Wireless Network Security         | WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), APOP*, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3*, IMAP4*), SNMP v3, Kerberos, IPsec, 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS) *When Internet FAX is downloaded   |
| Wireless Certification            | WPA™/WPA2™ - Enterprise, Personal, Wi-Fi Protected Setup (WPS)  |
| E-mail Notifications              | Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing   |
| E-mail Reports                    | Receive usage reports on a regular basis via e-mail   |
| IP Filter                         | Restrict which network users can or cannot access the device over the network (IPv4 only)   |
| Secure Function Lock 3.0          | Restrict printing activity to individual or groups of users over a network. Can be used with PC User Login Name for up to 100 users   |
| LDAP Authentication               | Yes (User Authentication)   |
| Secure Print <sup>4</sup>         | Yes   |
| Supplies                          |   |
| LC3337BK                          | Super High-yield Black Inkvestment Tank (approx. 3,000 pages) <sup>1</sup>  |
| LC3337C/M/Y                       | Super High-yield Black Inkvestment Tank (approx. 1,500 pages) <sup>1</sup>  |
| LC3339BK                          | Ultra High-yield Black Inkvestment Tank (approx. 6,000 pages) <sup>1</sup>  |
| LC3339C/M/Y                       | Super High-yield Black Inkvestment Tank (approx. 5,000 pages) <sup>1</sup>  |
| BP71GA4                           | Innobella A4-size Glossy Inkjet Paper (20 sheets)   |
| BP71GP20                          | 4" x 6" glossy paper (20 sheets)  |
| Dimensions and Weight             |   |
| With Carton (WxDxH)               | 681 x 568 x 500mm (Weight: 29.1kgs)   |
| Without Carton (WxDxH)            | 575 x 477 x 379mm (Weight: 24.2kgs)   |
| Duty Cycles                       |   |
| Recommended Monthly <sup>11</sup> | Up to 2,000 pages, monthly print volume   |
| Environment                       |   |
| Power Consumption                 | Operating - 30W<br>Ready - 6.5W<br>Sleep - 1.5W<br>Off - 0.04W  |
| Sound Pressure Level              | 50dB(A) (Approx.)   |
| Sound Power Level                 | 6.38B(A)  |
| Ink Save Mode                     | Yes   |

<sup>1</sup> Approx declared yield value in accordance with ISO/IEC 24711

<sup>2</sup> ISO print speed based on ISO/IEC 24734 (after first set of ISO test pages)

<sup>3</sup> Brother is the winner of PC Mag Readers Choice Award for 13 years in a row and Business Choice Award for 9 years in a row

<sup>4</sup> Windows & Mac only

<sup>5</sup> Windows only, please contact Brother Product Support for installation

<sup>6</sup> Optional free download from the Brother Solutions Centre <http://solutions.brother.com>

<sup>7</sup> Must be web connected

<sup>8</sup> Calculated with 80gsm paper

<sup>9</sup> Requires Brother Software

<sup>10</sup> Black & White only mode will expire up to a number of prints and period of time. See Product FAQs at <http://solutions.brother.com> for details & instructions

<sup>11</sup> The recommended range of monthly printed pages to achieve the best possible performance and printer life. Printers are intended to handle occasional usage beyond the range with little or no effect. Consistently printing above the recommended print volume, however, may adversely affect the print quality or life of the machine. It is always best to choose a printer with an appropriate recommended print volume to allow for any anticipated increase in printing needs

<sup>12</sup> Via Airprint or iPrint&Scan

<sup>4</sup> For warranty terms, please visit [www.brother.com.au/en/contents/standardwarrantyterms](http://www.brother.com.au/en/contents/standardwarrantyterms)

<sup>5</sup> Based on average monthly print volumes of approximately 350 pages at 60% black pages / 40% colour pages in accordance with ISO/IEC 24711 using 8 cartridges provided in-box. For more page yield information, see [www.brother.com/pageyield](http://www.brother.com/pageyield)



#### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth. [www.brotherearth.com](http://www.brotherearth.com)

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

**brother**  
at your side