



The powerhouse technology **INKvestment your business needs**

Professional A3 INKvestment Inkjet Multi-Function

MFC-J6955DW











Exclusively available from







Ideal choice for business

The Brother MFC-J6955DW is a state-of-the-art A3 Inkiet Multi-Function that's made for business. Featuring INKvestment Tank technology with 1 year of ink included in the box* and 2 years' warranty*. Along with the fastest in class first page out time of 4.4 secs¹⁰, print speeds of up to 30 ppm and single pass 2-sided (duplex) scanning, it provides a fast, smooth and consistent user experience while delivering professional quality colour documents. Designed for modern hybrid workplaces, with scan features including scan to email8, cloud storage8 and Optical Character Recognition (OCR), it also provides dual paper trays which handle paper sizes from A5 through to A3. The MFC-J6955DW is the powerhouse technology INKvestment your business needs.





Key features:

Brother Mobile Connect







- Up to 30 ppm print speed⁹
- 50 sheet 2-sided (duplex) A3 Automatic Document Feeder (ADF)²
- Automatic 2-sided (duplex) A3 print, scan, copy and fax
- 2 x 250 paper trays up to A3²
- 100 sheet multi-purpose tray up to A32
- 8.8cm colour touchscreen
- Wired and wireless connectivity
- NFC (Near-Field Communication) for secure authentication, mobile print and scan
- Super high-yield replacement INKvestment Tank cartridges up to 6,000 pages black and up to 5,000 pages colour¹



Exceptional value

Experience professional prints and exceptional value with up to 3,000 pages in black and up to 3,000 pages in colour provided in-box - that's 1 YEAR* worth of ink!



INKvestment Tank System

Brother re-engineered its ink cartridges to hold more ink with an internal ink storage tank delivering more pages of uninterrupted printing with premium pigment-based inks



Made for business

Introducing new 'MaxiDrive' Inkjet technology that provides a premium long-life print head, the fastest in class first page out time of 4.4 secs¹⁰ and print speeds of up to 30 ppm.



Large replacement ink tanks

Help extend the savings with super high-yield replacement INKvestment Tank cartridges providing up to 6,000 pages black and up to 5,000 pages colour



Print with confidence

Help take the guesswork out of when to replace ink with Page Gauge technology - see the amount of ink you've used and the amount of ink you have remaining



Designed for mobile

Experience the user-friendly Brother Mobile Connect app, designed to connect to your Brother device to print, scan and manage documents on your smartphone



One-touch cloud connect

Print-from and scan-to popular cloud apps⁸ directly including Dropbox, Google Drive™, OneDrive and more. Save time by creating custom shortcuts on the 8.8cm LCD touchscreen for your most used features



Simple to connect your way

Versatile connectivity options with dual band (2.4GHz/5Ghz) Wireless Network support, Ethernet, Wi-Fi Direct or USB



Brother at your side support

Free Australian-based support for the lifetime of your Brother device



General		Media Type and Weights	Standard Tray - Plain, Inkjet, Glossy, Recycled
Technology	Inkjet		64-220gsm
Memory	512MB		Lower Tray - Plain, Recycled 64-120gsm Multi Purpose Tray - Plain, Inkiet, Glossy, Recycled
LCD/Type & Size	8.8cm Colour Touchscreen LCD		64-220gsm (260gsm with Brother BP71 glossy paper
Local Interface	Hi-Speed USB 2.0		only)
Wired Network	10Base-T/100Base-TX Ethernet		ADF - Plain and Recycled paper 64-120gsm Auto 2-Sided (duplex) Print - Plain, Recycled
			64-120gsm
Wireless Network	Dual Band 2.4Ghz and 5Ghz		5 · ·
Near Field Communication (NFC)	Yes		
USB Host	Print from and scan to a USB stick	Mobile and Web	
Wi-Fi Direct	Yes	Connectivity	8:16
Printer		Brother Mobile Connect ⁵ (Android)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine
Print Speed (A4)9	1-sided: 30 ppm Mono and Colour	(tital ola)	status from an Android device
	2-sided (duplex): 21 ppm Mono and Colour	Brother Mobile Connect ⁵	Print from, scan to, send faxes, preview received
Print (A3)	Yes	(iPad / iPhone)	faxes, preview copies and check the machine
Print Speed FPOT ¹⁰	4.6 seconds Colour, 4.4 seconds Mono	Annia AirDrint	status from an iPad / iPhone
Quiet Mode	Mode to reduce printing noise	Apple AirPrint	Print from and scan to most common file types from any AirPrint enabled application
Resolution	Up to 1200 x 4800 dpi (Horizontal and Vertical)	Brother Print Service	Print from an Android devices without a dedicated
Print Languages	PCL6, BR-Script3, PDF version1.7, XPS version 1.0	Plugin ⁵	App
Embedded Fonts (PCL)	73 scalable fonts, 12 bitmap fonts	Mopria ^{™ 5}	Print most common file types from Mopria™
Embedded Fonts (Postcript)	66 scalable fonts		supported Android devices
Resident Bar Cords (PCL)	16 bar codes - Code39, Interleaved 2 of 5, FIM	Brother Apps ⁸	Print from Creative Center, Scan to Mobile, Scan to
, ,	(US-PostNet), Post Net (US-PostNet), EAN-8, EAN-		Searchable PDF, Enlarge Text Copy, Fax Forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel,
	13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN		Scan to Word, Easy Scan to E-mail
	(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI	Web Connect ⁸	Print from and scan to without using a PC on Box,
Printer Functions	71, 60t B, 60t 6), 60d666, 60 i Batabai, ivioi		Dropbox, Evernote, OneDrive, Google Drive™
N-up Printing ³	Reduce up to 2, 4, 9 or 16 pages into just one		OneNote
Poster Printing	Enlarge a single page into a poster using 4 or 9 pages		
Watermark Printing ⁴	Watermark your documents with predefined text or	Сору	
watermark Frinting	with your own user-defined messages	Copy Speed ¹¹	1-Sided - Mono: 25 ipm, Colour: 16 ipm
ID Printing ⁴	Add identification to your printed documents (date	оору орссо	2-Sided (duplex) - Mono: 18 ipm, Colour: 13 ipm
- -	and time, short custom message or PC username)	Copy (A3)	1-Sided: Yes
Booklet Printing ⁴	Print documents in A5 booklet format using automatic		2-Sided (duplex): Yes Mono: 6 seconds
	or manual 2-sided (duplex) print	Copy Speed FCOT ¹¹	Colour: 5 seconds
Print Profiles ³	Store your favourite driver settings as profiles to easily		Print: up to 1200x4800 dpi
	recall them	Resolution	Scan: up to 600x600 dpi (horizontal x vertical) Colour
Printer Driver		Auto Duplex Copy	Yes
Windows [®]	Windows [®] 11, Windows [®] 10 (32 and 64 bit editions), Windows [®] 8 (32 and 64 bit editions), Windows [®] 7 (32	Caming Mildi Chaple/Cagh	Makes up to 999 copies of each page / Stacks or
	and 64 bit editions), Windows® Server 2019, 2016,	Copier Multi Stack/Sort	Sorts
	2012, 2012R2 and 2008R2, Windows® Server 2008	Enlargement/Reduction Ratio	Reduce or Increase document sizes from 25% to
	(32 and 64 bit editions)	ŭ	400% in 1% increments
Mac OS	10.14.6 / 10.15 / 11 / 12	N in 1 Copying	Allows the user to compress 2 or 4 pages on to a single A4 sheet
Linux	CUPS, LPD/LPRng (i686 and x86_64)		Allows the user to copy both sides of an ID card to a
ChromeOS	Supports native ChromeOS printing	2 in 1 ID Copying	single A4 sheet
PostScript Universal Printer Driver	Driver for Windows that enables you to print to any	Grey Scale	256 shades of grey (8 bit for each colour)
	network or locally connected Brother ink printer	Receipt Copying	Produces clearer copies of receipts
			Makes reading copied documents easier if the size of
Paper Handling		Enlarge Text Copy ⁸	the text on the original document is small
Paper Input ²	Standard Tray - 250 sheets	Auto Deskew	ADF: Yes
	Lower Tray - 250 sheets Multi Purpose Tray - 100 sheets	Auto Deskew	FB: Yes
	Auto Document Feeder (ADF) - 50 Sheets	Fit to Page	Yes
Paper Output ²	100 Sheets A4 50 Sheets A3		
Envelope Printing	Up to 10 envelopes (upper or MP tray only)		
Media Sizes	Standard Tray -	Scanner	
	Standard Tray Landscape: A4, LTR, EXE	Scanner Type	Dual CIS (Contact Image Sensor)
	Upper Tray Portrait: A3, LGR, LGL, Folio,	Colour and Mono Scanning	Yes
	A5, A6, Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L	Scan Speed ¹²	1-Sided -
	(89x127mm/3.5x5inch), Photo-2L		A4 portrait: 25 ipm / 25 ipm
	(127x178mm/5x7inch), C5, Com-10, DL Envelope,		A4 landscape: 19 ipm / 19 ipm A3: 13 ipm / 13 ipm
	Monarch, Mexico Legal, India Legal Lower Tray -		2-Sided -
	Lower Tray Landscape: A4, LTR		A4 portrait: 36 ipm / 36 ipm
	Lower Tray Portrait: A3, LGR, LGL, Folio, Mexico		A4 landscape: 24 ipm / 24 ipm
	Legal, India Legal	Coopper Provinting (O. 1)	A3: 17 ipm / 17 ipm
	Multi Purpose Tray - Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6,	Scanner Resolution (Optical)	From Glass: 1200x2400dpi (mono) / 1200x1200dpi (colour)
	Photo (102x152mm/4x6inch), Indexcard		From ADF: 600x600dpi (mono) / 300x600dpi (colour)
	(127x203mm/5x8inch), Photo-L	Interpolated Scan Resolution	Up to 19200 x 19200dpi
	(89x127mm/3.5x5inch), Photo-2L	Colour Depth	48 bit colour Processing (Input)
	(127x178mm/5x7inch), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal, Long paper (max		24 bit colour Processing (Output)
	length:1200mm	Grey Scale	16 bit colour Processing (Input)
	Scanner Glass - Up to 297mm (W) / 431.8mm (L)		8 bit colour Processing (Output)
	Auto 2-Sided (duplex) Print - A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal		
	_ /, Liti, L/L, / lo, Michico Logai, inula Legal		INK vestment



Scanner Functions			
Scan to/E-mail Server	Scan and share documents via e-mail server		
Scan to OCR	Scan documents directly into your word processing application for instant editing		
Scan to Image	Scan into your preffered image editing software		
Scan to File	Scan to a file on your computer		
Scan to Network	Scan documents to a nominated folder on your network without using a Windows PC		
Scan to SFTP	Scan documents directly to a FTP server		
Scan Profile ³	Create up to 25 preset network, FTP/Network profiles for an easy way to store multiple scan settings		
Scan To Microsoft Office	Scan to Word (.docx), PowerPoint (.pptx), Excel (.xlsx) for Microsoft Office		
Scan to SharePoint ⁴	Scan documents directly into SharePoint		
Scan to Media	USB memory drive		
Scan to Searchable PDF ⁷	Scan documents to searchable PDF files		
Auto Deskew ³	Yes		
Base Colour Removal ³	Yes		
Scanner Drivers			
Scanner Compatibility	Windows 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit) macOS 10.14.6 - 10.15, macOS 11-12 Linux Sane		
FAX colour Type	Mono/colour		
Fax Modem	33,600 (Super G3)		
PC-Fax Send ^{3&8} and Receive ^{4&8}	Send and Receive faxes directly from your PC		
Memory Transmission	Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)		
Out of Paper Reception	Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)		
Error Correction Mode (ECM)	Detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machinesmust share this feature for it to work)		
Auto Reduction	When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet		
Broadcasting	Send the same fax message up to 250 locations		
Grey Scale	256 shades (8 bit) of grey are available for faxing		
Float Managament			
Fleet Management Unattended Installer ⁴	Ability to centrally deploy and customise our drivers		
MSI Installer ⁴	and software Modular installers that can be distributed through		
	On-premise Active Directory®		
BRAdmin ⁴⁸⁵	LAN/WAN management software		
Embedded Web Server	Web based print management software embedded onto the device		
Driver Deployment Wizard ⁴⁸⁵	Easily create print drivers for hassle free deployment over your network		
Software			
Brother iPrint&Scan Desktop 385	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC		
Security and Network			
Wired Network	10Base-T/100Base-TX		
Wired Network Security	APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec		
Wireless Network	2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)		
Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) "W-FI Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, Ipsec		
Wi-Fi Direct™	Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)		
Wireless Setup Support	Wi-Fi Protected Setup (WPS)		
Wireless Applications	Vertical Pairing		

IPv4	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/ v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNTP Client, LDAP, HTTP Server NDP, RA, mDNS, LLMNR Responder, DNS Resolver,
irvo	LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6, HTTP Server
IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
E-mail Notifications	Automatically have the device send e-mail alerts when it requires attention, such as when the ink is low or needs replacing
E-mail Reports	Receive usage reports on a regular basis via e-mail
Secure Function Lock 3.0	Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users
Secure Print	Protect print jobs with a 4 digit release code required at the device in order for them to be printed
Supplies	
Inbox (pages) ¹³	BK: 3000, C: 3000, M: 3000, Y: 3000
Standard-Yield Cartridges (pages)	LC-436BK: 3000, LC-436C: 1500, LC-436M: 1500, LC-436Y: 1500
High-Yield Cartridges (pages)	LC-436XLBK: 6000, LC-436XLC: 5000. LC-436XLM: 5000, LC-436XLY: 5000
Dimensions and Weight	
Product Dimensions (without carton)	575 W x 477 D x 379mm H - 24.2kg
Recommended Monthly Print Volume	
Recommended Monthly Print Volume ⁶	250 to 3,500 pages
Environment	
Environment Power Source	AC 220-240V 50/60Hz
	AC 220-240V 50/60Hz Copying: 31W, Ready: 6.0W, Sleep: 0.9W, Off: 0.03W
Power Source	

- Approx. declared yield value in accordance with ISO/IEC 24711 Capacity calculated with 80gsm paper Windows and macOS only Windows only

- 5 6 Optional download
- Maximum number of printed pages per month can be used to compare designed
- durability between like Brother products Requires Brother Software
- Must be web connected
 Print Speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
- 10 FPOT (First Print Out Time) based on ISO/IEC 17629 Copy Speeds ESAT based on ISO/IEC 24735
- Scan Speeds based on ISO/IEC 17991
 The first time you install a set of ink cartridges the machine will use an amount of ink to
- fill the delivery tubes for high quality printouts. This process will only happen once. The amount of ink remaining will be approx. 78% of 3,000 pages of LC436BK and approx. 39% of 5,000 pages of special starter cartridge C/M/Y
- * Based on average monthly print volumes of approximately 300 pages at 60% black pages / 40% colour pages in accordance with ISO/IEC 24711 using 4 cartridges provided in-box. For more page-yield information, see www.brother.com/pageyield # For warranty terms, please visit: www.brother.com.au/en/contents/standardwarrantyterms









Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

