



## Compact 4-in-1 Monochrome Laser Printer

MFC-L2730DW











**PRINT** 

COPY

SCAN

FΔX

WIRELES

# Compact 4-in-1 Monochrome Laser Printer

The feature rich MFC-L2730DW is designed for the busy home and small office, requiring multifunction capabilities.

This quiet, desktop friendly device, provides fast print speeds of up to 34 ppm, 6.8cm colour touchscreen and built-in wired and wireless connectivity.

MFC-L2730DW



## **Key Features:**

- Fast print speeds of up to 34 ppm
- Automatic 2-sided (duplex) print
- 250 sheet paper input
- 50 sheet Automatic Document Feeder
- Built-in wired and wireless connectivity
- Up to 3,000 page optional high-yield toner
- 6.8cm colour touchscreen
- 128MB memory



#### **Business Performance**

Duplicating, digitising and sharing documents has never been easier.

The MFC-L2730DW, offers true network capabilities, with wired and wireless connectivity. Save time by printing-from and scanning-to popular cloud services directly from the 6.8cm touchscreen including Dropbox, Google Drive™, Evernote, OneNote and more. The most frequently used functions, can be easily created as custom shortcuts on the touchscreen.

#### Maximum value for money

The MFC-L2730DW can print with an optional up to 3,000 page high-yield toner, providing crisp black text every time. Together with a host of feature rich functionality, high-precision laser technology ensures that your print outs are professional and cost effective.

#### Quiet without compromise

Print quietly without comprising on speed or quality, operating at the lowest decibel in class (under 50dB). All the models throughout the range are designed to sit on your desk, printing quietly at full speed while you work without interruption.

### Designed to go the distance

Built to perform for longer, the MFC-L2730DW has been designed with you in mind. Made from robust and hardwearing materials and supported by outstanding service as standard, Brother's award winning\*\* reliability allows you to deliver uncompromised performance at all times.



General		Mobile / Web Based	
Technology	Electrophotographic Laser Printer	Printing & Scanning	
Laser Classification	Class 1 Laser Product (IEC60825-1:2014)	Brother iPrint&Scan (Android)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android
Processor	600MHz		device
Memory	128MB	Brother iPrint&Scan (iPad / iPhone / iPod)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad /
Wired Network Interface	10Base-T/100Base-TX	,,	iPhone / iPod Touch.
Wireless Network	IEEE 802.11b/g/n	Brother iPrint&Scan	Print from and scan to a smart phone running the Windows®
Control Panel	6.8cm colour touchscreen	(Windows® Phone)	Phone Operating System
Local Interface	Hi-Speed USB 2.0	Brother Print&Scan (Windows® 8, 10 & RT)	Print from and scan to a Windows® 8, 10 or Windows RT Tablet
Shortcuts	12	CreativeCentre <sup>8</sup>	Download and print Brother CreativeCenter content
Print		AirPrint	Print from and scan to most common file types from any
Print Speed Standard (A4)	Up to 34 ppm (pages per minute)		AirPrint enabled application
Print Speed 2-sided (duplex) (A4)	Up to 16 sides per minute (8 sheets per minute)	Mopria	Print most common file types from Mopria supported Android devices
Automatic 2-sided (duplex) Printing	Print on to both sides of the paper	Brother Print Service Plugin	Print from Android devices without a dedicated App
Resolution	Up to 1,200 x 1,200 dpi	Web Connect®	Print from and scan to without using a PC on Box, Dropbox,
Quiet Mode	A mode to reduce the printing noise by reducing the print speed to 13 ppm		Evernote, OneDrive, Google Drive™ OneNote
FPOT (First Print Out Time)	Less than 8.5 seconds from ready mode	Сору	
Warm Up Time	Less than 9 seconds from sleep mode	Speed - (A4)	Up to 34 cpm (copies per minute)
Print Languages	PCL6, BR-Script <sup>3</sup> (PostScript <sup>9</sup> 3™ Language	FCOT (First Copy Out Time)	Less than 10 seconds from ready mode
	Emulation), PDF version1.7	Resolution	Up to 600 x 600 dpi
Embedded Fonts (PCL)	66 scalable fonts, 12 bitmap fonts, 16 barcodes	Multi-Copying / Stack / Sort	Makes up to 99 copies of each page / Stacks or Sorts
Embedded Fonts (Postscript)	66 scalable fonts	Enlargement / Reduction Ratio	Reduce or Increase document sizes from 25% to 400% in
Embedded Barcodes (PCL)	Code39, Interleaved 2 of 5, FIM (US-PostNet, Post Net (US-PostNet) EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISPAN/EAN-ISPAN/EAN-ISPAN/EAN-ISPAN/EAN-ISPAN/EAN-ISPAN/EAN-ISPAN/EAN-ISPAN/EAN-ISPAN/EAN-ISPAN/EAN-ISPAN/EAN-ISPAN	N in 1 Copying	1% increments  Allows the user to compress 2 or 4 pages on to a single A4
	ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI	2in1 ID Copying	sheet  Allows the user to copy both sides of an ID card to a single
Printer Functions			A4 sheet
N-up Printing <sup>3</sup>	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4	Grey Scale	256 shades of grey (8 bit)
Parker Distinct	page (Mac, up to 2, 4, 6, 9, or 16)	Receipt Copying  Enlarge Text Copy <sup>8</sup>	Produces clearer copies of receipts  Makes reading copied documents easier if the size of the text
Poster Printing <sup>4</sup>	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages	Emarge Text Copy	on the original document is small
Watermark Printing <sup>4</sup>	Watermark your documents with predefined text or with your own user-defined messages	Environment	
ID Printing⁴	Add identification to your printed documents (date & time, short custom message or PC username)	Power Consumption	Printing - 440W (260W in quiet mode),
Manual 2-sided (duplex) Print <sup>4</sup>	Manual 2-sided printing (recommended for media not supported by automatic 2-sided print)		Ready - 42W, Sleep - 6.2W, Deep sleep - 0.6W,
Booklet Printing <sup>4</sup>	Print documents in A5 booklet format using automatic or manual 2-sided print	Sound Pressure Level	Off - 0.03W Printing - 49dbA,
Print Profiles <sup>3</sup>	Store your favourite driver settings as profiles to easily recall them		Quiet mode printing - 44dbA, Ready - Up to 30dbA
Print Text In Black <sup>4</sup>	Converts all text in your documents to black when printed	Power Saving	This enables the printer to consume less energy when not in use
Print Archive⁵	An electronic carbon copy feature that saves an electronic copy of all printed documents as a PDF file	Toner Saving	This reduces the toner usage and helps to reduce the total cost of printer ownership
Printer Driver		Eco Mode	Yes
Windows®	Windows 11°, Windows° 10 (32&64bit), Windows° 8/8.1 (32&64bit), Windows° 7 (32&64bit), Windows° Server 2019, Windows° Server 2016, Windows° Server 2012/R2 (64bit),		
	Windows® Server 2008 (32&64bit), Windows® Server 2008 R2	Scan	
Macintosh <sup>5</sup>	Mac OSX 10.10.5 or greater	Scanner Type	CIS (Contact Image Sensor)
Linux <sup>5</sup>	CUPS, LPD/LPRng (32 & 64 bit editions)	Colour & Monochrome Scanning	Yes
PostScript Universal Printer Driver	Driver for Windows® that enables you to print to any network or locally-connected Brother laser printer that	Scan Speed Monochrome	23.6 ipm (images per minute)
	supports PostScript	Scan Speed Colour	7.5 ipm (images per minute)
PCL Driver	Generic PCL XL driver	Scan Resolution from ADF	Up to 600 x 600dpi
Standard Paper Handling		Scan Resolution from Scanner Glass	Up to 1,200 x 1,200dpi
Paper Input <sup>2</sup>	Standard Tray - 250 sheets Manual feed slot - 1 sheet	Interpolated Scan Resolution	Up to 19,200 x 19,200dpi
Automatic Document Feeder (ADF)	50 sheets	Colour Depth	16, 777, 216 colour variations (24 bit)
Paper Output <sup>2</sup>	Face Down - 120 sheets	Grey Scale	256 shades of grey (8 bit)
	Face Up (Straight Paper Path) - 1 sheet	Standard Functions <sup>8</sup>	Scan to E-mail, OCR, Image & File
Media Specification		Scan Features	Remove Background, Skip Blank Page4, ID Scan4, 1 to 2 Scan4, Split PDF
Media Types & Weights	Standard Tray – Plain & recycled paper (between 60 - 163g/m²)  Manual Feed Slot – Plain, Recycled, Bond, Label, Envelope,	Scan to Microsoft Office <sup>8</sup>	Scan to Microsoft® Word, Microsoft® Excel & Microsoft® PowerPoint
	(between 60 - 230g/m²)  2-sided (duplex) Print - Plain & recycled paper (between 60 - 105g/m²)	Scan to Searchable PDF	Scan documents to searchable PDF files
Envelope Printing	Yes, from the Manual feel slot: support for 1 envelope / sheet	Scan to Sharepoint (Local infrastructure only)	Scan documents directly into SharePoint
Media Sizes	Standard Tray – A4, Letter, A5, A5 (Long Edge), A6, Executive Manual Feed Slot – Width: 76.2mm to 215.9mm x Length:	Windows® Web Services	Scan direct into Windows® (from Windows® 7 &
	127mm to 355.6mm  2-sided (duplex) Print – A4	Scanning	onwards) without needing to install a scanner driver

Scanner Driver	
Windows®	TWAIN, WIA
Williams	Windows 11°, Windows° 10 (32 & 64 bit editions), Windows° 8 (32 & 64 bit editions), Windows° 8.1 (32 & 64 bit editions), Windows° 8.1 (32 & 64 bit editions), Windows° 7 (32 & 64 bit editions),
Macintosh <sup>5</sup>	TWAIN & AirPrint macOS 10.10.5 or greater
Linux <sup>6</sup>	SANE(32 & 64 bit editions)
Fleet Management Tools	
Unattended Installer4	Ability to centrally deploy and customise our drivers and
MSI Installer <sup>4</sup>	software  Modular installers that can be distributed through Active
Embedded Web Server	Directory®  Web based print management software embedded onto the
BRAdmin Light <sup>485</sup>	device  LAN/WAN management software
Driver Deployment Wizard <sup>4</sup>	Easily create print drivers for hassle free deployment over your network
Address Book	
Speed Dials	200 locations for E-mail addresses and fax numbers
Group Dial	A combination of up to 20 groups can be stored for broadcasting
Supplies	
Inbox Toner	700 pages <sup>1</sup>
Standard Yield Toner	1,200 pages¹ (TN-2430)
High Yield Toner	3,000 pages¹ (TN-2450)
Drum (DR-2424)	Approx 12,000 pages
Carton Contents	Toner cartridge, drum, power supply cord, driver software for Windows®, Quick Set-Up Guide (PC interface cable NOT included)
	The frequency of replacement consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media.
Dimensions & Weight	
With Carton (WxDxH)	410 x 398.5 x 318.5 mm - 11.8kg
Without Carton (WxDxH)	580 x 517 x 434 mm - 14.7kg
Duty Cycles	
Recommended Monthly	Up to 2,000 pages monthly print volume
Network & Security	
Wired Network	Built in Ethernet 10Base-T/100Base-TX
Network Protocols	TCP/IP (IPv4 and IPv6)
Wired Network Security	SMTP-AUTH, SNMP v3,SSL/TLS(SMTP,HTTP,IPP)
Wireless Network	IEEE 802.11b/g/n (Infrastructure Mode / Adhoc Mode)
Wireless Setup Support	Wi-Fi Protected Setup (WPS)
Wireless Applications	Vertical Pairing
IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print), SNTP Client
IPv6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print)
E-mail Notifications	Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing
E-mail Reports	Receive usage reports on a regular basis via e-mail
IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
Setting Lock	Secures access to the devices control panel by locking it

Fax	
Fax Modem	33,600bps (Super G3)
PC Fax Send <sup>9&amp;3</sup>	Send faxes directly from your PC
PC Fax Receive <sup>984</sup>	Receive faxes directly to your PC
Automatic Redial	Automatic redialling if the recipient fax is busy
Telephone Index	An electronic, alphabetical listing of stored speed dials and group numbers
Chain Dialing	Allows the user to store parts for long dialling sequences in different speed dial locations
Speaker / Ring volume	3 levels and off
Fax / Tel Switch	Automatic recognition of fax and telephone reception
Super Fine	Enables quality transmission of very small print and line drawings
Contrast	Auto / light / dark
Enhanced Remote Activate	Transfer a fax call, answered on an extension phone, to the fax machine
Delayed Timer	Up to 50
Quick-Scan	Approximately 2.5 seconds per page A4 standard resolution
Memory Transmission	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Out of Paper Reception	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Dual Access	Send the same fax message to up to 250 separate locations (manual 50 locations)
Broadcasting	Receive usage reports on a regular basis via e-mail
Auto Reduction	When receiving a single page document longer than A4 (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet
ECM (Error Correction Mode)	The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)
Fax Forwarding	Sends a fax received in memory to another pre-programmed fax number
Remote Access	Allows users to remotely access their machine
Fax Retrieval	Allows remote access to faxes stored in the machine
Remote Maintenance	Allows users to maintain their MFC remotely
Remote Set-up³	Allows users to set-up the MFC from their PC
Grey Scale	256 shades (8 bit) of grey are available for faxing
Fax Stamp	Add the date and time to all received faxes
Cover Page	Create custom cover pages for outgoing faxes

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

- Approx declared yield value in accordance with ISO/IEC 19752.
   Calculated with 80g/m² paper.
   Windows® & Mac® only.
   Windows® only.
   Optional download.

- 6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.
  For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds
- your print requirements.
  7 Requires Brother Software.
- 8 Must be web connected.



At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.



Brother

Earth









