



Professional Compact MonochromeLaser All-in-one Printer

Flawless Printing, Effortless Performance

MFC-L2920DW











E

WIRELESS

Professional Compact Monochrome Laser All-in-one Printer

Work smarter with an expertly designed machine, built for effortless efficiency. Keep your business moving with long-lasting supplies with up to 5,000-page¹¹ replacement toners and fast print speeds of up to 34ppm⁹. Offering the latest industry-standard security, this compact device allows you to experience flawless professional results reliably, every day.

MFC-L2920DW



Key features:

- Fast print speeds of up to 34 pages per minute⁹
- Paper capacity up to 250 sheets and manual feed slot⁶
- Automatic 2-sided (duplex) printing
- 100Mbps Ethernet, 2.4/5GHz Wi-Fi and USB connectivity
- Print directly from desktop or mobile app⁷
- 256MB internal memory
- Up to 1,500 pages in-box toners¹¹
- Super high-yield replacement toners available, up to 5,000 pages¹¹
- Available under a Managed Print Service (MPS) contract



Work Smarter

Increase efficiency with fast print speeds of up to 34ppm⁹ that help you work smarter. The 2-sided (duplex) print, high-capacity input and output tray saves you time, enabling you to get on with other tasks.



Effortless

Make your day easier and your printing tasks effortless, with simple set up using the Brother Mobile Connect app, enabling you to print documents from your mobile device⁷. Make the most of fast Ethernet, 2.4GHz/5GHz Wi-Fi or USB connection.



Compact and Expertly Engineered

Designed by experts, our most compact, professional monochrome printer delivers high-quality outputs every time, allowing you to make the most of your office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access, this device has been developed for high print volume to meet the needs of a busy home or small office.



Print Longer

The MFC-L2920DW keeps your printing costs down using a separate drum and toner unit, and the generous 1,500 page¹¹ in-box toner supports your higher print volume needs. Toners are easy to change with a super high-yield replacement toner available to print up to 5,000 pages¹¹, reducing your frequency to replace.



Secure by Design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The MFC-L2920DW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Seamless Integration

As a Brother customer, you'll have access to a wide choice of leading software vendors, including PaperCut, to create tailored solutions for your specific requirements and ensure your MFC-L2920DW works even harder to meet your needs.



Make printing simple with Brother MPS

Managed Print Services (MPS) supports you to get the best out of your devices - that's why the MFC-L2920DW has been designed with MPS in mind. Whatever your printing needs, we'll be at your side to find the solution that simplifies printer admin, saves time, keeps costs down, and helps you stay productive, by partnering with our national MPS partner network to deliver a service that's fit for your business.



Brother at your side support

Wherever you are in Australia, Brother offers free product support for the lifetime of your product.

Engine	Mono Laser	Modem Speed	33,600bps (Fax)
Warranty	1 Year Return To Base	2 Sided Fax	Send/Receive
warranty	I Year Return to base		
		ITU-T Group compatibility	Super G3
Stantan		Telstra Duet Compatible	Yes
Display		Speed Dials	200 locations
.CD Display	8.8cm Colour LCD (Touchscreen)	ECM	Yes
Shortcuts	18	Out of Paper Reception	Up to 400 Pages (ITU-T Test Chart)
		· ·	
		Broadcasting	Up to 250 locations
Printer		Automatic Reduction	Yes
Standard Memory	256MB	Fax Forwarding	To Fax number or Email Address
Print Speed ⁹	Up to 34ppm	PC Fax	Send/Receive from Windows. Send only from Linux
·			(Network / USB)
2 Sided Print	Yes (Automatic)	Internet Fax	Yes - T37 protocol
2 Sided Print Speed ⁹	Up to 16 sides per minute / 8 sheets per minute		
Printer Resolution	1200 x 1200dpi	Digital Scanner	
First Print Out Time10	Less than 8.5 secs from Ready mode, Less than 17.5	Scanner Colour/Mono	Colour
	secs from Sleep mode	Scanner Colour Depth	30 bit input / 24 bit output colour
Printer OS Compatibility ³	Windows 11, Windows 10 (32&64bit), Windows Server	·	· · · · · · · · · · · · · · · · · · ·
	2022, Windows Server 2019, Windows Server 2016,	Scanning Technology	Dual CIS
	Windows Server 2012/R2 (64bit)	Scanner Speed ¹²	Simplex ADF: 22.5/7.5 ipm
	macOS 11-13		Duplex ADF: 22.5/7.5 ipm Flatbed: 2.39/7.2 secs @300dpi (Mono/Colour)
	Linux Cups, LPD/LPR		In accordance with ISO/IEC17991 (A4)
Emulation	PCL6, BR-Script3, PDF Version 1.7	Scanner Resolution (Optical)	From Glass: Up to 1200 x 1200 dpi
Resident Fonts	PCL:73 scalable fonts, 12 bitmap fonts, 16 bar codes	Scarner Resolution (Optical)	From ADF: Up to 600 x 600 dpi
	PS: 66 scalable fonts	Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post	, , ,	
	Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E,	2 Sided Scan	Single Pass (Up to A4 from ADF)
	Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93,	Scanning Area	ADF: 204(W) x 291(L)mm Flatbed: 204(W) x 291(L)mm
	GS1Databar, MSI	Scanner Grey Scale	256 levels
Quiet Mode ⁴	Yes	Scan to Email Client	Yes
Recommended Monthly Print	250 to 2,500 pages	Scan to Email Server	Yes
Volume ⁸			
		Scan to OCR	Yes
		Scan to Image	Yes
Paper Handling		Scan to File	Yes
Standard Paper Capacity ⁶	Up to 250 sheets	Scan to FTP	FTP/FTPS
	· ·	Scan to Sharepoint	Yes (iPrint&Scan for Windows only)
Manual Feed Slot	1 sheet	·	
Envelopes Input	1 envelope (Single Feed Slot only) output via rear	Scan to Network Folder	Windows only
Output Paper Capacity	Up to 120 Sheets Face Down (80gsm)	Scan To Cloud	Yes - see Web Connect
	1 sheet face-up (straight paper path)	Network Scan	Windows/Mac
ADF ⁶	Up to 50 sheets	Scanner OS Compatibility ³	Windows 11, Windows 10 (32&64bit)
Media Weights Paper Tray	60 - 163 gsm		macOS 11-13
Media Weights Manual Feed Slot	60 - 230 gsm		Linux Sane
Media Weights ADF	60 - 105 gsm	Twain Compliant	Windows: TWAIN or WIA
Media Weights Duplex	60 - 105 gsm		Linux: SANE
	· ·	Software	
Media Size Paper Tray	A4, Letter, B5(JIS), B5(ISO), A5, A5(Long Edge), B6(JIS),	Software	
M I O M I I I I I I I I I I I I I I I I	A6, Executive, A4 Short, 16K(195x270mm)	N-up Printing	Windows/Mac
Media Size Manual Feed Slot	76.2 to 215.9mm(W), 127 to 355.6mm(L), Envelope:	Poster Printing	Windows only
	COM-10, DL, C5, Monarch	Header and Footer Printing	Windows only
Media Size ADF	Width 105 to 215.9 mm, Length 147.3 to 355.6 mm	Watermark Printing	Windows only
Media Size Duplex	A4	Booklet Printing	Windows only
Media Size Scanner Glass	Up to A4/LTR	· ·	· ·
Media Types Paper Tray	Plain Paper, Thin Paper, Recycled Paper, Thick Paper	Archive Printing	Windows only
Media Types Manual Feed Slot	Plain Paper, Thin Paper, Thick Paper, Thicker Paper,	Brother Solutions Interface	Yes
Toda Types Manual Leeu Siot	Recycled Paper, Bond, Label, Envelope, Env. Thin, Env.	Light Solutions ²	Yes (Apply for Activation Code) ²
	Thick	Mass Deployment Tool	Windows only
Media Types ADF	Plain Paper, Recycled Paper	Driver Deployment Wizard	Windows only
Media Types Duplex	Plain Paper, Thin Paper, Recycled Paper	Sittor Sopioyment Wizard	dows orny
nocia Types Duples	rianti apot, mini apot, necycleu i apel		
		Networking	
		Wireless Mode	2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE
Digital Copier			802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Dire
Copier Speed	Up to 34 cpm	Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)
	· · ·	Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/
First Copy Out Time	Less than 10 secs from Ready mode, Less than 19 secs from Sleep mode		NetBIOS name resolution, DNS Resolver, mDNS,
	· ·		LLMNR responder, LPR/LPD, Custom Raw Port/
2 Sided Conv			Port9100, SMTP Client, IPP/IPPS, POP3, FTP Client
2 Sided Copy	Simplex Scan to Duplex Print		
**	Maximum 600 x 600 dpi		and Server, SNMPv1/v2c/v3, HTTP/HTTPS server,
2 Sided Copy Copier Resolution Reduction-Enlargement Ratio			TFTP client and server, ICMP, Web Services (Print/So
Copier Resolution	Maximum 600 x 600 dpi	Network Protocols IDV6	TFTP client and server, ICMP, Web Services (Print/Si SNTP Client, IMAP4
Copier Resolution Reduction-Enlargement Ratio Copier N-in-1	Maximum 600 x 600 dpi 25 - 400 percent in 1 percent increments 2 in 1 & 4 in 1 (A4/LTR)	Network Protocols IPV6	TFTP client and server, ICMP, Web Services (Print/Si SNTP Client, IMAP4 NDP, RA, DNS resolver, mDNS, LLIMNR responder,
Copier Resolution Reduction-Enlargement Ratio Copier N-in-1 Copier Multi Sort	Maximum 600 x 600 dpi 25 - 400 percent in 1 percent increments 2 in 1 & 4 in 1 (A4/LTR) Yes	Network Protocols IPV6	TFTP client and server, ICMP, Web Services (Print/Sc SNTP Client, IMAP4 NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS,
Copier Resolution Reduction-Enlargement Ratio Copier N-in-1	Maximum 600 x 600 dpi 25 - 400 percent in 1 percent increments 2 in 1 & 4 in 1 (A4/LTR)	Network Protocols IPV6	TFTP client and server, ICMP, Web Services (Print/So SNTP Client, IMAP4 NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, SNMPV
Copier Resolution Reduction-Enlargement Ratio Copier N-in-1 Copier Multi Sort	Maximum 600 x 600 dpi 25 - 400 percent in 1 percent increments 2 in 1 & 4 in 1 (A4/LTR) Yes	Network Protocols IPV6	TFTP client and server, ICMP, Web Services (Print/Sc SNTP Client, IMAP4 NDP, RA, DNS resolver, mDNS, LLMNR responder,

Network Management Util	ities	
Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional Mac: Web Base Management Linux: Web Base Management	
Web Based Management	Yes	
BRAdmin Professional ¹	Windows only	
Connectivity		
Interface	Hi-Speed USB 2.0, 10/100Base-TX Ethemet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct	
USB Interface	Hi-Speed USB 2.0	
Wired Interface	10Base-T/100Base-TX Ethernet	
Wireless Interface	2.4GHz IEEE 802.11b/g/n Wireless 5GHz IEEE 802.11a/n Wireless	
Wi-Fi Direct	Yes	
NFC	Yes	
Security		
Wired Security Wireless Security	APOP, SMTP-AUTH, SSL/TLS (SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth(SMTP, POP3, IMAP4), Kerberos, IPsec APOP, SMTP-AUTH, SSL/TLS (SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth(SMTP, POP3, IMAP4), Kerberos, IPsec	
Wireless Security Protocols	SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) Wi-Fi Direct supports WPA2-PSK (AES) only.	
LDAP	Yes	
Active Directory Authentication	Yes	
IPv4-Filter	Yes	
Secure Print	Windows/Mac	
Secure Function Lock	(Version.3.0) Up to 100 registered users	
Mobile / Web Printing ⁷		
iPrintScan ¹	Windows/Mac	
Mobile Connect ¹	IOS/Android	
Android Print Service Plugin ¹	Yes	
AirPrint	Yes	
Mopria ¹	Yes	
Google ChromeOS	Yes	
Web Connect	Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote	

D	iscl	aimer	S:	
	-			

Brother Apps

- 1 Download from Brother Solutions Centre
- 3 Via Airprint or iPrint&Scan
- 4 Windows only
- 6 Capacity calculated with 80g/m² paper
- 7 Must be connected to the internet
- 8 The recommended monthly print volume is to achieve the best possible performance and printer life

Scan To: Evernote Print from: Creative Centre

Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile

- 9 Print speeds based on ISO/IEC 24734 (http://www.brother.com/rd/printspeed) 10 FPOT (First Print Out Time) based on ISO/IEC 17629
- 11 Approx. declared yield value in accordance with ISO/IEC 19752
- 12 Scan speeds based on ISO/IEC 17991
- 14 Purchase optional onsite warranty required

Options	
Optional Warranty	1 or 2 or 3 years on-site
Consumables ¹¹	
Consumables	Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages Super High Yield Toner Cartridge (TN2530XXL) Up to 5,000 A4 pages Drum (DR2530) Up to 15,000 A4 pages (1 page / job)
Inbox Consumables	Inbox Toner Cartridge Up to 1,500 pages Drum (DR2530) Up to 15,000 pages (1 page / job)
Standard Yield Toner	Standard Toner Cartridge (TN2530) Up to 1,200 A4 pages
High Yield Toner	High Yield Toner Cartridge (TN2530XL) Up to 3,000 A4 pages
Super High Yield Toner	Super High Yield Toner Cartridge (TN2530XXL) Up to 5,000 A4 pages
Drum	Drum (DR2530) Up to 15,000 pages (1 page / job)
Weight & Measurements	
Size	410(W) x 421(D) x 319(H)mm
Weight	10.7 Kg without consumables 11.8 Kg with consumables
Size With Carton	600(W) x 517(D) x 434(H)mm
Weight With Carton	16.4Kg
Environment	
Power Consumption	Peak: Average 920W, Ready: Average 43W, Sleep: 4.1W, Deep Sleep: 0.7W
Sleep Mode	Yes (0-50 min)
Toner Save	Yes
Power Save	Yes
Others	
Noise Level	Sound Pressure Level: (Printing) Less than 49 dBA, (Standby) Less than 30 dBA Sound Power Level: (Printing) Less than 6.63 B, (Standby) Inaudible
TEC Value	0.40 kwh/week
Carton Contents	Printer, Quick Setup Guide, Telephone Line Cord, Telephone Line Cord Adapter, Inbox Toner Cartridge 1,500 pages ¹¹ , Drum (DR2530) @ 15,000 pages, AC Power Cord









youtube.com/user/ BrotherAU/videos



linkedin.com/company/ brother-international-australia/



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.



