



# **Colour Wireless LED 4-in-1** Printer

MFC-L3750CDW









FAX



# **Colour Wireless LED 4-in-1 Printer**

The feature rich MFC-L3750CDW offers full colour prints with fastest in its class print speeds of up to 24 ppm<sup>6</sup>. With both wired and wireless connectivity, and the ability to print straight from your mobile, this machine can support the busiest of offices. The 9.3cm colour touchscreen will allow you to access your favourite features quickly and easily.

### MFC-L3750CDW

## **Key Features:**

- Fast print speeds of up to 24 ppm<sup>6</sup>
- Large paper capacity of 250 sheets
- Automatic 2-sided (duplex) printing
- 50 sheet Auto Document Feeder (ADF)
- Easy to use 9.3cm colour touchscreen
- Wired and wireless connectivity
- Print from or scan directly to a USB stick
- Up to 1,000 pages<sup>1</sup> in-box toners



#### Fastest printing in its class

Watch your business productivity soar with up to 24 ppm print speeds<sup>6</sup> and the time-saving 50 sheet ADF - scanning or copying documents has never been easier.

\$			
	000		
	000		

#### Best value - get business features at low running costs

With high-yield toners available (up to 2,500 pages<sup>1</sup> BK and 2,300 pages<sup>1</sup> CMY), your business can now benefit from super low running costs with high quality 2400dpi printing and bundled with industry leading Nuance document software, ensuring you get maximum value from an economical multi-function device.



#### Wireless, mobile and cloud connectivity

Loads of connectivity options for your business. Print wirelessly from your desktop, laptop, smartphone or tablet for mobile device printing and scanning.



#### Designed to go the distance

Built to perform for longer, the MFC-L3750CDW has been designed with you in mind. Made from robust and hard wearing materials and supported by outstanding service as standard, Brother's award winning<sup>9</sup> reliability allows you to deliver uncompromised performance at all times.

General		Embedded Fonts (Postscript)	66 scalable fonts
Technology	Electrophotographic LED	Embedded Barcodes (PCL)	*Code39, Interleaved 2 of 5, FIM (US-PostNet) Post Net (US-PostNet) EAN-8, EAN-13, UPC-A, UPC-E, Codabar ISBN (EAN) ISBN (UPC-E) Code128 (set A,
Processor	Cortex-A9 800MHz Sub: ARM946 133MHz		set B, set C) EAN128 (set A, set B, set C) Code93 GS1Databar MSI
Wired Network	Ethernet 10Base-T/100Base-TX	Printer Functions	
Wireless Network	IEEE 802.11b/g/n	N-up Printing <sup>3</sup>	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one
Control Panel	9.3cm colour touchscreen	n up i mung	A4 page (Mac, up to 2, 4, 6, 9, or 16)
Memory	512MB	Poster Printing <sup>4</sup>	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25
Local Interface	Hi-Speed USB 2.0		A4 pages
Mobile Print	Print from your mobile devices to your Brother printer	Watermark Printing <sup>4</sup>	Watermark your documents with predefined text or with your own user-defined messages
		ID Printing <sup>₄</sup>	Add identification to your printed documents (date & time, short custom message or PC username)
Print Print Speed (A4)	Up to 24 ppm <sup>6</sup>	Manual 2-sided (duplex) Print <sup>4</sup>	Manual 2-sided (duplex) printing (recommended for media not supported by automatic 2-sided (duplex)
	Colour & Monochrome		print)
Print Speed 2-sided (duplex) (A4)	Up to 8 sides per minute Colour & Monochrome	Booklet Printing⁴	Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print
Resolution	2,400 dpi (600 x 2400)	Print Profiles <sup>3</sup>	Store your favourite driver settings as profiles to easily
Quiet Mode	A mode to reduce the printing noise by reducing the		recall them
	print speed	Print Text In Black <sup>4</sup>	Converts all text in your documents to black when printed
FPOT (First Print Out Time)	Less than 14 seconds from ready mode	Print from USB	
Warm Up Time	Less than 24 seconds from sleep mode	Print from USB	Print directly from a USB flash drive (PDFv1.7, JPEG, TIFF)
Print Languages	PCL6, BR-Script3 PDF Version 1.7, XPS Version 1.0	Configurable Shortcuts	Create up to 18 personalised shortcuts for a quick and easy access to your regularly print, copy, scan and fax
Embedded Fonts (PCL)	73 scalable fonts, 12 bitmap fonts		functions



Printer Drivers		Grey Scale	256 shades of grey (8 bit)
Windows®	Windows 11°, Windows <sup>®</sup> 10 (32&64bit), Windows <sup>®</sup>	Receipt Copying	Produces clearer copies of receipts
	8/8.1 (32&64bit), Windows® 7 (32&64bit), Windows® Server 2019, Windows® Server 2016, Windows® Server 2012/R2 (64bit), Windows® Server 2008 (32&64bit), Windows® Server 2008 R2	Enlarge Text Copy <sup>e</sup>	Makes reading copied documents easier if the size of the text on the original document is small
Macintosh <sup>5</sup>	Mac OS X 10.11.6 - 10.15, macOS 11 <sup>3</sup>	Scan	
Linux⁵	CUPS, LPD/LPRng (32 & 64 bit editions)	Scanner Type	CIS (Contact Image Sensor)
PostScript Universal Printer Driver⁵	Driver for Windows® that enables you to print to any network or locally-connected Brother laser printer that	Colour & Monochrome Scanning	Yes
	supports PostScript	Scan Speed Monochrome	27 ipm (images per minute)
PCL Driver⁵	Generic PCL XL driver	Scan Speed Colour	21 ipm (images per minute)
Paper Handling		Scan Resolution from Scanner Glass	Up to 1,200 x 2,400dpi
Paper Input	Standard Tray - 250 sheets	Interpolated Scan	Up to 19,200 x 19,200dpi
	ADF - 50 sheets Manual feed slot - 1 sheet	Resolution	all an
Paper Output	150 sheets face down (80g/m2)	Scan Resolution from ADF	Up to 600 x 600dpi
	1 sheet face-up (straight paper path)	Colour Depth	48 bit colour Processing (Input) 24 bit colour Processing (Output)
Media Type & Weights Standard Tray	Plain & Recycled paper (between 60 - 163g/m2)	Grey Scale	16bit colour Processing (Input) 8bit colour Processing (Output)
Media Sizes Standard Tray	A4, Letter, A5, A5 (Long Edge), A6, Executive		3(
Media Type & Weights ADF	Plain & Recycled paper (between 60 - 105g/m2)		
Media Sizes ADF	Width 105 to 218 mm, Length 148 to 357.6 mm	Scanner Functions	
Media Type & Weights Manual feed slot	Plain, Recycled, Bond, Label, Envelope paper (between 60 - 163g/m2)	Scan to E-mail	Scan and share documents via e-mail client
Media Sizes Manual feed slot	Width 76.2 to 216 mm	Scan to OCR	Scan documents directly into your word processing application for instant editing
	Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch	Scan to Image	Scan into your preffered image editing software
Envelope & Label Printing	Yes, from the manual feed slot: support for 1	Scan to File	Scan to a file on your computer
	envelope / sheet	Scan to USB	Scan directly to a USB flash drive
		Scan to Network Folder	Scan documents to a nominated folder on your network without using a Windows PC
Mobile and Web Connectivity		Scan to FTP	Scan documents directly to a FTP server
Brother iPrint&Scan (Android)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an	Scan Profile <sup>3</sup>	Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings
Brother iPrint&Scan	Android device Print from, scan to, send faxes, preview received faxes,	Scan to Sharepoint (Local infrastructure only)	Scan documents directly into SharePoint
(iPad / iPhone / iPod)	preview copies and check the machine status from an iPad / iPhone / iPod Touch	Scan to Searchable PDF	Scan documents to searchable PDF files
Brother iPrint&Scan (Windows® Phone)	Print from and scan to a smart phone running the Windows® Phone Operating System	Auto Deskew Base Colour Removal	Yes
Brother Print&Scan	Print from and scan to a Windows® 8,10 or Windows	ID Scan	Yes
(Windows® 8,10 & RT)	RT Tablet	1 to 2 Scan	Yes
Apple AirPrint	Print from and scan to most common file types from any AirPrint enabled application		
Brother Print Service Plugin	Print from Android devices without a dedicated App	Coordinate Defense	
Mopria	Print most common file types from Mopria supported	Scanner Drivers	
Brother Apps <sup>8</sup>	Android devices Print creative center, Scan to Mobile, Scan to	Windows®	TWAIN & WIA Windows 11 <sup>®</sup> , Windows <sup>®</sup> 10 (32 & 64 b editions), Windows <sup>®</sup> 8 (32 & 64 bit editions), Windows 7 (32 & 64 bit editions)
	Searchable PDF, Enlarge Text Copy, Fax forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel,	Macintosh⁵	TWAIN macOS v10.11.6, 10.12.x, 10.13.x
	Scan to Word, Easy scan to E-mail	Linux <sup>5</sup>	SANE (32 & 64 bit editions)
Web Connect <sup>8</sup>	Print from and scan to without using a PC on Box, Dropbox, Evernote, OneDrive, Google Drive™, OneNote	Fee	
		Fax	00.0001 (0
Сору		Fax Modem	33,600bps (Super G3)
Print Speed (A4)	Up to 24 cpm <sup>10</sup> Colour & Monochrome	PC Fax Send <sup>3&amp;®</sup> and Receive <sup>4&amp;®</sup>	Send and Receive faxes directly from your PC
FCOT (First Copy Time Out)	Less than 15 seconds from ready mode Colour & Monochrome	2-sided (duplex) Fax Receive Memory Transmission	Yes Up to 500 pages (ITU-T Test Chart, Standard
Resolution	Up to 600 x 600dpi		Resolution, JBIG)
Multi-Copying/Stack/Sort	Makes up to 99 copies of each page / Stacks or Sorts	Out of Paper Reception	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Enlargement/Reduction Ratio	Reduce or increase document sizes from 25% to 400%	Error Correction Mode (ECM)	The MFC will detect line errors during fax transmission
N in 1 Copying	in 1% increments Allows the user to compress 2 or 4 pages on to a single 44 chost		and resend the page(s) of the document that had an error (recipient machines must share this feature for it to work)
2in1 ID Copying	single A4 sheet Allows the user to copy both sides of an ID card to a single A4 sheet	Auto Reduction	When receiving a single page document longer than A (297mm) the fax machine will automatically reduce the message to fit onto a single A4 sheet
		Broadcasting	Send the same fax message up to 250 locations
		Diododastiliy	estina the same tax message up to 200 locations

Grey Scale

256 shades (8 bit) of grey are available for faxing

Floot Menonement			
Fleet Management Tools			
Unattended Installer <sup>4</sup>	Ability to centrally deploy and customise our drivers and software		
MSI Installer <sup>4</sup>	Modular installers that can be distributed through Active Directory®		
BRAdmin Light485	LAN/WAN management software		
Embedded Web Server	Web based print management software embedded onto the device		
Driver Deployment Wizard <sup>4 85</sup>	Easily create print drivers for hassle free deployment over your network		
Software			
Brother iPrint&Scan (Windows & Mac)⁵	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from windows or macOS PC		
Nuance® PaperPort 14 SE5	Document management & sharing program		
Network and Coourity			
Network and Security Wired Network	Ethernet 10Base-T/100Base-TX		
Wired Network Security	APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-		
	TTLS), Kerberos		
Wireless Network	IEEE 802.11b/g/n (Infrastructure Mode) IEEE 802.11g/n (Wi-Fi Direct)		
Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)		
	(AES) *WI-FI Direct supports WPA2-PSK (AES) only.APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3		
	802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos		
Wireless Setup Support	Wi-Fi Protected Setup (WPS)		
Wireless Applications	Vertical Pairing		
Wi-Fi Direct <sup>™</sup>	Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)		
IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client		
IPv6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print/Scan)		
IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)		
Secure Print	Protect print jobs with a 4 digit release code required at the device in order for them to be printed		
Setting Lock	Secures access to the devices control panel by locking it		
Secure Function Lock 3.0	Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users		
E-mail Notifications	Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing		
E-mail Reports	Receive usage reports on a regular basis via e-mail		

#### **Dimensions and** Weights Without Carton (WxDxH) 410 x 475 x 414 mm -23.4kg With Carton (WxDxH) 589 x 523 x 568 mm - 27.6kg **Duty Cycles Recommended Monthly** 300 to 1,500 pages<sup>11</sup> monthly print volume **Environment** Printing - 430W, Ready - 75W, Quiet Mode - 260W, Sleep - 10.1W, Deep Sleep - 1.2W, Off - 0.04W **Power Consumption** Sound Pressure Level Printing - 47dB(A) Ready - 33dB(A) Quiet Mode - 43dB(A) Sound Power Printing - 6.11B(A) Monochrome / 6.16B(A) Colour Ready - 4.67B(A), Quiet Mode - 5.71B(A) Monochrome / 5.73B(A) Colour, Deep Sleep - Inaudible Power Saving This enables the printer to consume less energy when not in use **Toner Saving** This reduces the toner usage and helps to reduce the total cost of printer ownership Eco Mode Yes

2 Calculated with 80g/m<sup>2</sup> paper.
 3 Windows<sup>®</sup> & Mac<sup>®</sup> only.
 4 Windows<sup>®</sup> only.
 5 Optional download.
 6 ISO print speed based on ISO/IEC 24734 (after first set of ISO test pages).
 7 Requires Brother Software.
 8 Must be web connected.

1 Approx declared yield value in accordance with ISO/IEC 19798.

9 Brother is the winner of PC Mag Readers' Choice Award for 13 years in a row and Business Choice Award for 9 years in a row.

10 ISO copy speed is based on ISO/IEC 24735. 11 The recommended range of monthly printed pages to achieve the best possible performance and printer life. Printers are intended to handle occasional usage beyond the range with little or no effect. Consistently printing above the recommended print volume, however, may adversely affect the print quality or life of the machine. It is always best to choose a printer with an appropriate recommended print volume to allow for any anticipated increase in printing needs. \* Windows® Server supports network printing only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

#### Working with you for a better environment







youtube.com/user/BrotherAU/videos

linkedin.

linkedin.com/company/ brother-international-australia/



Up to 2,500 pages<sup>1</sup> BK (TN-253) Up to 2,300 pages<sup>1</sup> C/M/Y (TN-257) Up to 18,000 pages<sup>1</sup> (1 page / job) (DR-253CL)

Up to 1,000 pages1 C/M/Y/BK

Up to 1,300 pages1 C/M/Y (TN-253)

Drum Unit

In-box Toner Standard-Yield Toner

High-Yield Toner

Supplies and Accessories