



Compact Colour LED All-in-One Printer

MFC-L3760CDW











Exclusively available from

officeworks

Compact design, expertly engineered

Combining outstanding performance with fast print speeds, minimal maintenance, and long-lasting supplies. The compact, whisper-quiet MFC-L3760CDW has been expertly engineered to feature the latest industry-standard security. Be confident that this colour LED will meet the needs of your home or small office with ease.

MFC-L3760CDW



Key features:

- Fast print speeds of up to 26 pages per minute⁹
- Large paper capacity of 250 sheets⁶
- Automatic 2-sided (duplex) printing
- 50-sheet Auto Document Feeder (ADF)⁶
- Easy to use 8.8cm colour LCD touchscreen
- Gigabit ethernet, 2.4GHz/5GHz Wi-Fi and USB 2.0 connectivity
- Print or scan directly from desktop, USB or mobile app
- 512MB internal memory
- Up to 1,000 pages black and 1,000 colour pages in-box toners¹¹
- High-yield replacement toners available, up to 3,000 black and 2,300 colour pages¹¹



Compact and expertly engineered

Designed by experts, our most compact colour multi-function printer delivers high-quality outputs every time, allowing you to make the most of your home and small office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access, this device has been developed to meet the needs of your home and small office.



Quiet without compromise

With its streamlined design, the MFC-L3760CDW is engineered to print quietly while delivering speeds up to 25% faster than the previous generation, so you can print continuously and without distraction.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to protect your data. The MFC-L3760CDW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Designed to go the distance

Built to perform for longer, the MFC-L3760CDW has been designed with you in mind. Made from robust and hard-wearing materials and supported by outstanding service as standard, Brother's award-winning reliability allows you to deliver uncompromised performance at all times.



Brother at your side support

Wherever you are in Australia, Brother offers free product support for the lifetime of your product.

General		Brother Solutions Interface	Brother Solutions Interface (BSI) Developer Program is
Engine	Colour LED		a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices
Carton Contents	Printer, Quick Setup Guide, Power Cord, CMYK Toner (TN258C/TN258M/TN258Y/TN258BK) Up to 1,000 pages ¹¹	Light Solutions	ThinPrint Client, Barcode Print+, Secure Print+, Reques Help, Order Supplies, Remote Panel, Barcode Utility, CustomUl
Display		Mass Deployment Tool	Windows only
LED Display	8.8cm Colour LCD (7.3 x 6.9cm Touchscreen)	Driver Deployment Wizard ¹	Windows only
Shortcuts	48	iPrint&Scan ¹	Windows/Mac (Print Only)
Printer			
Standard Memory	512MB	Mobile/Web Printing	
Print Speed ⁹	Up to 26 ppm Mono / Up to 26 ppm Colour	Mobile Connect ¹	Use Brother Mobile Connect to print, scan, and copy, well as manage your machine and customize its feature
2 Sided Print Speed ⁹	Up to 10/10ipm or 5/5ppm (Mono/Colour, based on ISO/IEC 24734)	Universal Print ⁷	Yes
2 Sided Print	Yes (Automatic)	Web Connect ⁷	Scan To/Download and Print from: Google Drive,
Emulation	PCL6, BR-Script3		Dropbox, OneDrive, Box, OneNote Scan To: Evernote Print from: Creative Centre
Printer Resolution	600 x 600 dpi, 2400 dpi (2400 x 600) quality	AirPrint	Print most common file types from any Apple AirPrint
First Print Out Time ¹⁰	Less than 13.5 secs Mono/Colour (From Ready mode		enabled application
	and standard tray) Less than 30 secs Mono/Colour (From Sleep mode and	Mopria ¹	Print most common file types from Mopria™ supported Android devices
Warm Up Time	standard tray) Less than 24 sec from Sleep, Less than 28 sec from	Google ChromeOS	Print from your Chromebook
Resident Barcodes	Power On Code39, Interleaved 2 of 5, FIM(US-PostNet), Post	Android Print Service Plugin ¹	Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a Wi-Fi or Wired network
	Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E,	Brother Apps ⁷	Office Doc Creator, Easy Scan to Email, Fax Forward to
	Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93,		Cloud / Email, Enlarge Text Copy, Scan to Mobile
	GS1Databar, MSI	Connectivity	
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts	Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base- Ethernet, 2.4/5Ghz Wi-Fl
Quiet Mode	A mode to reduce the printing noise by reducing the print speed	USB Interface	Hi-Speed USB 2.0
Recommended Monthly Print	300 to 3,000 pages	Wired Interface	10Base-T/100Base-TX/1000BaseT Ethernet
Volume ⁸	300 to 3,000 pages	Wireless Interface	2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n
Paper Handling ⁶		Wi-Fi Direct	Yes
Standard Paper Capacity	Up to 250 Sheets	USB Host	Direct Print/Scan, External IC Card Reader (CH-1000)
Envelopes Input	Up to 1 envelope, output via rear	Wireless Mode	2.4GHz IEEE 802.11/b/g/n (Infrastructure Mode mode)
Output Paper Capacity	Up to 150 Sheets Face Down (80gsm)	Wireless Setup Support Utility	5GHz IEEE 802.11/a/n (Infrastructure Mode mode) Wi-Fi Protected Setup (WPS)
ADE	1 sheet face-up (straight paper path)	Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/
ADF	Up to 50 sheets	Network Flotocols II V4	NetBIOS name resolution, DNS Resolver, mDNS,
Media Weights Paper Tray Media Weights Manual Feed Slot	60 - 163 gsm 60 - 163 gsm		LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Client and Serv
Media Weights ADF	60 - 105 gsm		CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/
Media Weights Duplex	60 - 105 gsm		HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client, Syslog
Media Size Paper Tray	A4, Letter, Legal, Mexican Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5(JIS), B5(ISO), B6(JIS), A4	Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMT
Media Size Manual Feed Slot	Short(270mm), Folio, 16K(195x270mm) Width 76.2 to 216 mm, Length 116 to 355.6 mm		Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services
M I' O' D	Envelope; COM-10, DL, C5, Monarch		(Print/Scan), Syslog
Media Size Duplex	A4	Email Alerts	E-mail Notification and E-mail Reports
Media Size Scanner Glass	Up to A4/LTR	Network Management Uti	
Media Types Paper Tray Media Types Manual Feed Slot	Plain Paper, Thin Paper, Thick Paper, Recycled Paper Plain Paper, Thin Paper, Thick Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick, Glossy Paper	Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup Mac: Web Base Management, Network Remote Setup Linux: Web Base Management
Media Types Duplex	Plain Paper, Thin Paper, Recycled Paper	Web Based Management	Web based print management software embedded on
Media Types ADF	Plain Paper, Thin Paper, Recycled Paper		the device
Software		BRAdmin Professional ¹	Windows only
Printer OS Compatibility ³	Windows 11, Windows 10 (32&64bit), Windows Server	Security	
· · · · · · · · · · · · · · · · · · ·	2022, Windows Server 2019, Windows Server 2016, Windows Server 2012 R2 (64-bit), Windows Server 2012 (64-bit)	Wired Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-FAS' PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec
	macOS 11 - 14 ³ Linux RPM, DEB	Wireless Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-MDS
N-up Printing	Windows only	Wireless County Dust	EAP-FAST, PEAP, EAP-TLS, EAP-TLS), Kerberos, IPsi
Poster Printing	Windows only	Wireless Security Protocols	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports
Header and Footer Printing	Windows only		WPA2-PSK (AES) only
neader and rooter Fillung	,		
Watermark Printing	Windows only		

Wireless Certification	Wi-Fi Certification Mark License (WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct	Weights & Measures	
		Size	410(W) x 444(D) x 401(H)mm
LDAP	Yes	Weight	16 Kg without consumables 20 Kg with consumables
Active Directory Authentication	Yes	Environment	
IPv4-Filter	Yes	Power Consumption	Peak: Average 960W, Ready: Average 70W,
Secure Function Lock	(Version.3.0) Up to 100 registered users	. cital consumption	Sleep: 10W, Deep Sleep: 0.6W, Power Off: 0.04W
Options		Sleep Mode	0-50 min
Optional Warranty ¹⁴	1 or 2 or 3 Years On-Site	Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership
Consumables		Power Save	This enables the printer to consume less energy when not in use
Consumables ¹¹	Belt Unit: Up to 60,000 pages (3-page per job) (BU229CL) Waste Toner Box: Up to 50,000 pages (WT229CL) Drum Unit: Up to 20,000 pages (1-page per job) (DR258CL)	Temperature	Operating: 10 - 32°C, Storage: 0 - 40°C
		Humidity	Operating: 20 - 80%, Storage: 35 - 85%
		Others	
Inbox Consumables ¹¹	CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages	Noise Level	Sound Pressure Level: (Printing) Less than 47 dBA, (Ready) InAudible
Standard Yield Toner ¹¹	CMYK Toner Standard Yield (TN258C/TN258M/ TN258Y/TN258BK) Up to 1,000 pages		Sound Power Level: (Printing) Less than 6.41B(A), (Ready) InAudible
High Yield Toner ¹¹	Black Toner High Yield (TN258XLBK) Up to 3,000 pages Colour Toner High Yield (TN258XLC/TN258XLM/TN258XLY) Up to 2,300 pages	TEC Value	0.41 kWh/Week

Disclaimers:

- Download from Brother Solutions Centre
- Apply to activate Via Airprint or iPrint&Scan
- Windows only
- Windows/Mac
- Capacity calculated with 80g/m² paper
- Must be connected to the internet
- The recommended monthly print volume is to achieve the best possible performance and printer life Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
- 10. FPOT (First Print Out Time) based on ISO/IEC 17629
- 11. Approx. declared yield value in accordance with ISO/IEC 19798
- 12. Scan speeds based on ISO/IEC 17991
- 14. Purchase optional onsite warranty required

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.













Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where Brother sustainable development can be achieved. We call this approach Brother Earth.







