



Compact Colour LED All-in-One Printer

Compact Design, Expertly Engineered

MFC-L3760CDW



PRINT



SCAN



COPY



FAX



5GHz
WIRELESS

Exclusively available from

Officeworks 

www.brother.com.au

Compact Colour LED All-in-One Printer

Combining outstanding performance with fast print speeds, minimal maintenance, and long-lasting supplies.

The compact, whisper-quiet MFC-L3760CDW has been expertly engineered to feature the latest industry-standard security. Be confident that this colour LED will meet the needs of your home or small office with ease.

MFC-L3760CDW



Key features:

- Fast print speeds of up to 26 pages per minute⁹
- Large paper capacity of 250 sheets⁶
- Automatic 2-sided (duplex) printing
- 50-sheet Auto Document Feeder (ADF)⁶
- Easy to use 8.8cm colour LCD touchscreen
- Gigabit ethernet, 2.4GHz/5GHz Wi-Fi and USB 2.0 connectivity
- Print or scan directly from desktop, USB or mobile app
- 512MB internal memory
- Up to 1,000 pages black and 1,000 colour pages in-box toners¹¹
- High-yield replacement toners available, up to 3,000 black and 2,300 colour pages¹¹




Compact and expertly engineered

Designed by experts, our most compact colour multi-function printer delivers high-quality outputs every time, allowing you to make the most of your home and small office space. Every component has been optimised to reduce the overall size of the device without compromising on performance. With easy paper access, this device has been developed to meet the needs of your home and small office.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to protect your data. The MFC-L3760CDW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Quiet without compromise

With its streamlined design, the MFC-L3760CDW is engineered to print quietly while delivering speeds up to 25% faster than the previous generation, so you can print continuously and without distraction.



Designed to go the distance

Built to perform for longer, the MFC-L3760CDW has been designed with you in mind. Made from robust and hard-wearing materials and supported by outstanding service as standard, Brother's award-winning reliability allows you to deliver uncompromised performance at all times.



Brother at your side support

Wherever you are in Australia, Brother offers [free product support](#) for the lifetime of your product.

General	
Engine	Colour LED
Carton Contents	Printer, Quick Setup Guide, Users Guide, CD-ROM (Windows), Power Cord, CMYK Toner (TN258C/TN258M/TN258Y/TN258BK) Up to 1,000 pages ¹¹
Display	
LCD Display	8.8cm Colour LCD (7.3 x 6.9cm Touchscreen)
Shortcuts	48
Printer	
Standard Memory	512MB
Print Speed ⁹	Up to 26 ppm Mono / Up to 26 ppm Colour
2 Sided Print Speed ⁹	Up to 10/10ipm or 5/5ppm (Mono/Colour, based on ISO/IEC 24734)
2 Sided Print	Yes (Automatic)
Emulation	PCL6, BR-Script3
Printer Resolution	600 x 600 dpi, 2400 dpi (2400 x 600) quality
First Print Out Time ¹⁰	Less than 13.5 secs Mono/Colour (From Ready mode and standard tray) Less than 30 secs Mono/Colour (From Sleep mode and standard tray)
Warm Up Time	Less than 24 sec from Sleep, Less than 28 sec from Power On
Resident Barcodes	Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1 Databar, MSI
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts
Quiet Mode	A mode to reduce the printing noise by reducing the print speed
Recommended Monthly Print Volume ⁹	300 to 3,000 pages
Paper Handling ⁶	
Standard Paper Capacity	Up to 250 Sheets
Envelopes Input	Up to 1 envelope (Manual Feed Slot only) output via rear
Output Paper Capacity	Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path)
ADF	Up to 50 sheets
Media Weights Paper Tray	60 - 163 gsm
Media Weights Manual Feed Slot	60 - 163 gsm
Media Weights ADF	60 - 105 gsm
Media Weights Duplex	60 - 105 gsm
Media Size Paper Tray	A4, Letter, Legal, Mexico Legal, India Legal, Executive, A5, A5 Long Edge, A6, B5(JIS), B5(SO), B6(JIS), A4 Short(270mm), Folio, 16K(195x270mm)
Media Size Manual Feed Slot	Width 76.2 to 216 mm, Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch
Media Size ADF	Width 105 to 215.9 mm, Length 147.3 to 355.6 mm
Media Size Duplex	A4
Media Size Scanner Glass	Up to A4/LTR
Media Types Paper Tray	Plain Paper, Thin Paper, Thick Paper, Recycled Paper
Media Types Manual Feed Slot	Plain Paper, Thin Paper, Thick Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick, Glossy Paper
Media Types Duplex	Plain Paper, Thin Paper, Recycled Paper
Media Types ADF	Plain Paper, Thin Paper, Recycled Paper
Digital Copier	
Copier Speed ⁹	Up to 26 cpm Mono / Up to 26 cpm Colour
First Copy Out Time	Less than 14.5/15.5 secs (Mono/Colour) from Ready mode, Less than 30/30 secs (Mono/Colour) from Sleep mode
2 Sided Copy	Simplex Scan to Duplex Print
Copier Resolution	600 x 600 dpi
Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments
Copier N-in-1	2 in 1 & 4 in 1 (A4/LTR Mono/Colour)
Copier Multi Sort	Yes
Copier Multi Stack	Up to 999 copies

Fax	
Modem Speed	33,600bps (Fax)
2 Sided Fax	Receive Only
ITU-T Group compatibility	Super G3
Telstra Duet Compatible	Yes
Speed Dials	300 locations
ECM	Yes
Out of Paper Reception	Up to 500 Pages (ITU-T Test Chart)
Broadcasting	Up to 350 locations
Automatic Reduction	Yes
Fax Forwarding	To Fax number or Email Address
PC Fax	Send/Receive from Windows, Send only from MAC / Linux (Network / USB)
Internet Fax	Yes - T37 protocol
Digital Scanner	
Scanner Colour/Mono	Colour
Scanner Colour Depth	48 bit input / 24 bit output colour
Scanning Technology	CIS
Scanner Speed ¹²	Simplex: Max 1.84/2.39 Sec - 27/21 ipm (Mono/Colour @200dpi A4)
Scanner Resolution (Optical)	From Glass: Up to 1200 x 2400 dpi From ADF: Up to 600 x 600 dpi
Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi
Scanning Area	Flatbed: 210(W) x 291(L)mm
Scanner Grey Scale	256 levels
Scan to Email Client	Yes
Scan to Email Server	Yes
Scan to OCR	Yes
Scan to Image	Yes
Scan to File	Yes
Scan to FTP	FTP
Scan to Media	USB memory drive
Scan to Sharepoint	On premise Server Via PaperPort, Office 365 via Web Connect
Scan to Network Folder	Windows only
Scan To Cloud	Yes - See Web Connect
Network Scan	Windows/Mac
Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit) macOS 11-13 ³ Linux SANE
Twain Compliant	Windows: TWAIN Windows 11 or WIA for Windows10 Linux SANE
Direct Print/Scan Feature	
Digital-Media Type	USB Flash Memory
Digital-Media Spec	USB Flash Memory (FAT, FAT32, exFAT)
Digital-Media Format	"Print: PDF version 1.7, JPEG, Exif+JPEG, PRN(created by own printer driver), TIFF(scanned by Brother model), XPS version 1.0
Scan to USB: JPEG/PDF"	600 x 600 dpi
Direct USB	Print/Scan
Software	
Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012 R2 (64-bit), Windows Server 2012 (64-bit) macOS 11 - 13 ³ Linux RPM, DEB
N-up Printing	Windows/Mac
Poster Printing	Windows only
Header and Footer Printing	Windows only
Watermark Printing	Windows only
Booklet Printing	Windows only
Brother Solutions Interface	Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices
Light Solutions	ThinPrint Client, Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI
Mass Deployment Tool	Windows only
Driver Deployment Wizard ¹	Windows only
iPrint&Scan ¹	Windows/Mac

Connectivity	
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX Ethernet and IEEE 802.11 b/g/n Wireless
USB Interface	Hi-Speed USB 2.0
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet
Wireless Interface	2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n
Wi-Fi Direct	Yes
USB Host	Direct Print/Scan External IC Card Reader (CH-1000)
Networking	
Wireless Mode	2.4GHz IEEE 802.11b/g/n (Infrastructure Mode mode), 5GHz IEEE 802.11a/n (Infrastructure Mode mode)
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SMTP Client, LDAP, IMAP4, Syslog
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SMTP Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog
Email Alerts	E-mail Notification and E-mail Reports
Network Management Utilities	
Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup Mac: Web Base Management, Network Remote Setup Linux: Web Base Management
Web Based Management	Yes
BRAdmin Professional	Windows only
Security	
Wired Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec
Wireless Security	eMail: SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec
Wireless Security Protocols	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE(AES), Wi-Fi Direct supports WPA2-PSK (AES) only
LDAP	Yes
Active Directory Authentication	Yes
IPv4-Filter	Yes
Secure Print	Windows/Mac
Secure Function Lock	(Version.3.0) Up to 100 registered users
Options	
Optional Warranty ¹⁴	1 or 2 or 3 Years On-Site

Mobile/Web Printing	
Mobile Connect ¹	Use Brother Mobile Connect to print, scan, & copy, as well as manage your machine & customise its features.
Universal Print ⁷	Yes
Web Connect ⁷	Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote Scan To: Evernote Print from: Creative Centre
AirPrint	Print most common file types from any Apple AirPrint enabled application
Mopria ¹	Print most common file types from Mopria™ supported Android devices
Google ChromeOS	Print and scan from your Chromebook with most printers that connect to Wi-Fi or a wired network
Android Print Service Plugin ¹	Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a Wi-Fi or Wired network
Brother Apps ⁷	Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile
Consumables	
Consumables ¹¹	Belt Unit: Up to 60,000 pages (3-page per job) (BU229CL) Waste Toner Box: Up to 50,000 pages (WT229CL) Drum Unit: Up to 20,000 pages (1-page per job) (DR258CL)
Inbox Consumables ¹¹	CMYK Toner Standard Yield (TN258C/TN258M/TN258Y/TN258BK) Up to 1,000 pages
Standard Yield Toner ¹¹	CMYK Toner Standard Yield (TN258C/TN258M/TN258Y/TN258BK) Up to 1,000 pages
High Yield Toner ¹¹	Black Toner High Yield (TN258XLBK) Up to 3,000 pages Colour Toner High Yield (TN258XLC/TN258XLM/TN258XLY) Up to 2,300 pages
Weights & Measurements	
Size	410(W) x 444(D) x 401(H)mm
Weight	16 Kg without consumables 20 Kg with consumables
Environment	
Power Consumption	Peak: Average 960W, Ready: Average 70W, Sleep: 10W, Deep Sleep: 0.6W, Power Off: 0.04W
Sleep Mode	0-50 min
Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership
Power Save	This enables the printer to consume less energy when not in use
Temperature	Operating: 10 - 32°C, Storage: 0 - 40°C
Humidity	Operating: 20 - 80%, Storage: 35 - 85%
Others	
Noise Level	Sound Pressure Level: (Printing) Less than 47 dBA, (Ready) InAudible Sound Power Level: (Printing) Less than 6.41B(A), (Ready) InAudible
TEC Value	0.41 kWh/Week

- Download from Brother Solutions Centre
- Apply to activate
- Via Airprint or iPrint&Scan
- Windows only
- Windows/Mac
- Capacity calculated with 80g/m² paper
- Must be connected to the internet
- The recommended monthly print volume is to achieve the best possible performance and printer life
- Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
- FPOT (First Print Out Time) based on ISO/IEC 17629
- Approx. declared yield value in accordance with ISO/IEC 19798
- Scan speeds based on ISO/IEC 17991
- Purchase optional onsite warranty required

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

