

Simple, Effortless, Intelligent.



Professional Colour Laser Multi-Function Centre

MFC-L9630CDN











www.brother.com.au

Simple, Effortless, Intelligent.

Make the right impression when it counts with vibrant, professional outputs, accurate digital documents, and standout technology. The MFC-L9630CDN comes with industry-leading security, third-party solutions integration, impressive scalability, and a robust design - you can be confident that it will keep up with the demands of a busy office.

MFC-L9630CDN



Key Features:

- Interrupt Copy Functionality
- Print speed of up to 40ppm⁷
- Automatic 2-sided (duplex) print
- Automatic 2-sided (duplex) scan up to 100ipm⁹
- Easy-to-use 17.6cm colour touchscreen
- 520-sheet paper input tray expandable to 2,600 sheets via additional paper trays⁴
- 100-sheet multi-purpose tray⁴
- High-capacity 100-sheet Automatic Document Feeder (ADF)⁴
- Gigabit Ethernet & USB connectivity and NFC for secure authentication

- 2GB internal memory
- Optional 2.4/5GHz Wireless card, optional 250 / 520 sheet and 4 x 520 sheet tower tray available⁴
- Includes in-box toners that print up to 6,500 pages¹⁰ (BK), 5,000 pages¹⁰ (C/M/Y)
- High-capacity replacement toners available, that print up to 12,000 pages¹⁰ (BK), 9,000 pages¹⁰ (C/M/Y)
- Cerner Certified
- Integrates with Brother and third-party solutions



When quality and performance work together

Invest in a colour printing solution that's guaranteed to make the right impression when it counts with vibrant, professional colour outputs and accurate digital documents every time. Combined with advanced, intelligent features and a robust design that's built to last, you'll be able to manage, secure, and govern your documents efficiently to meet your business' needs.



Game-changing technology

Experience the very latest in colour laser technology with the convenient Interrupt Copy function – a game-changing feature for A4 multi-function printers. This function allows you to interrupt a print job in progress to print another copy function job at any time. Accompanied by fast print speeds of up to 40ppm⁷ and scanning up to 100ipm⁹, the MFC-L9630CDN provides a professional printing and scanning solution.



Designed to print for longer

The robust design and long-life components of the MFC-L9630CDN ensures it will keep on performing without interruption. With high-yield in-box toners that print up to 6,500 pages ¹⁰ in black, 5,000 pages ¹⁰ in colour, plus an upgraded 2GB internal memory and components with double the service life compared to our previous range, including the belt, engine, and drum unit – you can be confident that it will keep up with the demands of a busy office.



Flexible connectivity options

Connect your way with gigabit network and NFC for secure authentication, mobile printing, and scanning. You can also take advantage of the optional 2.4/5GHz Wi-Fi module for added convenience.



Impressive scalability

Designed to fit into your workspace and meet your specific print and scan requirements, the MFC-L9630CDN can be transformed from a desktop device to a highly efficient, floor-standing model. The impressive scalability of this device means that it can expand its paper handling capacity from 520 sheets⁴ to 2,600 sheets⁴ by simply adding optional paper trays.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The MFC-L9630CDN provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Solutions ready

Easily set up, customise, and automate workflows for optimised use and improve business processes and security with print management solutions. A suite of document management, security and workflow solutions can be added to the MFC-L9630CDN to provide additional professional features. Contact our Team to find out more.



Seamless integration

As a Brother customer, you'll have access to a wide choice of leading software vendors, including PaperCut, Kofax and YSoft, to create tailored solutions for your specific requirements and ensure your MFC-L9630CDN works even harder to meet your needs



At your side support

Wherever you are in Australia, Brother offers free customer care for the lifetime of your product.

	Media Types MP Tray	Plain Paper, Letterhead, Coloured Paper, Thin Paper,
Colour Laser		Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick,
Printer, Quick Setup Guide, User's Guide, Power Cord,		Glossy Paper
Black Toner Standard Yield Up to 6,500 pages ¹⁰ , Colour Toner Standard Yield Up to 5,000 pages*, Belt	Media Types ADF	Plain Paper, Recycled Paper, Thin
Unit: Up to 150,000 pages (2-page per job), Up to 100,000 pages (1-page per job)(BU800CL)., Waste	Media Types Duplex	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Glossy Paper
Unit: Up to 30,000 pages (1-page per job),Up to 100,000 pages (3-page per job) (DR851CL)	Media Types Paper Tray (Option)	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper
	Media Low or Out Sensor	Yes for both Standard and Optional Lower trays
17.6cm Colour LCD (Touchscreen)	Media Output Sensor	When the output paper tray is full
	Digital Copier	
2GB	Copier Speed ⁷	Up to 40 cpm Mono
Up to 40 ppm Mono Up to 40 ppm Colour	First Copy Out Time ⁸	Up to 40 cpm Colour Less than 12/13 secs (Mono/Colour) from Ready modules than 32/32 secs (Mono/Colour) from Sleep modules.
Up to 28/28 ipm or 14/14 ppm (Mono/Colour, based	2-Sided (duplex) Copy	Duplex Scan to Duplex Print
,	Copier Resolution	Max. 600 x 600 dpi
,	Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments
XPS Version 1.0	Copier N-in-1	2 in 1 & 4 in 1 (A4/LTR Mono/Colour)
600 x 600dpi, 2400dpi (2400 x 600) quality	Copier Multi Sort	Makes copies of each page and sorts
Windows 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012/R2 (64bit), Windows Server 2008 (32&64bit), Windows Server 2008 R2 Mac OS X 10.14 - 10.15, macOS 11-1414	Copier Multi Stack	Up to 999 copies
	Fax	
	Modem Speed	33,600bps (Fax)
	2-Sided (duplex) Fax	Send/Receive
Citrix XenApp 6.0/ 6.5 and Citrix XenDesktop 5.0/ 5.6	ITU-T Group compatibility	Super G3
Less than 10 secs Mono/Colour (From Ready mode and standard tray)	Telstra Duet Compatible	A service purchased from a telephone company that allows two or more telephone numbers to share a single fixed line
and standard tray)	Speed Dials	300 locations
Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A,	ECM	The MFC will detect line errors during fax transmissior and resend the page(s) of the document that had an error
GS1Databar, MSI	Out of Paper Reception	Up to 500 Pages (ITU-T Test Chart)
PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts	Broadcasting	Up to 350 locations
A mode to reduce the printing noise by reducing the print speed	Automatic Reduction	When receiving a single page document more than 297mm long the fax machine will automatically reduce the message to fit onto a single A4 sheet
1,000 to 12,000 pages	Fax Forwarding	To Fax number or Email Address
	Fax Features	
Up to 520 Sheets	PC Fax	Send/Receive from Windows Send only from MAC / Linux
Up to 100 sheets / 15 Envelopes		(Network / USB)
Up to 15 envelopes face down (MP tray only) output	Internet Fax	Yes - T37 protocol
via rear	Digital Scanner	
Up to 250 Sheets face down (80gsm) 1 sheet face-up (straight paper path)	Scanner Colour/Mono	Colour
Up to 100 sheets	Scanner Colour Depth	30 bit input / 24 bit output colour
Up to 100 sheets 60 - 230 gsm	Scanning Technology	Dual CIS
· ·	·	Dual CIS Simplex: Max.1.82 Sec - 50ipm
60 - 230 gsm	Scanning Technology	Dual CIS
60 - 230 gsm 60 - 105 gsm	Scanning Technology	Dual CIS Simplex: Max.1.82 Sec - 50ipm Duplex: Max.1.02 Sec - 100ipm In accordance with ISO/IEC17991 From Glass: Up to 600 x 600 dpi
60 - 230 gsm 60 - 105 gsm 60 - 230 gsm	Scanning Technology Scanner Speed ⁹ Scanner Resolution (Optical)	Dual CIS Simplex: Max.1.82 Sec - 50ipm Duplex: Max.1.02 Sec - 100ipm In accordance with ISO/IEC17991 From Glass: Up to 600 x 600 dpi From ADF: Up to 600 x 600 dpi
60 - 230 gsm 60 - 105 gsm 60 - 230 gsm 45 - 120 gsm 60 - 230 gsm A4, Letter, B5((SO), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short	Scanning Technology Scanner Speed ⁹ Scanner Resolution (Optical) Scanner Resolution (Interpolated) 2-Sided (duplex) Scan	Dual CIS Simplex: Max.1.82 Sec - 50ipm Duplex: Max.1.02 Sec - 100ipm In accordance with ISO/IEC17991 From Glass: Up to 600 x 600 dpi From ADF: Up to 600 x 600 dpi Up to 19,200 x 19,200 dpi Yes - Single Pass
60 - 230 gsm 60 - 105 gsm 60 - 230 gsm 45 - 120 gsm 60 - 230 gsm A4, Letter, B5(ISO), A5, A5(Long Edge), A6, Executive,	Scanning Technology Scanner Speed ⁹ Scanner Resolution (Optical) Scanner Resolution (Interpolated)	Dual CIS Simplex: Max.1.82 Sec - 50ipm Duplex: Max.1.02 Sec - 100ipm In accordance with ISO/IEC17991 From Glass: Up to 600 x 600 dpi From ADF: Up to 600 x 600 dpi Up to 19,200 x 19,200 dpi
60 - 230 gsm 60 - 230 gsm 60 - 230 gsm 45 - 120 gsm 60 - 230 gsm A4, Letter, B5(ISO), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K 76.2 to 215.9 mm (W), 127 to 355.6 mm (L), Envelope;	Scanning Technology Scanner Speed ⁹ Scanner Resolution (Optical) Scanner Resolution (Interpolated) 2-Sided (duplex) Scan	Dual CIS Simplex: Max.1.82 Sec - 50ipm Duplex: Max.1.02 Sec - 100ipm In accordance with ISO/IEC17991 From Glass: Up to 600 x 600 dpi From ADF: Up to 600 x 600 dpi Up to 19,200 x 19,200 dpi Yes - Single Pass Flatbed: 216 mm (W) x 356 mm (L) ADF: 105 mm to 215.9 mm (W) x 148 mm to 356
60 - 230 gsm 60 - 105 gsm 60 - 230 gsm 45 - 120 gsm 60 - 230 gsm A4, Letter, B5((SO), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K 76.2 to 215.9 mm (W), 127 to 355.6 mm (L), Envelope; COM-10, DL, C5, Monarch	Scanning Technology Scanner Speed ⁹ Scanner Resolution (Optical) Scanner Resolution (Interpolated) 2-Sided (duplex) Scan Scanning Area	Dual CIS Simplex: Max.1.82 Sec - 50ipm Duplex: Max.1.02 Sec - 100ipm In accordance with ISO/IEC17991 From Glass: Up to 600 x 600 dpi From ADF: Up to 600 x 600 dpi Up to 19,200 x 19,200 dpi Yes - Single Pass Flatbed: 216 mm (W) x 356 mm (L) ADF: 105 mm to 215.9 mm (W) x 148 mm to 356 mm (L)
60 - 230 gsm 60 - 105 gsm 60 - 230 gsm 45 - 120 gsm 60 - 230 gsm A4, Letter, B5((SO), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K 76.2 to 215.9 mm (W), 127 to 355.6 mm (L), Envelope; COM-10, DL, C5, Monarch 105 to 215.9 mm (W), 147.3 to 356.0 mm (L)	Scanning Technology Scanner Speed ⁹ Scanner Resolution (Optical) Scanner Resolution (Interpolated) 2-Sided (duplex) Scan Scanning Area Scanner Grey Scale	Dual CIS Simplex: Max.1.82 Sec - 50ipm Duplex: Max.1.02 Sec - 100ipm In accordance with ISO/IEC17991 From Glass: Up to 600 x 600 dpi From ADF: Up to 600 x 600 dpi Up to 19,200 x 19,200 dpi Yes - Single Pass Flatbed: 216 mm (W) x 356 mm (L) ADF: 105 mm to 215.9 mm (W) x 148 mm to 356 mm (L) 256 levels
60 - 230 gsm 60 - 230 gsm 60 - 230 gsm 45 - 120 gsm 60 - 230 gsm A4, Letter, B5(ISO), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K 76.2 to 215.9 mm (W), 127 to 355.6 mm (L), Envelope; COM-10, DL, C5, Monarch 105 to 215.9 mm (W), 147.3 to 356.0 mm (L) A4, Letter, Legal, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio A4, Letter, A5, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), 16K	Scanning Technology Scanner Speed ⁹ Scanner Resolution (Optical) Scanner Resolution (Interpolated) 2-Sided (duplex) Scan Scanning Area Scanner Grey Scale Scan to Email Client	Dual CIS Simplex: Max.1.82 Sec - 50ipm Duplex: Max.1.02 Sec - 100ipm In accordance with ISO/IEC17991 From Glass: Up to 600 x 600 dpi From ADF: Up to 600 x 600 dpi Up to 19,200 x 19,200 dpi Yes - Single Pass Flatbed: 216 mm (W) x 356 mm (L) ADF: 105 mm to 215.9 mm (W) x 148 mm to 356 mm (L) 256 levels Scan documents to e-mail client
60 - 230 gsm 60 - 105 gsm 60 - 230 gsm 45 - 120 gsm 60 - 230 gsm A4, Letter, B5((SO), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K 76.2 to 215.9 mm (W), 127 to 355.6 mm (L), Envelope; COM-10, DL, C5, Monarch 105 to 215.9 mm (W), 147.3 to 356.0 mm (L) A4, Letter, Legal, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio A4, Letter, A5, Executive, Legal, Folio, Mexico Legal,	Scanning Technology Scanner Speed ⁹ Scanner Resolution (Optical) Scanner Resolution (Interpolated) 2-Sided (duplex) Scan Scanning Area Scanner Grey Scale Scan to Email Client Scan to Email Server	Dual CIS Simplex: Max.1.82 Sec - 50ipm Duplex: Max.1.02 Sec - 100ipm In accordance with ISO/IEC17991 From Glass: Up to 600 x 600 dpi From ADF: Up to 600 x 600 dpi Up to 19,200 x 19,200 dpi Yes - Single Pass Flatbed: 216 mm (W) x 356 mm (L) ADF: 105 mm to 215.9 mm (W) x 148 mm to 356 mm (L) 256 levels Scan documents to e-mail client Scan documents via e-mail server Scan documents directly into your word processing
	Toner Box: Up to 100,000 pages (WT800CL), Drum Unit: Up to 30,000 pages (1-page per job), Up to 100,000 pages (3-page per job) (DR851CL) 17.6cm Colour LCD (Touchscreen) 2GB Up to 40 ppm Mono Up to 40 ppm Colour Up to 28/28 ipm or 14/14 ppm (Mono/Colour, based on ISO/IEC 24734) Yes (Automatic) PCL6 (PCL XL Class3.0), BR-Script3, PDF Version 1.7, XPS Version 1.0 600 x 600dpi, 2400dpi (2400 x 600) quality Windows 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows Server 2012, Windows Server 2016, Windows Server 2012/R2 (64bit), Windows Server 2008 (32&64bit), Windows Server 2008 R2 Mac OS X 10.14 - 10.15, macOS 11-14 ¹⁴ Linux CUPS, LPD/LPRng (x86/x64 environment) Citrix XenApp 6.0/ 6.5 and Citrix XenDesktop 5.0/ 5.6 Less than 10 secs Mono/Colour (From Ready mode and standard tray) Less than 30 secs Mono/Colour (From Sleep mode and standard tray) Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts A mode to reduce the printing noise by reducing the print speed 1,000 to 12,000 pages	Toner Box: Up to 10,000 pages (1-page per job). Up to 100,000 pages (3-page per job). UP to 100,000 pages (3-page per job). UPRS1CL) Media Low or Out Sensor Media Output Sensor Digital Copier 2GB Up to 40 ppm Mono Up to 40 ppm Colour Up to 28/28 ipm or 14/14 ppm (Mono/Colour, based on ISO/IEC 24734) Yes (Automatic) PCL6 (PCL XL Class3.0), BR-Script3, PDF Version 1.7, XPS Version 1.0 600 x 600dpi, 2400dpi (2400 x 600) quality Windows 11, Windows 10 (32864bit), Windows Senver 2019, Windows Server 2019, Zesa64bit), Windows Server 2018 (22864bit), Windows Server 2018 (22864bit), Windows Senver 2019 (229 (64bit), Windows Senver 2016, Windows Senver 2019 (229 (64bit), Windows Senver 2016, Windows Senver 2019, Windows Senver 2016, Windows Senver 2019, Windows Senver 2018, Windows Senver 2019, Windows Senver 2016, Windows Senver 2019, Windows Senve

Scan to Media	USB memory drive	Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution. DNS Resolver, mDNS.
Scan to Sharepoint Scan to Network Folder ³	On premise Server Via PaperPort, Office 365 via Web Connect Scan documents to a nominated folder on your network		LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/
	without using a PC (Windows Folder Only)		v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTP Client, LDAP, IMAP4
Network Scan Scanner OS Compatibility	Pull scan from Windows/Mac workstation Windows: 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit) Mac: OS X 10.14 - 10.15, macOS 11-14 ¹⁴ Linux: Sane	Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and Server, ICMPv6, SNTP Client,
Twain Compliant	Windows: TWAIN or WIA for Windows7/ Windows8,8.1/Windows10/Windows11 Mac: TWAIN/ ICA	Email Alerts	LDAP, Web Services (Print/Scan), IMAP4 E-mail Notification and E-mail Reports
	Linux: SANE	Network Management Ut	ilities
PhotoCapture Centre		Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup
Digital-Media Spec	USB Memory Drive (Individual files no larger than 2GB). External drive must be exFAT formatted		Mac: Web Base Management Linux: Web Base Management
Direct USB	Print/Scan	Web Based Management	Web based print management software embedded onto the device
Software		BRAdmin Professional ¹	For LAN / WAN management using Windows® PC
Software Included	Windows: Printer/Scanner Driver ¹ , Scansoft Paperport	Security	
	14SE and OCR ¹ , iPrint&Scan ¹ , Status Monitor ¹ , PC Fax Send/Receive ¹ , BRAdmin Light ¹ , BRAdmin Professional ¹ , Driver Deployment Wizard ¹ Mac: iPrint&Scan, PC Fax Send ¹	Wired Security	eMail: APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3, IMAP4), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TLS), Kerberos, IPsec
N Disting 3	Linux: PC Fax Send ¹	Wireless Security	eMail: APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3, IMAP4), SNMP v3,
N-up Printing ³ Poster Printing ²	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (MAC OSX, up to 2, 4, 6, 9, or 16) Enlarge 1 A4 page into a poster using 4, 9, 16 or 25		Authentication Protocol: 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec With Optional Module
Header and Footer Printing ²	A4 pages (Windows Only) Print the time and date or the user ID on the document	Wireless Security Protocols	SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), Wi-Fi Direct supports WPA2-
Watermark Printing ²	(Windows Only) Watermark your documents with predefined text or with	LDAP	PSK (AES) only. Integrate with a directory server to look up contacts
Booklet Printing ²	your own user-defined messages (Windows Only) Print documents in A5 booklet format using automatic	Active Directory Authentication	and e-mail addresses
Dooklet Filling	or manual 2-sided printing (Windows Only)	Active Directory Addressication	Restrict the use of your Brother device. The device's control panel will be locked
Archive Printing ²	When this feature is enabled, a PDF file of your print job will automatically be created and archived (Windows Only)	IPv4-Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
Brother Solutions Interface	Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices	Secure Print ³	Use Secure Print to ensure that confidential or sensitive documents do not print until you enter a password on the machine's control panel (Windows/Mac)
Kofax	AutoStore, ControlSuite, Equitrac	Secure Function Lock	Version 3, 200 users
YSoft	Yes	Mobile/Web Printing	
Cerner Certified	Brother print solutions for healthcare are Cerner certified and support HIPAA compliance	Mobile Connect	Use Brother Mobile Connect to print, scan, and copy, as well as manage your machine and customize its features
Driver Deployment Wizard ¹	A quick & easy way to deploy Brother printer drivers on a networked Windows® PC	AirPrint	Print most common file types from any Apple AirPrint enabled application
Connectivity		Mopria	Print most common file types from Mopria™ supported Android devices
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base-T Ethernet, (Optional 2.4/5Ghz Wi-Fl)	Google ChromeOS	Print from your Chromebook with most printers that connect to Wi-Fi or a wired network
USB Interface	Hi-Speed USB 2.0	Android Print Service Plugin	Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a Wi-Fi network
Wired Interface Wireless Interface ¹²	10Base-T/100Base-TX/1000Base-T Ethernet 2.4Ghz: IEEE 802.11 b/g/n (Infrastructure Mode mode), IEEE 802.11g/n (Wi-Fi Direct)	Web Connect ⁶	Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote Scan To: Evernote
	5Ghz: IEEE 802.11 a/n (Infrastructure Mode mode), IEEE 802.11a/n (Wi-Fi Direct) With Optional Module	Brother Apps ⁶	Print from: Creative Centre Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile
Wi-Fi Direct ¹²	Optional	Universal Print ⁶	Allows you to manage your printer fleet through cloud
USB Host NFC	Direct Print/Scan Integrated NFC Reader Supported for printing and		services from Microsoft without installing any additional software
5	scanning. NFC standards include: (ISO14443 Type A) MIFARE Standard/Plus/ Ultralight/Ultralight C/DESfire my-d move, Tag-it (ISO15693 Type B)	Options Optional Paper Tray ¹¹	250 sheets (LT-330CL) x 3 or 500 sheets (LT-340CL) x 2 or 250 sheets (LT-330CL) x 1 + 500 sheets
Networking			(LT-340CL) x 1 (Max. 1,000 sheets) or 520 sheets x 4 cassettes (TT-4000),(TC-4100)
Wireless Mode	2.4Ghz: IEEE 802.11 b/g/n (Infrastructure Mode mode), IEEE 802.11g/n (Wi-Fi Direct) 5Ghz: IEEE 802.11 a/n (Infrastructure Mode mode), IEEE 802.11a/n (Wi-Fi Direct)		Connecting Adaptor required) Maximum number of Lower Trays: Up to three LT-330CL, or two LT-340CL, or a combination of one LT-330CL and one LT-340CL
	With Optional Module	Optional Network Interface ¹²	Wireless 2.4Ghz / 5Ghz Wi-Fi (NC-9000w)
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS) with Optional Module	Optional Storage Device	8-16GB FAT32 Format USB Memory Stick

Consumables	
Standard Yield Toner ¹⁰	Black Toner Standard Yield (TN851BK) Up to 9,000 pages Colour Toner Standard Yield (TN851C/TN851M/ TN851Y) Up to 6,500 pages
High Yield Toner ¹⁰	Black Toner High Yield (TN-851XLBK) Up to 12,000 pages Colour Toner High Yield (TN851XLC/TN851XLM/TN851XLY) Up to 9,000 pages
Drum	Belt Unit: Up to 150,000 pages (2-page per job) (BU-800CL). Waste Toner Box: Up to 100,000 pages (WT800CL). Drum Unit: Up to 100,000 pages (3-page per job) (DR851CL)
Weights & Measurements	
Size	503 (W) x 541 (D) x 586 (H)mm
Weight	30.1 Kg without consumables

Environment	
Power Consumption	Peak: Average 770W, Ready: Average 85W, Sleep: 16.8W, Deep Sleep: 1.1W, Power Off: 0.04W
Sleep Mode	0-50 min
Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership
Power Save	This enables the printer to consume less energy when not in use
Others	
Noise Level	Sound Pressure Level: (Printing) Less than 57 dBA, (Ready) Less than 17.2 dBA Sound Power Level: (Printing) Less than 6.79 B, (Ready) Less than 3.06 B
TEC Value	0.687kWh/Week

- Download from Brother Solutions Centre
- Windows only
- 3. Windows/Mac
- Capacity calculated with 80g/m² paper
- The recommended monthly print volume is to achieve the best possible performance and printer life Must be connected to the internet
- Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
- FPOT (First Print Out Time) based on ISO/IEC 17629 Scan speeds based on ISO/IEC 17991
- 10. Approx. declared yield value in accordance with ISO/IEC 19798
- 11. Purchase optional tray required
- 12. Purchase optional network module required
- 13. Purchase optional onsite warranty required
- 14. Available via Airprint or iPrint&Scan

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.









Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.





