

Simple, Effortless, Intelligent.



Professional Colour Laser Multi-Function Centre

MFC-L9670CDN



PRINT



COPY



SCAN



FAX



OPTIONAL
WIRELESS



3 YEAR RTB
WARRANTY

www.brother.com.au

Simple, Effortless, Intelligent.

Make the right impression when it counts with vibrant, professional outputs, accurate digital documents, and standout technology. The MFC-L9670CDN comes with industry-leading security, third-party solutions integration, impressive scalability, and a robust design - you can be confident that it will keep up with the demands of a busy office.

MFC-L9670CDN



Key Features:

- Interrupt Copy Functionality
- Print speed of up to 40ppm⁷
- Automatic 2-sided (duplex) print
- Automatic 2-sided (duplex) scan up to 100ipm⁹
- Easy-to-use 17.6cm colour touchscreen
- 520-sheet paper input tray expandable to 2,600 sheets via additional paper trays⁴
- 100-sheet multi-purpose tray⁴
- High-capacity 100-sheet Automatic Document Feeder (ADF)⁴
- Gigabit Ethernet & USB connectivity and NFC for secure authentication
- 2GB internal memory
- Optional 2.4/5GHz Wireless card, optional 8-16GB USB Memory Drive for encrypted secure print functionality
- Includes in-box toners that print up to 12,000 pages¹⁰ (BK), 9,000 pages¹⁰ (C/M/Y)
- Super-high capacity replacement toners available, that print up to 15,000 pages¹⁰ (BK), 12,000 pages¹⁰ (C/M/Y)
- Integrates with Brother and third-party solutions
- Cerner Certified
- 3 Years Return-To-Base warranty



When quality and performance work together

Introducing our most advanced colour printing technology that's guaranteed to make the right impression when it counts. With vibrant, professional colour outputs and accurate digital documents every time, it's the multi-function workhorse you can rely on. Combined with advanced, intelligent features and a robust design that's built to last, you'll be able to manage, secure, and govern your documents efficiently to meet the needs of your business.



Game-changing technology

Experience the very latest in colour laser technology with the convenient Interrupt Copy function – a game-changing feature for A4 multi-function printers. This function allows you to interrupt a print job in progress to print another copy function job at any time, maximising productivity. Accompanied by fast, print speeds of up to 40ppm⁷ and scanning up to 100ipm⁹, the MFC-L9670CDN provides a professional printing and scanning solution.



Designed to print for longer

The robust design and long-life components of the MFC-L9670CDN ensures it will keep performing without interruptions. With high-yield in-box toners that print up to 12,000 pages¹⁰ in black and 9,000 pages¹⁰ in colour, and components with double the service life compared to our previous range, including the belt, engine, and drum unit – it's built to work as hard as you do.



Flexible connectivity options

Connect your way with gigabit network and NFC for secure authentication, mobile printing, and scanning. You can also take advantage of the optional 2.4/5GHz Wi-Fi module for added convenience.



Seamless integration

As a Brother customer, you'll have access to a wide choice of leading software vendors, including PaperCut, Kofax and YSoft, to create tailored solutions for your specific requirements and ensure your MFC-L9670CDN works even harder to meet your needs.



Impressive scalability

Designed to fit into your workspace and meet your specific printing and scanning requirements, the MFC-L9670CDN can be transformed from a desktop device to a highly efficient, floor-standing model. The impressive scalability of this device means it can expand its paper handling capacity from 520 sheets⁴ to 2,600 sheets⁴ by simply adding optional paper trays.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The MFC-L9670CDN provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Solutions ready

Easily set up, customise, and automate workflows for optimised use and improve business processes and security with print management solutions. A suite of document management, security and workflow solutions can be added to the MFC-L9670CDN to provide additional professional features. [Contact our team to find out more.](#)



MPS ready

Managed Print Services (MPS) supports you getting the best out of your devices - that's why the MFC-L9670CDN has been designed with MPS in mind. Whatever your printing needs, we'll be *at your side* to find the solution that simplifies printer admin, saves time, keeps costs down, and helps you stay productive, by partnering with our national MPS partner network to deliver a service that's fit for your business.



At your side support

Wherever you are in Australia, Brother offers free customer care for the lifetime of your product.

General	
Engine	Colour Laser
Carton Contents	Printer, Quick Setup Guide, User's Guide, Power Cord, Black Toner High Yield (TN851XLBK) Up to 12,000 pages ¹⁰ , Colour Toner High Yield (TN851XLC/TN851XLM/TN851XLY) Up to 9,000 pages ¹⁰ Belt Unit: Up to 150,000 pages (2-page per job), Up to 100,000 pages (1-page per job) (BU800CL) Waste Toner Box: Up to 100,000 pages (WT800CL) Drum Unit: Up to 30,000 pages (1-page per job), Up to 100,000 pages (3-page per job) (DR851CL)
Display	
LCD Display	17.6cm Colour LCD (Touchscreen)
Printer	
Standard Memory	2GB
Print Speed ⁷	Up to 40 ppm Mono Up to 40 ppm Colour
2-Sided (duplex) Print Speed ⁷	Up to 40/40 ipm or 20/20 ppm (Mono/Colour, based on ISO/IEC 24734)
2-Sided (duplex) Print ⁷	Yes (Automatic)
Emulation	PCL6 (PCL XL Class3.0), BR-Script3, PDF Version 1.7, XPS Version 1.0
Printer Resolution	600 x 600dpi, 2400dpi (2400 x 600) quality
Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012/R2 (64bit), Windows Server 2008 (32&64bit), Windows Server 2008 R2 Mac OS X 10.14 - 10.15, macOS 11-14 ¹⁴ Linux CUPS, LPD/LPRng (x86/x64 environment) Citrix XenApp 6.0/ 6.5 and Citrix XenDesktop 5.0/ 5.6
First Print Out Time ⁸	Less than 10 secs Mono/Colour (From Ready mode and standard tray) Less than 30 secs Mono/Colour (From Sleep mode and standard tray)
Resident Barcodes	Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI
Resident Fonts	PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts
Quiet Mode	A mode to reduce the printing noise by reducing the print speed
Recommended Monthly Print Volume ⁵	1,000 to 15,000 pages
Paper Handling ⁴	
Standard Paper Capacity	Up to 520 sheets
Multi-Purpose Tray Capacity	Up to 100 sheets / 15 envelopes
Envelopes Input	Up to 15 envelopes face down (MP tray only) output via rear
Output Paper Capacity	Up to 250 sheets face down (80gsm) 1 sheet face-up (straight paper path)
ADF	Up to 100 sheets
Media Weights Paper Tray	60 - 230 gsm
Media Weights Paper Tray (Option)	60 - 105 gsm
Media Weights MP Tray	60 - 230 gsm
Media Weights ADF	45 - 120 gsm
Media Weights Duplex	60 - 230 gsm
Media Size Paper Tray	A4, Letter, B5 (ISO), A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio, 16K
Media Size MP Tray	76.2 to 215.9 mm (W), 127 to 355.6 mm (L), Envelope; COM-10, DL, C5, Monarch
Media Size ADF	105 to 215.9 mm (W), 147.3 to 356.0 mm (L)
Media Size Duplex	A4, Letter, Legal, Mexico Legal, India Legal, A4 Short (270mm Paper), Folio
Media Size Paper Tray (Option)	A4, Letter, A5, Executive, Legal, Folio, Mexico Legal, India Legal, A4 Short (270mm Paper), 16K
Media Size Scanner Glass	Up to LGL

Media Types Paper Tray	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper
Media Types MP Tray	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick, Glossy Paper
Media Types ADF	Plain Paper, Recycled Paper, Thin
Media Types Duplex	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Glossy Paper
Media Types Paper Tray (Option)	Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper
Media Low or Out Sensor	Yes for both Standard and Optional Lower trays
Media Output Sensor	When the output paper tray is full
Digital Copier	
Copier Speed ⁷	Up to 40 cpm Mono Up to 40 cpm Colour
First Copy Out Time ⁸	Less than 12/13 secs (Mono/Colour) from Ready mode Less than 32/32 secs (Mono/Colour) from Sleep mode
2-Sided (duplex) Copy	Duplex Scan to Duplex Print
Copier Resolution	Max. 600 x 600 dpi
Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments
Copier N-in-1	2 in 1 & 4 in 1 (A4/LTR Mono/Colour)
Copier Multi Sort	Makes copies of each page and sorts
Copier Multi Stack	Up to 999 copies
Fax	
Modem Speed	33,600bps (Fax)
2-Sided (duplex) Fax	Send/Receive
ITU-T Group compatibility	Super G3
Telstra Duet Compatible	A service purchased from a telephone company that allows two or more telephone numbers to share a single fixed line
Speed Dials	300 locations
ECM	The MFC will detect line errors during fax transmission and resend the page(s) of the document that had an error
Out of Paper Reception	Up to 500 Pages (ITU-T Test Chart)
Broadcasting	Up to 350 locations
Automatic Reduction	When receiving a single page document more than 297mm long the fax machine will automatically reduce the message to fit onto a single A4 sheet
Fax Forwarding	To Fax number or Email Address
Fax Features	
PC Fax	Send/Receive from Windows Send only from MAC / Linux (Network / USB)
Internet Fax	Yes - T37 protocol
Digital Scanner	
Scanner Colour/Mono	Colour
Scanner Colour Depth	30 bit input / 24 bit output colour
Scanning Technology	Dual CIS
Scanner Speed ⁹	Simplex: Max.1.82 Sec - 50ipm Duplex: Max.1.02 Sec - 100ipm In accordance with ISO/IEC17991
Scanner Resolution (Optical)	From Glass: Up to 600 x 600 dpi From ADF: Up to 600 x 600 dpi
Scanner Resolution (Interpolated)	Up to 19,200 x 19,200 dpi
2-Sided (duplex) Scan	Yes - Single Pass
Scanning Area	Flatbed: 216 (W) x 356 (L)mm ADF: 105 mm to 215.9 mm (W) x 148 mm to 356 mm (L)
Scanner Grey Scale	256 levels
Scan to Email Client	Scan documents to e-mail client
Scan to Email Server	Scan documents via e-mail server

Scan to OCR	Scan documents directly into your word processing application for instant editing
Scan to Image	Scan into your preferred image editing software
Scan to File	Scan to a file on your computer
Scan to FTP	Scan documents to a FTP server
Scan to Media	USB memory drive
Scan to Sharepoint	On premise Server Via PaperPort, Office 365 via Web Connect
Scan to Network Folder ³	Scan documents to a nominated folder on your network without using a PC (Windows Folder Only)
Network Scan	Pull scan from Windows/Mac workstation
Scanner OS Compatibility	Windows: 11, Windows 10 (32&64bit), Windows 8/8.1 (32&64bit), Windows 7 (32&64bit) Mac: OS X 10.14 - 10.15, macOS 11-14 ¹⁴ Linux: Sane
Twain Compliant	Windows: TWAIN or WIA for Windows7/ Windows8.8.1/Windows10/Windows11 Mac: TWAIN/ ICA Linux: SANE
PhotoCapture Centre	
Digital-Media Spec	USB Memory Drive (Individual files no larger than 2GB). External drive must be exFAT formatted
Direct USB	Print/Scan
Software	
Software Included	Windows: Printer/Scanner Driver ¹ , Scansoft Paperport 14SE and OCR ¹ , iPrint&Scan ¹ , Status Monitor ¹ , PC Fax Send/Receive ¹ , BRAdmin Light ¹ , BRAdmin Professional ¹ , Driver Deployment Wizard ¹ Mac: iPrint&Scan ¹³ , PC Fax Send ¹ Linux: PC Fax Send ¹
N-up Printing ³	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (MAC OSX, up to 2, 4, 6, 9, or 16)
Poster Printing ²	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages (Windows Only)
Header and Footer Printing ²	Print the time and date or the user ID on the document (Windows Only)
Watermark Printing ²	Watermark your documents with predefined text or with your own user-defined messages (Windows Only)
Booklet Printing ²	Print documents in A5 booklet format using automatic or manual 2-sided printing (Windows Only)
Archive Printing ²	When this feature is enabled, a PDF file of your print job will automatically be created and archived (Windows Only)
Brother Solutions Interface	Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices
Kofax	AutoStore, ControlSuite, Equitrac
YSoft	Yes
Cerner Certified	Brother print solutions for healthcare are Cerner certified and support HIPAA compliance
Driver Deployment Wizard ¹	A quick & easy way to deploy Brother printer drivers on a networked Windows® PC
Connectivity	
Interface	Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base-T Ethernet, (Optional 2.4/5Ghz Wi-Fi)
USB Interface	Hi-Speed USB 2.0
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet
Wireless Interface ¹²	2.4Ghz: IEEE 802.11 b/g/n (Infrastructure Mode mode), IEEE 802.11g/n (Wi-Fi Direct) 5Ghz: IEEE 802.11 a/n (Infrastructure Mode mode), IEEE 802.11a/n (Wi-Fi Direct) With Optional Module
Wi-Fi Direct ¹²	Optional
USB Host	Direct Print/Scan
NFC	Integrated NFC Reader Supported for printing and scanning. NFC standards include: (ISO14443 Type A) MIFARE Standard/Plus/ Ultralight/Ultralight C/DESfire my-d move, Tag-it (ISO15693 Type B)

Networking	
Wireless Mode ¹²	2.4Ghz: IEEE 802.11 b/g/n (Infrastructure Mode mode), IEEE 802.11g/n (Wi-Fi Direct) 5Ghz: IEEE 802.11 a/n (Infrastructure Mode mode), IEEE 802.11a/n (Wi-Fi Direct) With Optional Module
Wireless Setup Support Utility ¹²	Wi-Fi Protected Setup (WPS) with Optional Module
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/ Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNMP Client, LDAP, IMAP4
Network Protocols IPV6	NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNMP Client, LDAP, Web Services (Print/Scan), IMAP4
Email Alerts	E-mail Notification and E-mail Reports
Network Management Utilities	
Network Management	Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup Mac: Web Base Management Linux: Web Base Management
Web Based Management	Web based print management software embedded onto the device
BRAdmin Professional ¹	For LAN / WAN management using Windows® PC
Security	
Wired Security	eMail: APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3, IMAP4), SNMP v3 Authentication Protocol: 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec
Wireless Security	eMail: APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP3, IMAP4), SNMP v3, Authentication Protocol: 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec With Optional Module
Wireless Security Protocols	SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), Wi-Fi Direct supports WPA2-PSK (AES) only.
LDAP	Integrate with a directory server to look up contacts and e-mail addresses
Active Directory Authentication	Restrict the use of your Brother device. The device's control panel will be locked
IPv4-Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
Secure Print ³	Use Secure Print to ensure that confidential or sensitive documents do not print until you enter a password on the machine's control panel (Windows/Mac)
Secure Function Lock	Version 3, 200 users
Mobile/Web Printing	
Mobile Connect	Use Brother Mobile Connect to print, scan, and copy, as well as manage your machine and customize its features (iOS & Android)
AirPrint	Print most common file types from any Apple AirPrint enabled application
Mopria	Print most common file types from Mopria™ supported Android devices
Google ChromeOS	Print from your Chromebook with most printers that connect to Wi-Fi or a wired network
Android Print Service Plugin	Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a network
Web Connect ⁶	Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote Scan To: Evernote Print from: Creative Centre
Brother Apps ⁶	Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile
Universal Print ⁶	Allows you to manage your printer fleet through cloud services from Microsoft without installing any additional software

Options	
Optional Paper Tray ¹¹	250 sheets (LT-330CL) x 3 or 500 sheets (LT-340CL) x 2 or 250 sheets (LT-330CL) x 1 + 500 sheets (LT-340CL) x 1 (Max. 1,000 sheets) or 520 sheets x 4 cassettes (TT-4000),(TC-4100) Connecting Adaptor required) Maximum number of Lower Trays: Up to three LT-330CL, or two LT-340CL, or a combination of one LT-330CL and one LT-340CL
Optional Network Interface ¹²	Wireless 2.4Ghz / 5Ghz Wi-Fi (NC-9000W)
Optional Storage Device	8-16GB FAT32 Format USB Memory Stick
Consumables	
Standard Yield Toner ¹⁰	Black Toner Standard Yield (TN851BK) Up to 9,000 pages Colour Toner Standard Yield (TN851C/TN851M/TN851Y) Up to 6,500 pages
High Yield Toner ¹⁰	Black Toner High Yield (TN851XLBK) Up to 12,000 pages Colour Toner High Yield (TN851XLC/TN851XLM/TN851XLY) Up to 9,000 pages
Super High Yield Toner ¹⁰	Black Toner Super High Yield (TN851XXLBK) Up to 15,000 pages Colour Toner Super High Yield (TN851XXLC/TN851XXLM/TN851XXLY) Up to 12,000 pages
Drum	Belt Unit: Up to 150,000 pages (2-page per job) (BU-800CL) Waste Toner Box: Up to 100,000 pages (WT800CL). Drum Unit: Up to 100,000 pages (3-page per job) (DR-851CL)

Weights & Measurements	
Size	503 (W) x 541 (D) x 586 (H)mm
Weight	30.3 Kg without consumables
Environment	
Power Consumption	Peak: Average 770W, Ready: Average 85W, Sleep: 16.8W, Deep Sleep: 1.1W, Power Off: 0.04W
Sleep Mode	0-50 min
Toner Save	This reduces the toner usage and helps to reduce the total cost of printer ownership
Power Save	This enables the printer to consume less energy when not in use
Others	
Noise Level	Sound Pressure Level: (Printing) Less than 57 dBA, (Ready) Less than 17.2 dBA Sound Power Level: (Printing) Less than 6.79 B, (Ready) Less than 3.06 B
TEC Value	0.687kWh/Week
Warranty	3-year return-to-base

1. Download from Brother Solutions Centre
2. Windows only
3. Windows/Mac
4. Capacity calculated with 80g/m² paper
5. The recommended monthly print volume is to achieve the best possible performance and printer life
6. Must be connected to the internet
7. Print speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
8. FPOT (First Print Out Time) based on ISO/IEC 17629
9. Scan speeds based on ISO/IEC 17991
10. Approx. declared yield value in accordance with ISO/IEC 19798
11. Purchase optional tray required
12. Purchase optional network module required
13. Purchase optional onsite warranty required
14. Available via Airprint or iPrint&Scan

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

