



# PT-H110 Handheld Labeller

LABELS THAT STICK. | *P-touch*

Exclusive to officeworks  
brother.com.au

# PT-H110

Increase your efficiency by ensuring items such as file folders, stationery, shelving, filing cabinets and personal possessions are clearly identified with a Brother TZe label. The compact handheld PT-H110 is ideal for using around the office. With a wide variety of tape cassettes in various widths and colours, you'll find the PT-H110 indispensable.



**Easily organise your office files, stationery, shelves and other items with the PT-H110.**

## Key Features:



Create long lasting, colourful labels in seconds



3 font styles, 253 symbols, 15 frames



Includes 12mm black on white label cassette



Prints 3.5, 6, 9 and 12mm labels

# Packed with features



**Easy-to-read display**  
With label preview before printing feature.



**Compact design**  
Ergonomic design fits easily in your hands.



**3 fonts & 10 styles**  
Give your labels that personal touch.



**Cable marking feature**  
Identify all your equipment by labelling your cables.



**PC style keyboard**  
The familiar layout makes text entry quick and easy.



**15 frames**  
Personalise your labels by adding a decorative frame.



**AC adapter slot**  
Save on battery costs by using the optional AC adapter.



**Over 250 symbols**  
Include on your labels to emphasise your message.



## Brother TZe laminated labels - designed to last

Brother laminated TZe tapes consist of seven layers of materials, resulting in a thin yet extremely strong label. The thermal transfer ink is sandwiched between two protective layers of PET (polyester film), which protects the text against the effects of liquids, abrasion, temperature, chemicals and sunlight. As the labels have been tested to the extreme, you can be confident of a professional quality label that has been designed to last.



Laminated



Temperature Resistant



Water Resistant



Fade Resistant



Abrasion Resistant



Chemical Resistant



Easy Peel



Strong Adhesion

## Technical Specifications for the PT-H110

### Hardware

Print Speed	20mm/sec
Print Resolution	180 dpi
Cutter	Manual
Print Method	Direct thermal
Power supply	6 x AAA (not supplied), AD-5000ES AC adapter (not supplied)
Min. / Max. label length	30mm / 300 mm
LCD display	16 character graphic LCD with real preview feature
Label memory	15 memory locations

### Built-in Software

Built-in fonts	3
Character sizes	3 Sizes
Character widths	<b>3 widths:</b> extended, medium, condensed
Frames	15
Underline	Yes
Max. number of lines	2 lines
Horizontal alignment	<b>Automatic length labels:</b> left aligned / <b>Pre-set length labels:</b> centre aligned
Tape length setting	Yes (30-300mm)
Tape margin settings	None, narrow, half, full, chain print
Template Library	17 Text designs, 10 pattern designs
Numbering	Yes (1-9)
Mirror Printing	Yes
Vertical Printing	Yes
Print Preview	Yes (real preview on graphic display)
Auto Power Off	Yes
Unit Charge	Yes (inch/mm)
Language Change	<b>20 languages:</b> English, German, French, Spanish, Portuguese, Italian, Dutch, Danish, Norwegian, Swedish, Finnish, Hungarian, Czech, Polish, Romanian, Slovenian, Slovakian, Croatian, Turkish, Brazillian (Portuguese)

### Carton Contents

Includes	PT-H110, 12mm black on white laminated label cassette (4m), User guide
----------	--

### Supplies

TZe Tapes	3.5mm, 6mm, 9mm, and 12mm
-----------	---------------------------

### Weights and Dimensions

Dimensions	111mm (W) x 58mm (H) x 204mm (D)
Weight	400g



### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.



brotheraustralia



Brother International Australia



BrotherAU

**brother**  
at your side

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.