



# Professional Monochrome Laser Printer

Performance engineered to last

**HL-L6210DW**



PRINT



2.4GHz  
& 5GHz

WIRELESS

[www.brother.com.au](http://www.brother.com.au)

# Professional Monochrome Laser Printer

The HL-L6210DW is a robust professional device engineered for continuous operation with long-lasting supplies and durable components. Get setup easily and focus on what matters most with a super-fast up to 50ppm print speed - high volume printing has never been so simple. With impressive scalability and industry-leading security comes performance engineered to last.

## HL-L6210DW



### Key features:

- Fast print speed of up to 50 pages per minute<sup>9</sup>
- Automatic 2-sided (duplex) print
- First Page Out Time (FPOT) from 6.7 seconds<sup>10</sup>
- High-capacity 520-sheet paper input tray expandable up to 1,560 sheets<sup>6</sup>
- 100-sheet multi-purpose tray<sup>6</sup>
- Gigabit Ethernet, 2.4/5GHz Wi-Fi and Hi-Speed 2.0 USB connectivity
- 256MB internal memory
- Supports Airprint, Mopria and Universal Print
- Includes an up to 6,000 page<sup>11</sup> in-box toner
- Ultra-high capacity replacement toners available, up to 18,000 pages<sup>11</sup>



#### Print for longer

The HL-L6210DW is designed to keep you printing for longer with an ultra-high capacity toner cartridge printing up to 18,000 pages<sup>11</sup> and includes an up to 6,000 page<sup>11</sup> in-box toner. Stay focused on your work with a paper input tray fitting 520 sheets<sup>9</sup>, expandable with optional paper input trays.



#### Impressive scalability

Engineered to fit into your workspace and meet specific printing requirements, the HL-L6210DW can be transformed from a desktop device to a highly efficient, floor-standing model. The impressive scalability of this printer means that it can expand its paper handling from 520 sheets to 1,560<sup>9</sup> sheets by adding optional paper trays.



#### Built to last

The HL-L6210DW sets the industry standard for longevity in a professional, high print volume environment. With a longer lasting drum unit and components designed for durability, you can be confident that it will keep up with your requirements, no matter how rigorous.



#### Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The HL-L6210DW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



#### Speed and performance

Boost your productivity with the HL-L6210DW and experience lightning-fast printing speeds of up to 50ppm<sup>9</sup> with a First Page Out Time from 6.7 seconds<sup>10</sup>. This professional workhorse will make short work of your most demanding tasks.



#### Brother at your side support

Wherever you are in Australia, Brother offers free product support for the lifetime of your product.



#### Connect your way

Simplify your set up process using the Brother Mobile Connect app, unlocking business quality printing right from your mobile device. Connect easily and securely, your way with Gigabit ethernet, 2.4/5GHz Wi-Fi or Hi-Speed 2.0 USB connection.

| General                            |  |
|------------------------------------|--|
| Engine                             | Mono Laser   |
| Warranty                           | 1 Year Return To Base  |
| Carton Contents                    | Printer, Quick Setup Guide, Power Cord, Black Toner Up to 6,000 pages in accordance with ISO/IEC 19752<br>Drum DR3605(Up to 45,000 pages: 1 page/job), Up to 75,000 pages: 3 page/job  |
| CPU Speed                          | Main: Cortex-A53 1.2GHz Dual Core<br>Sub: ARM946 150MHz  |
| Display                            |  |
| LED Display                        | Orange x 1 (Error), Green x 2 (Data, Wi-Fi)  |
| LCD Display                        | 16 characters x 1 line   |
| Control Panel Switches             | Go, Cancel, Secure, OK, Back, +, -, Wi-Fi, On/Off  |
| Printer                            |  |
| Standard Memory                    | 256MB  |
| Print Speed <sup>9</sup>           | Up to 50 ppm   |
| 2 Sided Print                      | Yes (Automatic)  |
| 2 Sided Print Speed <sup>9</sup>   | Up to 24 ipm / 12 ppm (Mono, based on ISO/IEC 24734)   |
| Printer Resolution                 | 1200 x 1200dpi   |
| First Print Out Time <sup>10</sup> | Less than 6.7 secs (Ready), Less than 12.2 secs (Sleep)  |
| Warm Up Time                       | Less than 5.5 sec from Sleep mode<br>Less than 25 secs from Power ON   |
| Emulation                          | PCL6 (V3.0), BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0   |
| Resident Fonts                     | PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes<br>PS: 66 scalable fonts   |
| Resident Font BR-Script 3          | 66 scalable fonts  |
| Resident Font PCL                  | 73 scalable fonts, 12 bitmap fonts, 16 bar codes   |
| Resident Barcodes                  | Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI  |
| Quiet Mode                         | A mode to reduce the printing noise by reducing the print speed  |
| Connectivity                       |  |
| Interface                          | Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base-T Ethernet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct  |
| USB Interface                      | Hi-Speed USB 2.0   |
| Wired Interface                    | 10Base-T/100Base-TX/1000Base-T Ethernet  |
| Wireless Interface                 | 2.4GHz IEEE 802.11b/g/n Wireless<br>5GHz IEEE 802.11a/n Wireless   |
| Wireless Mode                      | 2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE 802.11g/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct)  |
| Wireless Setup Support Utility     | Wi-Fi Protected Setup (WPS)  |
| Wi-Fi Direct                       | IEEE 802.11g/n (Wi-Fi Direct)  |
| Network Protocols IPV4             | ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTIP client, Syslog |
| Network Protocols IPV6             | NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTIP Client, Syslog   |
| Security                           |  |
| Wireless Security Protocols        | SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) (Wi-Fi Direct supports WPA2-PSK (AES) only)   |
| Wireless Certification             | Wi-Fi Certification Mark License (WPA3 - Enterprise, Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License, Wi-Fi CERTIFIED Wi-Fi Direct  |
| IPv4-Filter                        | Restrict which network users can or cannot access the device over the network (IPv4 only)  |
| Secure Function Lock               | Ver 3.0 (100 registerable users)   |

| Network Management Utilities            |  |
|---|--|
| Network Management                      | <b>Windows:</b> BRAdmin Light, Web Base Management, BRAdmin Professional<br><b>Mac:</b> Web Base Management<br><b>Linux:</b> Web Base Management   |
| Web Based Management                    | Web based print management software embedded onto the device   |
| BRAdmin Professional <sup>1</sup>       | For LAN / WAN management using Windows® PC   |
| Email Alerts                            | E-mail Notification and Reports  |
| Store Print Log to Network <sup>4</sup> | User level usage data recorded to either a text or csv file direct to a network folder   |
| Mobile / Web Printing <sup>7</sup>      |  |
| iPrintScan <sup>1</sup>                 | Windows/Mac (Print Only)   |
| Mobile Connect <sup>1</sup>             | iOS/Android  |
| Universal Print <sup>7</sup>            | Allows you to manage your printer fleet through cloud services from Microsoft without installing any additional software.  |
| Android Print Service Plugin            | Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a Wi-Fi or Wired network  |
| AirPrint                                | Print most common file types from any Apple AirPrint enabled application   |
| Mopria <sup>7</sup>                     | Print most common file types from Mopria™ supported Android devices  |
| Google ChromeOS                         | Print from your Chromebook   |
| Software                                |  |
| Printer OS Compatibility <sup>3</sup>   | Windows 11, Windows 10 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012/R2 (64bit)<br>MacOS 11-14 <sup>3</sup><br>Linux RPM, DEB   |
| Software Available                      | Windows: Paperport 14SE <sup>1</sup> and OCR, iPrint&Scan <sup>1</sup> , Status Monitor, BRAdmin Light <sup>1</sup> , BRAdmin Professional <sup>1</sup> , Driver Deployment Wizard <sup>1</sup><br>Mac: iPrint&Scan <sup>1</sup> |
| Printer Driver Functions                | N in 1, Auto Duplex, Print Profiles (Windows/Mac) Poster, Header-Footer, Watermark, Booklet, Skip Blank Page, Print Archive, Print Text in Black (Windows Only)  |
| Manual Duplex                           | The machine prints all the even-numbered pages on one side of the paper first. Then, the printer driver instructs you (with a pop-up message) to reinsert the paper to print the odd-numbered pages                              |
| Watermark Printing <sup>4</sup>         | Watermark your documents with predefined text or with your own user-defined messages   |
| Archive Printing <sup>4</sup>           | When this feature is enabled, a PDF file of your print job will automatically be created and archived  |
| Header and Footer Printing              | Yes (Windows only)   |
| N-up Printing <sup>5</sup>              | Windows / Mac  |
| Poster Printing <sup>4</sup>            | Yes (Windows only)   |
| Secure Print <sup>5</sup>               | Use Secure Print to ensure that confidential or sensitive documents do not print until you enter a password on the machines control panel  |
| Carbon Copy                             | The ability to print multiple copies of the same print data via driver by loading different colour or paper types into the paper trays   |
| Cerner Certified                        | Yes  |
| Light Solutions <sup>2</sup>            | Optional (ThinPrint Client, Barcode Print+, Secure Print+) (Apply for Activation Code from Brother)  |
| Mass Deployment Tool <sup>1,4</sup>     | A configuration tool to help you to install and manage multiple USB-connected or network-connected devices without having to install any additional software   |
| Driver Deployment Wizard <sup>1,4</sup> | A interactive wizard to help create and deploy locally or network connected Brother printer drivers  |

| <b>Paper Handling<sup>6</sup></b>    |   |
|--------------------------------------|---|
| Standard Paper Capacity              | Up to 520 sheets  |
| Multi-Purpose Tray Capacity          | Up to 100 Sheets (Plain) / 11 (Envelopes @1mm thick)  |
| Envelopes Input                      | Up to 11 envelopes @1mm thick face down (MP tray only) output via rear  |
| Output Paper Capacity                | Up to 150 Sheets Face Down (80gsm)<br>1 sheet face-up (straight paper path)   |
| Media Size Paper Tray                | A4, Letter, B5(JIS), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4short/270mm, 16K                                    |
| Media Size Paper Tray (Option)       | A4, Letter, B5(JIS), A5, Executive, Legal, Folio, Mexico Legal, India Legal, A4short/270mm, 16K   |
| Media Size MP Tray                   | Width 69.8 to 215.9 mm, Length 127 to 355.6 mm<br>Envelope; COM-10, DL, C5, Monarch   |
| Media Size Duplex                    | A4  |
| Media Types Paper Tray               | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper, Thick Paper  |
| Media Types Paper Tray (Option)      | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper, Thick Paper  |
| Media Types MP Tray                  | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick |
| Media Types Duplex                   | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper   |
| Media Weights Paper Tray             | 60 - 163 gsm, half speed and straight paper output with more than 105gsm  |
| Media Weights Paper Tray (Option)    | 60 - 120 gsm, half speed and straight paper output with more than 105gsm  |
| Media Weights MP Tray                | 60 - 230 gsm, half speed and straight paper output with more than 105gsm  |
| Media Weights Duplex                 | 60 - 105 gsm  |
| Media Low or Out Sensor              | Low Paper: Std Tray NA, Opt Trays NA<br>Empty Paper: Std Tray NA, Opt Trays Yes   |
| <b>Consumables<sup>11</sup></b>      |   |
| In-box Consumables                   | Black Toner Up to 6,000 pages in accordance with ISO/IEC 19752, Drum DR3605(Up to 45,000 pages: 1 page/job)   |
| Standard-Yield Toner <sup>11</sup>   | Black Toner TN3605 Up to 3,000 pages in accordance with ISO/IEC 19752   |
| High-Yield Toner <sup>11</sup>       | Black Toner High-Yield TN3605XL Up to 6,000 pages in accordance with ISO/IEC 19752  |
| Super High-Yield Toner <sup>11</sup> | Black Toner Super High-Yield TN3605XXL Up to 11,000 pages in accordance with ISO/IEC 19752  |
| Ultra High-Yield Toner <sup>11</sup> | Black Toner Ultra High-Yield TN3615 Up to 18,000 pages in accordance with ISO/IEC 19752   |

| <b>Options</b>                                |   |
|---|---|
| Optional Paper Tray <sup>13</sup>             | 250 sheets (LT-5505) x 3 or<br>520 sheets (LT-6505) x 2<br>(Max. 1,040 sheets)  |
| Optional Warranty <sup>14</sup>               | 1 or 2 or 3 Years On-Site   |
| <b>Weight &amp; Measurements</b>              |   |
| Size  | 373(W) x 388(D) x 289(H)mm  |
| Weight  | 10.7 Kg without consumables<br>12.3 Kg with consumables   |
| Size With Carton                              | 485(W) x 450(D) x 402(H)mm  |
| Weight With Carton                            | 14.7 Kg with consumables  |
| <b>Environment</b>                            |   |
| Sleep Mode                                    | Yes (0-50 min)  |
| Power Consumption                             | Peak: 710W or less, Ready: 31W or less, Sleep: 5.5W,<br>Deep Sleep: 0.5W or less  |
| TEC Value                                     | 0.59 kWh / Week   |
| Noise Level                                   | Sound Pressure Level: (Printing) Less than 54 dBA,<br>(Standby) Less than 35 dBA<br>Sound Power Level: (Printing) Less than 7.07 B, (Standby)<br>Less than 4.9 BA, (QuietMode) Less than 6.54 B |
| Temperature                                   | Operating: 10 - 32°C<br>Storage: 0 - 40°C   |
| Humidity                                      | Operating: 20 - 80% (without condensation)<br>Storage: 35 - 85% (without condensation)  |
| Toner Save                                    | This reduces the toner usage and helps to reduce the total cost of printer ownership  |
| Power Save                                    | This enables the printer to consume less energy when not in use   |
| <b>Others</b>                                 |   |
| Recommended Monthly Print Volume <sup>8</sup> | 500 to 8,000 pages  |

Disclaimers:

- 1 Download from Brother Solutions Centre
- 2 Apply to activate
- 3 Via Airprint or iPrint&Scan
- 4 Windows only
- 5 Windows/Mac
- 6 Capacity calculated with 80g/m<sup>2</sup> paper
- 7 Must be connected to the internet
- 8 The recommended monthly print volume is to achieve the best possible performance and printer life
- 9 Print speeds based on ISO/IEC 24734 ([www.brother.com/rd/printspeed](http://www.brother.com/rd/printspeed))
- 10 FPOT (First Print Out Time) based on ISO/IEC 17629
- 11 Approx. declared yield value in accordance with ISO/IEC 19752
- 13 Purchase optional tray required
- 14 Purchase optional onsite warranty required



All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

[www.brotherearth.com](http://www.brotherearth.com)

**brother**  
at your side