



Professional Monochrome Laser All-in-One Printer

Performance engineered to last

MFC-L6720DW



PRINT



COPY



FAX



SCAN



2.4GHz
& 5GHz
WIRELESS

www.brother.com.au

Professional Monochrome Laser All-in-One Printer

The MFC-L6720DW is a robust professional device engineered for continuous operation with long-lasting supplies and durable components. Get setup easily and focus on what matters with a super-fast up to 50ppm print speed - high volume printing has never been so simple. With impressive scalability and industry-leading security comes performance engineered to last.

MFC-L6720DW



Key features:

- Fast print speed of up to 50 pages per minute⁹
- Automatic 2-sided (duplex) print
- Automatic 2-sided (duplex) scan, up to 56 images per minute¹²
- Easy to use 12.7cm colour touchscreen
- First Page Out Time (FPOT) from 6.7 secs¹⁰
- High-capacity 520-sheet paper input tray expandable up to 1,560 sheets⁶
- 100-sheet multi-purpose tray⁶
- High-capacity 70-sheet 2-sided (duplex) Automatic Document Feeder (ADF)
- Gigabit Ethernet, 2.4/5GHz Wi-Fi and Hi-Speed 2.0 USB connectivity
- 512MB internal memory
- Supports Airprint, Mopria and Universal Print⁷
- Includes up to 6,000 page in-box toner¹¹
- Ultra-high capacity replacement toners available, up to 18,000 pages¹¹
- Integrate with Brother and third-party solutions



Print for longer

The MFC-L6720DW is designed to keep you printing for longer with an ultra-high capacity toner cartridge printing up to 18,000 pages¹¹ and includes an up to 6,000 page¹¹ in-box toner. Stay focused on your work with a high-capacity paper input tray fitting 520 sheets⁶, expandable with a large range of optional paper input trays.



Seamless integration

As a Brother customer, you'll have access to a wide choice of leading software vendors, including PaperCut, Kofax and YSoft, to create tailored solutions for your specific requirements and ensure your MFC-L6720DW works even harder to meet your needs.



Built to last

The MFC-L6720DW sets the industry standard for longevity in a professional, high print volume environment. With a longer lasting drum unit and components designed for durability, you can be confident that it will keep up with your requirements, no matter how rigorous.



Secure by design

To keep pace with the ever-evolving legislation on privacy and data security, our devices offer the latest industry-standard security features to securely protect your data. The MFC-L6720DW provides a range of robust features including triple-layer security at a device, network and document level which is verified through external security certification. This offers added peace of mind and guarantees that the integrity of your data is maintained at every step.



Speed and performance

Boost your productivity with the MFC-L6720DW and experience lightning-fast printing speeds of up to 50ppm⁹ with a First Page Out Time from 6.7 seconds¹⁰. This professional workhorse will make short work of your most demanding tasks - scan your documents quickly at up to 56ipm¹² using the extra-large 70-sheet 2-sided (duplex) Automatic Document Feeder (ADF).



Intelligent connectivity

Improve efficiency by customising the large 12.7cm colour touchscreen with up to 64 shortcuts to your frequently used functions. Simplify your set up process using the Brother Mobile Connect app, unlocking business quality printing and scanning right from your mobile device. Connect easily and securely, your way with Gigabit ethernet, 2.4/5GHz Wi-Fi or Hi-Speed 2.0 USB connection.



Impressive scalability

Engineered to fit into your workspace and meet specific printing requirements, the MFC-L6720DW can be transformed from a desktop device to a highly efficient, floor-standing model. The impressive scalability of this printer means that it can expand its paper handling from 520 sheets to up to 1,560 sheets⁶ by adding optional paper trays.



Solutions ready

Easily set up, customise, and automate workflows for optimised use. Improve business processes and security with print management solutions. A suite of document management, security and workflow solutions can be added to the MFC-L6720DW to provide additional professional features to further improve your business processes.



Brother at your side support

Wherever you are in Australia, Brother offers free product support for the lifetime of your product.

| General | |
|---|---|
| Engine | Mono Laser |
| Warranty | 1 Year Return To Base |
| Carton Contents | Printer, Quick Setup Guide, Power Cord, Telephone Line Cord, Black Toner Up to 6,000 pages in accordance with ISO/IEC 19752 Drum DR3605(Up to 45,000 pages: 1 page/job), Up to 75,000 pages: 3 page/job |
| Display | |
| LCD Display | 12.7cm Colour LCD (Touchscreen) |
| Shortcuts | 64 |
| Printer | |
| Standard Memory | 512MB |
| Print Speed ⁹ | Up to 50 ppm |
| 2 Sided Print | Yes (Automatic) |
| 2 Sided Print Speed ⁹ | Up to 24 ipm (Mono, based on ISO/IEC 24734) |
| Printer Resolution | 1200 x 1200dpi |
| First Print Out Time ¹⁰ | Less than 6.7 secs (Ready), Less than 12.2 secs (Sleep) |
| Printer OS Compatibility ³ | Windows 11, Windows 10 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016, Windows Server 2012/R2 (64bit) macOS 11-14 ³ , Linux RPM, DEB |
| Resident Barcodes | Code39, Interleaved 2 of 5, FIM(US-PostNet), Post Net(US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN(EAN), ISBN(UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI |
| Resident Fonts | PCL: 73 scalable fonts, 12 bitmap fonts, 16 bar codes PS: 66 scalable fonts |
| Emulation | PCL6 (V3.0), BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0 |
| Quiet Mode ⁴ | A mode to reduce the printing noise by reducing the print speed |
| Carbon Copy | The ability to print multiple copies of the same print data via driver by loading different colour or paper types into the paper trays |
| Recommended Monthly Print Volume ⁹ | 500 to 8,000 pages |
| Paper Handling ⁶ | |
| Standard Paper Capacity | Up to 520 sheets |
| Multi-Purpose Tray Capacity | Up to 100 Sheets (Plain) / 11 (Envelopes @1mm thick) |
| Envelopes Input | Up to 11 envelopes @1mm thick face down (MP tray only) output via rear |
| Output Paper Capacity | Up to 150 Sheets Face Down (80gsm) 1 sheet face-up (straight paper path) |
| ADF | Up to 70 sheets |
| Media Weights Paper Tray | 60 - 163 gsm, half speed and straight paper output with more than 105gsm |
| Media Weights Paper Tray (Option) | 60 - 120 gsm, half speed and straight paper output with more than 105gsm |
| Media Weights MP Tray | 60 - 230 gsm, half speed and straight paper output with more than 105gsm |
| Media Weights ADF | 64 - 90 gsm |
| Media Weights Duplex | 60 - 105 gsm |
| Media Size Paper Tray | A4, Letter, B5(JIS), A5, A5(Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal, A4short/270mm, 16K |
| Media Size Manual Feed Slot | Width 69.8 to 215.9 mm, Length 127 to 355.6 mm Envelope; COM-10, DL, C5, Monarch |
| Media Size ADF | Width 105 to 216mm / Length 147 to 356mm |
| Media Size Duplex | A4 |
| Media Size Paper Tray (Option) | A4, Letter, B5(JIS), A5, Executive, Legal, Folio, Mexico Legal, India Legal, A4short/270mm, 16K |
| Media Size Scanner Glass | 216(W) x 356(L) |
| Media Types Paper Tray | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper, Thick Paper |
| Media Types MP Tray | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Bond, Label, Envelope, Envelope Thin, Envelope Thick |
| Media Types ADF | Plain Paper, Recycled Paper |
| Media Types Duplex | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper |
| Media Types Paper Tray (Option) | Plain Paper, Letterhead, Coloured Paper, Thin Paper, Recycled Paper, Thick Paper |
| Media Low or Out Sensor | Low Paper: Std Tray NA, Opt Trays NA Empty Paper: Std Tray NA, Opt Trays Yes |

| Digital Copier | |
|---------------------------------------|---|
| Copier Speed | Up to 50cpm |
| First Copy Out Time | Less than 8.7 secs (Ready), Less than 14 secs (Sleep) |
| 2 Sided Copy | Duplex Scan to Duplex Print |
| Copier Resolution | Maximum 1200 x 600 dpi |
| Reduction-Enlargement Ratio | 25 - 400 percent in 1 percent increments |
| Copier N-in-1 | 2 in 1 & 4 in 1 (A4/LTR) |
| Copier Multi Sort | Makes copies of each page and sorts |
| Copier Multi Stack | Up to 999 copies |
| Fax | |
| Modem Speed | 33,600bps (Fax) |
| 2 Sided Fax | Send/Receive |
| ITU-T Group compatibility | Super G3 |
| Telstra Duet Compatible | A service purchased from a telephone company that allows two or more telephone numbers to share a single fixed line |
| Speed Dials | 300 locations |
| ECM | The MFC will detect line errors during fax transmission & resend the page(s) of the document that had an error |
| Out of Paper Reception | Up to 500 pages (ITU-T Test Chart) |
| Broadcasting | Up to 350 locations |
| Automatic Reduction | When receiving a single page document more than 297mm long the fax machine will automatically reduce the message to fit onto a single A4 sheet |
| Fax Forwarding | To Fax number or Email Address |
| PC Fax | Send/Receive from Windows Send only from MAC / Linux (Network / USB) |
| Internet Fax | Yes - T37 protocol |
| Digital Scanner | |
| Scanner Colour/Mono | Colour |
| Scanner Colour Depth | 48 bit input / 24 bit output colour |
| Scanning Technology | Dual CIS |
| Scanner Speed ¹² | Simplex: 28/20 ipm Mono/Colour Duplex: 56/40 ipm Mono/Colour In accordance with ISO/IEC17991 |
| Scanner Resolution (Optical) | From Glass: Up to 1200 x 1200 dpi From ADF: Up to 600 x 600 dpi |
| Scanner Resolution (Interpolated) | Up to 19,200 x 19,200 dpi |
| Scanner Daily Duty Cycle | 250 pages |
| Scanning Area | Flatbed: 214(W) x 295(L)mm, ADF: 214(W) x 354(L)mm Duplex ADF: 214(W) x 354(L)mm |
| Scanner Grey Scale | 256 levels |
| Scan to Email Client | Scan documents to e-mail client |
| Scan to Email Server | Scan documents via e-mail server |
| Scan to OCR | Scan documents directly into your word processing application for instant editing |
| Scan to Image | Scan into your preferred image editing software |
| Scan to File | Scan to a file on your computer |
| Scan to FTP | FTP /SFTP |
| Scan to Media | USB memory drive |
| Scan to Sharepoint | On premise Server Via PaperPort, Office 365 via Web Connect |
| Scan to Network Folder | Windows Folder only |
| Scan To Cloud | Yes - See Web Connect |
| Network Scan | Pull scan from Windows/Mac workstation |
| Scanner OS Compatibility ³ | Windows 11, Windows 10 (32&64bit) macOS 11-14 ³ , Linux Sane |
| Twain Compliant | Windows: TWAIN or WIA Linux: SANE |
| Direct Print/Scan Feature | |
| Digital-Media Type | USB Flash Memory |
| Digital-Media Spec | USB Memory Drive. External drive must be FAT12/ FAT16/FAT32/exFAT formatted |
| Digital-Media Format | Print: PDF version 1.7, JPEG, Exif+JPEG, PRN(created by own printer driver), TIFF(scanned by Brother model), XPS version 1.0, Scan to USB: JPEG/PDF (colour), TIFF/PDF (B&W) |
| Direct USB | Print/Scan |
| Network Management Utilities | |
| Network Management | Windows: BRAdmin Light, Web Base Management, BRAdmin Professional, Network Remote Setup Mac: Web Base Management Linux: Web Base Management |
| Web Based Management | Web based print management software embedded onto the device |
| BRAdmin Professional ¹ | For LAN / WAN management using Windows® PC |

| Software | |
|---|--|
| N-up Printing ⁵ | Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (MAC OSX, up to 2, 4, 6, 9, or 16) |
| Poster Printing ⁴ | Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages |
| Header and Footer Printing | Windows only |
| Watermark Printing ⁴ | Watermark your documents with predefined text or with your own user-defined messages |
| Booklet Printing ⁴ | Print documents in A5 booklet format using automatic or manual 2-sided printing |
| Archive Printing ⁴ | When this feature is enabled, a PDF file of your print job will automatically be created and archived |
| Storage Print | USB memory |
| Brother Solutions Interface | Brother Solutions Interface (BSI) Developer Program is a platform that enables third-party developers to build custom solutions for and integrate with Brother Devices |
| Light Solutions ² | Included (Secure Print+, Remote Panel, CustomUI) Optional (ThinPrint Client, Barcode Print+, Request Help, Order Supplies, Barcode Utility) (Apply for Activation Code from Brother) |
| Archive Printing ⁴ | When this feature is enabled, a PDF file of your print job will automatically be created and archived |
| Kofax | AutoStore, ControlSuite, Equitrac |
| Mass Deployment Tool ^{1,4} | A configuration tool to help you to install and manage multiple USB-connected or network-connected devices without having to install any additional software |
| Driver Deployment Wizard ^{1,4} | A interactive wizard to help create and deploy locally or network connected Brother printer drivers |
| Connectivity | |
| Interface | Hi-Speed USB 2.0, 10Base-T/100Base-TX/1000Base-T Ethernet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct |
| USB Interface | Hi-Speed USB 2.0 |
| Wired Interface | 10Base-T/100Base-TX/1000Base-T Ethernet |
| Wireless Interface | 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless |
| Wi-Fi Direct | Print wirelessly without having to go through a wireless access point or router |
| USB Host | Direct Print/Scan External IC Card Reader Holder (CH-1000) (Front) |
| Networking | |
| Wireless Mode | 2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE 802.11a/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct) |
| Wireless Setup Support Utility | Wi-Fi Protected Setup (WPS) |
| Network Protocols IPV4 | ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNMP Client, LDAP, IMAP4, Syslog |
| Network Protocols IPV6 | NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNMP Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog |
| Email Alerts | E-mail Notification and Reports |
| Security | |
| Wired Security | APOP, SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP, FTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec |
| Wireless Security | APOP, SMTP-AUTH, SSL/TLS (IPP, HTTP, SMTP, FTP, POP3, IMAP4), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos, IPsec |
| Wireless Security Protocols | SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) (Wi-Fi Direct supports WPA2-PSK (AES) only) |
| LDAP | Integrate with a directory server to look up contacts and e-mail addresses |
| Active Directory Authentication | Restrict the use of your Brother device. The device's control panel will be locked |

| IPv4-Filter | Restrict which network users can or cannot access the device over the network (IPv4 only) |
|---|---|
| Secure Print ⁶ | Use Secure Print to ensure that confidential or sensitive documents do not print until you enter a password on the machines control panel |
| Secure Function Lock | Version 3 (200 users) |
| Mobile / Web Printing | |
| iPrintScan ¹ | Windows/Mac |
| Mobile Connect ¹ | Use Brother Mobile Connect to print, scan, and copy, as well as manage your machine and customize its features. |
| Android Print Service Plugin ¹ | Print directly from your Android devices (Android 5.0 or later), to your Brother printer through a Wi-Fi or Wired network |
| AirPrint | Print most common file types from any Apple AirPrint enabled application |
| Mopria ¹ | Print most common file types from Mopria™ supported Android devices |
| Google ChromeOS | Print from your Chromebook |
| Web Connect ⁷ | Scan To/Download and Print from: Google Drive, Dropbox, OneDrive, Box, OneNote, Scan To: Evernote Print from: Creative Centre |
| Brother Apps ⁷ | Office Doc Creator, Easy Scan to Email, Fax Forward to Cloud / Email, Enlarge Text Copy, Scan to Mobile |
| Universal Print ⁷ | Yes with latest firmware |
| Options | |
| Optional Paper Tray ³ | 250 sheets (LT-5505) x 2 or 520 sheets (LT-6505) x 2 (Max. 1,040 sheets) |
| Optional Warranty ¹⁴ | 1, 2, 3 Years Onsite |
| Consumables ¹¹ | |
| In-box Consumables ¹¹ | Black Toner Up to 6,000 pages in accordance with ISO/IEC 19752 |
| Standard-Yield Toner ¹¹ | Black Toner TN3605 Up to 3,000 pages in accordance with ISO/IEC 19752 |
| High-Yield Toner ¹¹ | Black Toner High-Yield TN3605XL Up to 6,000 pages in accordance with ISO/IEC 19752 |
| Super High-Yield Toner ¹¹ | Black Toner Super High-Yield TN3605XXL Up to 11,000 pages in accordance with ISO/IEC 19752 |
| Ultra High-Yield Toner ¹¹ | Black Toner Ultra High-Yield TN3615 Up to 18,000 pages in accordance with ISO/IEC 19752 |
| Drum | DR3605 (Up to 45,000 pages: 1 page/job, Up to 75,000 pages: 3 page/job) |
| Weight & Measurements | |
| Size | 495(W) x 473(D) x 518(H)mm |
| Weight | 17.3 Kg without consumables, 18.9 Kg with consumables |
| Size With Carton | 567(W) x 580(D) x 628(H)mm |
| Weight With Carton | 25.4 Kg with consumables |
| Environment | |
| Power Consumption | Peak: 710W or less, Ready: 31W or less, Sleep: 6.7W, Deep Sleep: 0.7W or less |
| Sleep Mode | Yes (0-50 min) |
| Toner Save | This reduces the toner usage and helps to reduce the total cost of printer ownership |
| Power Save | Enables the printer to consume less energy when not in use |
| Others | |
| Noise Level | Sound Pressure Level: (Printing) Less than 54 dBA, (Standby) Less than 35 dBA, Sound Power Level: (Printing) Less than 7.06 B, (Standby) Less than 4.9 BA, (QuietMode) Less than 6.54 B |
| TEC Value | 0.66 kWh / Week |



All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Disclaimers:
 1 Download from Brother Solutions Centre
 2 Apply to activate
 3 Via Airprint or iPrint&Scan
 4 Windows only
 5 Windows/Mac
 6 Capacity calculated with 80g/m² paper
 7 Must be connected to the internet
 8 The recommended monthly print volume is to achieve the best possible performance and printer life

9 Print speeds based on ISO/IEC 24734
www.brother.com/rd/printspeed
 10 FPOT (First Print Out Time) based on ISO/IEC 17629
 11 Approx. declared yield value in accordance with ISO/IEC 19752
 12 Scan speeds based on ISO/IEC 17991
 13 Purchase optional tray required
 14 Purchase optional onsite warranty required



brother
at your side