




PT-E560BTVP

Introducing Brother's Pro Labelling Machine



DURABLE
LABELS



TYPE C

www.brother.com.au

Built with electricians and network professionals in mind

The Brother PT-E560BTVP is your ultimate labelling companion. Prints up to 24mm wide labels fast, with auto cutter, Bluetooth and USB Type C connectivity. Dedicated keys for common electrical and network labelling tasks, QR code printing and tested-to-the-extreme TZe Pro Tapes or heat shrink tubes. Boost your efficiency on any worksite with this top-tier labelling machine.

PT-E560BTVP



Key features:

- Fast print speeds of up to 30 labels per minute
- Automatic (full & half) cutter with easy peel function to print multiple labels in one continuous strip
- Up to 24mm wide labels
- Large backlit display
- Connect and print easily via your phone using Bluetooth or a desktop PC using USB
- Up to 6 “one-touch” function keys for general label, faceplate, cable flag/wrap, punch down block and patch panel ID
- Add QR codes or 2D barcodes and logos to your labels
- Compatible with Brother’s TZe range of tapes with labels tested to the extreme and HSe heat shrink tubes



The ultimate labelling solution

For the serious specialist who demands the best on every job. The PT-E560BTVP is your ultimate labelling partner, offering unmatched speed, versatility and durability to tackle any professional challenges, big or small.



Intuitive and easy to use

Labelling at your fingertips. The Brother PT-E560BTVP is designed to be easy to use, right out of the box. With built-in features and dedicated one-touch functions, spend less time fiddling with settings and more time getting the job done - you'll be labelling like a pro in minutes.



Wider 24mm labels & versatile applications

Go beyond basic labels. The PT-E560BTVP handles wider labels (up to 24mm) and offers dedicated keys for complex jobs like patch panels and faceplates. Perfect for detailed electrical and network installations where clarity and precision are critical.



Versatile TZe laminated tapes

From scorching heat to pouring rain, your labels need to endure all extremes. Brother's TZe range of laminated tapes are waterproof, abrasion and chemical-resistant - built and tested to withstand any conditions they're thrown into. It's even compatible with our HSe heat shrink tubes to make cable labelling a breeze.



Faster print speeds & auto-cutter

Time is money with fast print speeds of up to 30mm/sec and automatic (full and half) cutter, the PT-E560BTVP will boost your efficiency on site. Produce labels quickly and effortlessly leaving you more time to focus on the task at hand.



Brother's at your side support

Our team of experts are also *at your side* to ensure this is the right product for your requirements. [Click to enquire.](#)

Technical Specifications for the PT-E560BTVP

General

Hardware Type	HandHeld PC Connectable
Keyboard	Qwerty & Numeric
Feed	Yes

Display

Display Type	LCD (Backlight)
LCD Display	18 Characters x 5 line LCD

Printer

Engine	Direct thermal
Print Speed	USB Power adapter: 30 mm/sec Batteries: 20 mm/sec
Printer Resolution	180dpi
Emulation	Raster mode
Memory	Local File Memory: 178,200 Characters or 99 files, Transferred File Memory: 99 each for templates/databases/images/symbols
Printer OS Compatibility	"Windows 11, Windows 10 (32&64bit) macOS 12-15 ¹
Mobile Operating System	Android 5.0 or greater, iOS 12 or greater

Labeller

Cable Labelling Function	8 Kinds: General, Faceplate, Cable Wrap, Cable Flag, Patch Panel / Terminal Block / Distribution board, Punch Block, Heat Shrink Tube, Self Lamine. Also via Mobile Cable Label Tool App
Built In Languages	6 Kinds: English, Arabic, Persian, Thai, Vietnamese, T.Chinese
Fonts Labeller	14 built in
Font Names	Helsinki, Brussels, US, Los Angeles, San Diego, Florida, Calgary, Belgium, Atlanta, Adams, Brunei, Sofia, Germany, Letter Gothic
Font Sizes	8 kinds (Auto/ 6/9/12/18/24/36/42/48pt)
Font Styles	10
Font Style Names	Normal, Bold, Outline, Shadow, Solid, Italic, Italic Bold, Italic Outline, Italic Shadow, Italic Solid
Font Widths	5
Font Width Names	x1/2, x2/3, Normal, x3/2, x2
Frames and Backgrounds	7 Frames
Characters and Symbols	684 Chars / 960 Symbols
BarCodes	Yes
BarCode Names	CODE39, ITF 2/5, EAN13, EAN8, UPC-A, UPC-E, CODABAR, GS1-128 (UCC/EAN128), CODE128, QR Code (model 1, model 2, micro QR, GS1), Datamatrix 1D barcodes only for transferred templates; ISBN-2, ISBN-2, POSTNET, Laser Bar Code, GS1 DataBar(RSS)6, Intelligent Mail Barcode 2D barcodes only for transferred templates; PDF417, MaxiCode, AztecCode, GS-1 Composite
Auto Number	Yes (1 - 99, Normal, Simultaneous, Advanced)
Auto Format	Yes
Underline	Yes
Multi Line Print	7
Repeat Print	Yes
Mirror Print	Yes
Rotate Print	In Label Type setting
Vertical Print	Yes (in the style setting)
Print Preview	Yes (Real Preview)

Software

Software Available	Windows: P-touch Editor 6, Printer Setting Tool, Driver Mac: P-touch Editor 6
Ptouch Editor Software	Ptouch Editor Included
Microsoft Office Add-in function - Software	Yes
Link to Database	Yes
Template Transfer to Machine	Yes
Mobile Applications	Pro Label Tool, Mobile Transfer Express, Print SDK
Pro Label Tool	iOS / Android
Mobile Transfer Express	iOS / Android

Connectivity

Interface	USB 2 Type C, Bluetooth Ver: 3.0
Bluetooth	Bluetooth Ver: 3.0, SPP: iAP
USB interface cable	USB A-C Cable (For data and power)

Consumables	
Tape Type	TZe laminated & non-laminated, HSe Heat Shrink Tube
Tape Widths	3.5, 6, 9, 12, 18, 24
Heat Shrink Tube	Yes
Print Height Max	18mm
Print Length Max	-
Tape Cutter	Auto Full Cut / Half Cut / Scissors
Tape Half Cutter	Yes
Tape Length	8 Metres
Tape Length Setting	Auto / 10mm-999mm
Inbox Consumables	TZe-FX251 (24mm Black/White Flexible ID 8m)
Weights and Measurements	
Size	132(W) x 244(D) x 80(H) mm
Weight	1050g (without tape & batteries)
Size With Carton	393(W) x 126(D) x 334(H) mm
Weight With Carton	3.10 Kg
Power Supply	
Batteries	Rechargeable Li-ion Battery: 7.2 V (BA-E001) - Charging Time Approx 3 hours
AC Adaptor	USB Type-C: Universal
Optional Power	Rechargeable Li-ion Battery: 7.2 V (BA-E001) - Charging Time Approx 3 hours
Options	
Carry Case	Yes (Included)
Environment	
Auto Power Off	USB Charger: Off ~12hr Li-ion Battery: Off ~ 1hr
Other	
Warranty	3 Years Return To Base
Carton Contents	Machine, TZe-Tape 24mm (Black on White Flexible ID, 8 Mtrs), Li-ion battery pack, Hand Strap, USB A-C Cable (For data and power), Ruler Card & Sleeve, Protective carry case

Disclaimer:

¹Via P-touch Editor ver5.0

P-touch

TZe
TAPE



Brother
Earth

Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com



youtube.com/user/BrotherAU/videos



linkedin.com/company/brother-international-australia/

brother
at your side