



# **Compact and Reliable Monochrome Laser Printer**

HL-L1230W



Exclusively available from



www.brother.com.au

## **Compact and Reliable Monochrome Laser Printer**

Perfect for home or home offices. This affordable, wireless monochrome laser printer is fast and compact with high-quality outputs. Compatible with AirPrint, set up from your mobile device is simple and hassle-free. With easy-to-replace toner cartridges and low running costs, the HL-L1230W is the ideal solution for your everyday printing needs.



## HL-L1230W

### **Key Features:**

- Simple wireless set up (2.4/5GHz) via our Mobile Connect app
- Print easily from mobile devices (Mobile Connect & AirPrint) or desktop
- Affordable, easy to replace toner and drum cartridges
- Fast print speeds of up to 20 pages (A4) per minute
- Compact and small footprint

-
(((•
•

#### Simple to set up and use

Installation of the HL-L1230W is easy. Connect wirelessly and print directly from your mobile phone using our Mobile Connect app, AirPrint or use a USB cable for quick printing setup.

Г	
—	=Ψ
ΨĒ	

#### Small and efficient

Designed to occupy minimal space on your workspace, the Brother HL-L1230W is compact, stylish and easy to move around. Despite its size, it delivers fast printing speeds and top-notch print quality.

,	П	(	Ś
		`	Ť
			٦

#### **Cost-effective**

With a budget-friendly starting price, this black-and-white printer delivers high quality prints at a low running cost. Brother replacement toner cartridges are affordable and print up to 1,000 pages.

_		
ſ		)
	000	
		11
C		ノ
	$\sim$	
		NΓ.

#### Brother's at your side support

Wherever you are in Australia, Brother offers complimentary support for the lifetime of your product.



Amou Laser         44 Wireless Network Mono Laser Printer         00MHz         Year Return To Base         Yrinter, CD-ROM (including User's Guide), Quick Setup         ajude, Inbox Toner Cartridge 700 pages in accordance <i>i</i> rith ISO / IEC 19752, Drum (DR1170) @ 10,000         ages, AC Power Cord         Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)         dwer On/Off, Wi-Fi         4MB         lp to 20 ppm Mono         Anual         SDI         00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality         Vindows 11, Windows 10 (32864bit), Windows Server         022, Windows Server 2019, Windows Server 2016         nacOS 12-14 <sup>3</sup> inux RPM, DEB         ess than 10 secs from ready mode         ess than 18 secs from sleep mode         ess than 18 secs from sleep mode	Interface USB Interface Wireless Interface Wi-Fi Direct Networking Wireless Mode Wireless Certification Wireless Setup Support Utility Network Protocols IPV4 Network Protocols IPV6 Email Alerts Network Management Utility Network Management	Hi-Speed USB 2.0, 2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n, Wi-Fi Direct IEEE 802.11g/n Hi-Speed USB 2.0 2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n, Wi-Fi Direct IEEE 802.11g/n Yes 2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n, Wi-Fi Direct IEEE 802.11g/n Wi-Fi Certification Mark License (WPA/WPA3 - Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License Wi-Fi Protected Setup (WPS) ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client an server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) E-mail Notification and Reports
4 Wireless Network Mono Laser Printer 00Hz Year Return To Base frinter, CD-ROM (including User's Guide), Quick Setup Guide, Inbox Toner Cartridge 700 pages in accordance <i>ith</i> ISO / IEC 19752, Drum (DR1170) @ 10,000 ages, AC Power Cord Prange x1 (Error), Green x1 (Ready), Green x1 (WLAN) Prange x1 (Error), Green x1 (Ready), Green x1 (WLAN) Wer On/Off, WI-Fi 4MB 4MB 4p to 20 ppm Mono 4anual 6DI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32864bit), Windows Server 022, Windows Server 2019, Windows Server 2016 1acOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 18 secs from sleep mode ess than 18 secs from sleep mode	Wireless Interface Wi-Fi Direct Networking Wireless Mode Wireless Certification Wireless Setup Support Utility Network Protocols IPV4 Network Protocols IPV6 Email Alerts Network Management Utility	Hi-Speed USB 2.0 2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n, Wi-Fi Direct IEEE 802.11g/n Yes 2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n, Wi-Fi Direct IEEE 802.11g/n Wi-Fi Certification Mark License (WPA/WPA3 - Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License Wi-Fi Protected Setup (WPS) ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FITP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client an server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FITP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) E-mail Notification and Reports
00MHz Year Return To Base Yrinter, CD-ROM (including User's Guide), Quick Setup Buide, Inbox Toner Cartridge 700 pages in accordance ith ISO / IEC 19752, Drum (DR1170) @ 10,000 ages, AC Power Cord Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN) Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN) Power On/Off, Wi-Fi 4MB 40 to 20 ppm Mono 4anual BDI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32864bit), Windows Server 022, Windows Server 2019, Windows Server 2016 1acOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Wireless Interface Wi-Fi Direct Networking Wireless Mode Wireless Certification Wireless Setup Support Utility Network Protocols IPV4 Network Protocols IPV6 Email Alerts Network Management Utility	<ul> <li>2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n, Wi-Fi Direct IEEE 802.11g/n</li> <li>Yes</li> <li>2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n, Wi-Fi Direct IEEE 802.11g/n</li> <li>Wi-Fi Direct IEEE 802.11g/n</li> <li>Wi-Fi Certification Mark License (WPA/WPA3 - Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License</li> <li>Wi-Fi Protected Setup (WPS)</li> <li>ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPV1/v2c/v3, HTTP/HTTPS server, ICMP, Web Services (Print)</li> <li>NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPV1/v2c/v3, HTTP/HTTPS server, ICMPv6, Web Services (Print)</li> <li>E-mail Notification and Reports</li> </ul>
Year Return To Base Yinter, CD-ROM (including User's Guide), Quick Setup Guide, Inbox Toner Cartridge 700 pages in accordance yith ISO / IEC 19752, Drum (DR1170) @ 10,000 ages, AC Power Cord Prange x1 (Error), Green x1 (Ready), Green x1 (WLAN) Prange x1 (Error), Green x1 (Ready), Green x1 (WLAN) Prower On/Off, WI-FI 4MB 4MB 4p to 20 ppm Mono 4anual 3DI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32864bit), Windows Server 022, Windows Server 2019, Windows Server 2016 1acOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Wi-Fi Direct          Networking         Wireless Mode         Wireless Certification         Wireless Setup Support Utility         Network Protocols IPV4         Network Protocols IPV6         Email Alerts         Network Management Utility	Wi-Fi Direct IEEE 802.11g/n Yes 2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n, Wi-Fi Direct IEEE 802.11g/n Wi-Fi Certification Mark License (WPA/WPA3 - Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License Wi-Fi Protected Setup (WPS) ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Pot/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPV1/v2c/v3, HTTP/HTTPS server, TFTP client ar server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) E-mail Notification and Reports
<ul> <li>Ariter, CD-ROM (including User's Guide), Quick Setup Juide, Inbox Toner Cartridge 700 pages in accordance vith ISO / IEC 19752, Drum (DR1170) @ 10,000 ages, AC Power Cord</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>Q0 x 600 dpi, HQ1200 (2400 x 600 dpi) quality</li> <li>Vindows 11, Windows 10 (32864bit), Windows Server 2016 tacOS 12-14<sup>3</sup> tacOS 12-14<sup>3</sup></li></ul>	Networking         Wireless Mode         Wireless Certification         Wireless Setup Support Utility         Network Protocols IPV4         Network Protocols IPV6         Email Alerts         Network Management Utility	<ul> <li>2.4GHz IEEE 802.11b/g/n, 5GHz IEEE 802.11a/n, Wi-Fi Direct IEEE 802.11g/n</li> <li>Wi-Fi Certification Mark License (WPA/WPA3 - Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License</li> <li>Wi-Fi Protected Setup (WPS)</li> <li>ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Pot/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPV1/v2c/v3, HTTP/HTTPS server, TFTP client ar server, ICMP, Web Services (Print)</li> <li>NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPV1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print)</li> <li>E-mail Notification and Reports</li> </ul>
Auide, Inbox Toner Cartridge 700 pages in accordance with ISO / IEC 19752, Drum (DR1170) @ 10,000 ages, AC Power Cord Drange x1 (Error), Green x1 (Ready), Green x1 (WLAN) Tower On/Off, WI-FI 4MB 40 to 20 ppm Mono 4anual 5DI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32864bit), Windows Server 022, Windows Server 2019, Windows Server 2016 1acOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 18 secs from sleep mode ess than 18 secs from sleep mode	Wireless Mode Wireless Certification Wireless Setup Support Utility Network Protocols IPV4 Network Protocols IPV6 Email Alerts Network Management Utilit	<ul> <li>Wi-Fi Direct IEEE 802.11g/n</li> <li>Wi-Fi Certification Mark License (WPA/WPA3 - Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License</li> <li>Wi-Fi Protected Setup (WPS)</li> <li>ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP Client ar server, ICMP, Web Services (Print)</li> <li>NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print)</li> <li>E-mail Notification and Reports</li> </ul>
<ul> <li>vith ISO / IEC 19752, Drum (DR1170) @ 10,000 ages, AC Power Cord</li> <li>brange x1 (Error), Green x1 (Ready), Green x1 (WLAN)</li> <li>bower On/Off, Wi-Fi</li> <li>dMB</li> <li>lp to 20 ppm Mono Aanual</li> <li>BDI</li> <li>00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality</li> <li>Vindows 11, Windows 10 (32864bit), Windows Server 022, Windows Server 2019, Windows Server 2016 nacOS 12-14<sup>3</sup></li> <li>inux RPM, DEB</li> <li>ess than 10 secs from ready mode</li> <li>ess than 18 secs from sleep mode</li> <li>ess than 18 secs from sleep mode</li> </ul>	Wireless Mode Wireless Certification Wireless Setup Support Utility Network Protocols IPV4 Network Protocols IPV6 Email Alerts Network Management Utilit	<ul> <li>Wi-Fi Direct IEEE 802.11g/n</li> <li>Wi-Fi Certification Mark License (WPA/WPA3 - Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License</li> <li>Wi-Fi Protected Setup (WPS)</li> <li>ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP Client ar server, ICMP, Web Services (Print)</li> <li>NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print)</li> <li>E-mail Notification and Reports</li> </ul>
Variange x1 (Error), Green x1 (Ready), Green x1 (WLAN)         Interpretation of the second	Wireless Mode Wireless Certification Wireless Setup Support Utility Network Protocols IPV4 Network Protocols IPV6 Email Alerts Network Management Utilit	<ul> <li>Wi-Fi Direct IEEE 802.11g/n</li> <li>Wi-Fi Certification Mark License (WPA/WPA3 - Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License</li> <li>Wi-Fi Protected Setup (WPS)</li> <li>ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP Client ar server, ICMP, Web Services (Print)</li> <li>NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print)</li> <li>E-mail Notification and Reports</li> </ul>
lower On/Off, WI-Fi 4MB Jp to 20 ppm Mono flanual 3DI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32&64bit) , Windows Server 022, Windows Server 2019, Windows Server 2016 nacOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Wireless Certification Wireless Setup Support Utility Network Protocols IPV4 Network Protocols IPV6 Email Alerts Network Management Utilit	<ul> <li>Wi-Fi Direct IEEE 802.11g/n</li> <li>Wi-Fi Certification Mark License (WPA/WPA3 - Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License</li> <li>Wi-Fi Protected Setup (WPS)</li> <li>ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP Client ar server, ICMP, Web Services (Print)</li> <li>NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print)</li> <li>E-mail Notification and Reports</li> </ul>
lower On/Off, WI-Fi 4MB Jp to 20 ppm Mono flanual 3DI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32&64bit) , Windows Server 022, Windows Server 2019, Windows Server 2016 nacOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Wireless Setup Support Utility Network Protocols IPV4 Network Protocols IPV6 Email Alerts Network Management Utilit	<ul> <li>Wi-Fi Certification Mark License (WPA/WPA3 - Personal), Wi-Fi Protected Setup (WPS) Identifier Mark License</li> <li>Wi-Fi Protected Setup (WPS)</li> <li>ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SINMFV1/v2c/v3, HTTP/HTTPS server, TFIP client ar server, ICMP, Web Services (Print)</li> <li>NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print)</li> <li>E-mail Notification and Reports</li> </ul>
lower On/Off, WI-Fi 4MB Jp to 20 ppm Mono flanual 3DI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32&64bit) , Windows Server 022, Windows Server 2019, Windows Server 2016 nacOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Wireless Setup Support Utility Network Protocols IPV4 Network Protocols IPV6 Email Alerts Network Management Utilit	Personal), Wi-FI Protected Setup (WPS) Identifier Mark License Wi-FI Protected Setup (WPS) ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client ar server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) E-mail Notification and Reports
4MB Jp to 20 ppm Mono Manual SDI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32864bit) , Windows Server 022, Windows Server 2019, Windows Server 2016 nacOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Network Protocols IPV4 Network Protocols IPV6 Email Alerts Network Management Utilit	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SINIPV1/v2c/v3, HTTP/HTTPS server, TFTP client ar server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SINIPV1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) E-mail Notification and Reports
4MB Jp to 20 ppm Mono Manual SDI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32864bit) , Windows Server 022, Windows Server 2019, Windows Server 2016 nacOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Network Protocols IPV6 Email Alerts Network Management Utilit	NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client ar server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) E-mail Notification and Reports
4MB Jp to 20 ppm Mono Manual SDI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32864bit) , Windows Server 022, Windows Server 2019, Windows Server 2016 nacOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Email Alerts Network Management Utilit	LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPV1/v2c/v3, HTTP/HTTPS server, TFTP client ar server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) E-mail Notification and Reports
Ip to 20 ppm Mono Manual 3DI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32864bit) , Windows Server 022, Windows Server 2019, Windows Server 2016 nacOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Email Alerts Network Management Utilit	server, ICMP, Web Services (Print) NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) E-mail Notification and Reports
Ip to 20 ppm Mono Manual 3DI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32864bit) , Windows Server 022, Windows Server 2019, Windows Server 2016 nacOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Email Alerts Network Management Utilit	LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) E-mail Notification and Reports
Anual Anual Anual ADI 00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32&64bit) , Windows Server 022, Windows Server 2019, Windows Server 2016 1acOS 12-14 <sup>3</sup> Inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Network Management Utilit	SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/ HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) E-mail Notification and Reports
<ul> <li>ADI</li> <li>O0 x 600 dpi, HQ1200 (2400 x 600 dpi) quality</li> <li>Vindows 11, Windows 10 (32&amp;64bit), Windows Server</li> <li>O22, Windows Server 2019, Windows Server 2016</li> <li>nacOS 12-14<sup>3</sup></li> <li>inux RPM, DEB</li> <li>ess than 10 secs from ready mode</li> <li>ess than 28 secs from sleep mode</li> <li>ess than 18 secs from sleep mode</li> </ul>	Network Management Utilit	HTTPS server, TFTP client and server, ICMPv6, Web Services (Print) E-mail Notification and Reports
00 x 600 dpi, HQ1200 (2400 x 600 dpi) quality Vindows 11, Windows 10 (32864bit) , Windows Server 022, Windows Server 2019, Windows Server 2016 nacOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Network Management Utilit	E-mail Notification and Reports
Vindows 11, Windows 10 (32&64bit), Windows Server 022, Windows Server 2019, Windows Server 2016 nacOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Network Management Utilit	ies
022, Windows Server 2019, Windows Server 2016 nacOS 12-14 <sup>3</sup> inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode		
inux RPM, DEB ess than 10 secs from ready mode ess than 28 secs from sleep mode ess than 18 secs from sleep mode		
ess than 28 secs from sleep mode ess than 18 secs from sleep mode	Network Management	Windows: BRAdmin Light Web Rose Management
ess than 18 secs from sleep mode		BRAdmin Professional
see alan ze eeee norriperter err		Mac: Web Base Management Linux: Web Base Management
.2, 4.2, 4.2, 4.2mm (top, bottom, left, right)	Web Based Management	Yes
50 to 2,000 pages	BRAdmin Professional	Windows only
,, ,	BRAdmin Light	Windows only
	Security	
lp to 150 sheets	Wireless Security	eMail: SMTP-AUTH, SNMP v3,SSL/TLS (SMTP,HTTP,IPP)
Ip to 50 Sheets Face Down	Wireless Security Protocols	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK
5 - 105 gsm	,	(AES), WPA3-SAE (AES)
4, Letter, Legal, Folio,A5,A5(Long Edge), B5(JIS),		
35(ISO), Executive, 16K(195x270mm)		
		Mobile Connect, Support Center, Print Service Plugin
		IOS/Android
		Windows/Mac
		Yes
Vindows: iPrint&Scan, Status Monitor, BRAdmin Light <sup>1</sup> ,		Yes
Acchine Professional Aac: iPrint&Scan, Status Monitor	Google ChromeOS	Yes
l in 1, Manual Duplex, Header-Footer, Watermark Mindows/Mac)	Android Print Service Plugin	Yes
· · · · · · · · · · · · · · · · · · ·	Concurrentia	
és		
age (Mac)	Consumables	Standard Yield Toner Cartridge (TN1170) Up to 1,000 pages @ ISO/IEC 19752 Drum (DR1170) Up to 10,000 pages (1 page per job
In UVU SVS AVA 5V5 Mindowo ophi		
111 ZAZ, SXS, 4X4, SXS (VVILIOUWS OFILY)	Inbox Consumables	TINOA TOTEL CALIFICATE OF TO A CONSIDER TO A COMPANY
in 2x2, 3x3, 4x4, 5x5 (Windows only) Vindows/Mac (Airprint)	Inbox Consumables	Inbox Toner Cartridge Up to 700 pages in accordance with ISO/IEC 19752 Drum (DR1170) Up to 10,000 pages (1 page per job)
	Inbox Consumables Standard Yield Toner	with ISO/IEC 19752
ViFla	I, Letter, Legal, Folio,A5,A5(Long Edge), B5(JIS), 5(ISO), Executive, 16K(195x270mm) Isstom: 148 to 216 mm(W) X 148 to 355.6 mm(L) ain Paper, Recycled Paper indows: iPrint&Scan, Status Monitor, BRAdmin Light <sup>1</sup> , Radmin Professional <sup>1</sup> ac: iPrint&Scan, Status Monitor in 1, Manual Duplex, Header-Footer, Watermark <i>findows/Mac</i> ) Isster (Windows only) Is 4, 9, 16, 25 in 1 page (Windows), 2, 4, 6, 9, 16 in 1 Ige (Mac)	I. Letter, Legal, Folio,A5,A5(Long Edge), B5(JIS),       Mobile / Web Printing         I. Storm: 148 to 216 mm(W) X 148 to 355.6 mm(L)       Mobile Applications         ain Paper, Recycled Paper       Mobile Connect         indows: iPrint&Scan, Status Monitor, BRAdmin Light <sup>1</sup> ,       Mopria         Rodows: iPrint&Scan, Status Monitor       Google ChromeOS         ac: iPrint&Scan, Status Monitor       Android Print Service Plugin         indows: work       S         Consumables       Consumables         4, 9, 16, 25 in 1 page (Windows), 2, 4, 6, 9, 16 in 1       Consumables         ige (Mac)       Kindows only)

Weights and Mesurements		Environment	
Size	340(W) x 238(D) x 189(H)mm	Power Consumption	Peak: 1056W or less
Weight	4 Kg without consumables 4.6 Kg with consumables		Printing: 380W or less Standby: 40W or less Sleep: 2.4W or less
Size With Carton	415(W) x 303(D) x 324(H)mm		Deep Sleep: 1.2W or less
Weight With Carton	5.6 Kg with consumables	Sleep Mode	Yes (1 min, Unchangeable)
Size while printing	340(D) x 225(H) x 362(D)mm	Toner Save	Yes
(output tray extended)		Power Save	Yes
		Noise Level	Sound Pressure: Printing: 51dB, Standy: 18dB Sound Power: Printing: 6.6B, Standy: 4.8B, Deep Sleep: 4.73B

**TEC Value** 

Humidity

Temperature

310 Wh/Week

Operating: 10 - 32°C Storage: 0 - 40°C

Operating: 20 - 80% (without condensation)

Storage: 20 - 80% (without condensation)

Declared yield value in accordance with ISO/IEC 19752
 Download from Brother Solutions Centre
 <sup>2</sup>Apply for Firmware from Brother
 <sup>3</sup>Via Airprint or iPrint&Scan



Brother

Earth

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

#### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com



